



**ATRIO Bronze Rx (Basin) (PPO)**  
**ATRIO Bronze Rx (Rogue) (PPO)**  
**ATRIO Bronze Rx (Umpqua) (PPO)**  
**ATRIO Gold Rx (PPO)**  
**ATRIO Gold Rx (Willamette) (PPO)**  
**ATRIO Silver Rx (PPO)**  
**ATRIO Silver Rx (Rogue) (PPO)**  
**ATRIO Silver Rx (Willamette) (PPO)**

## Formulario 2018 (Lista de medicamentos cubiertos)

**POR FAVOR LEER: ESTE DOCUMENTO CONTIENE INFORMACIÓN  
SOBRE LOS MEDICAMENTOS QUE CUBRIMOS EN ESTE PLAN**

Archivo 18032 del Formulario aprobado del HPMS, versión número 19

Este formulario fue actualizado el 11/01/2018. Para obtener información actualizada o si tiene preguntas, contacte a ATRIO Health Plans llamando al 1-877-672-8620 o para usuarios de TTY/TDD, al 1-800-735-2900, todos los días de 8:00 a.m. a 8:00 p.m., o visite el sitio web [atriohp.com](http://atriohp.com).

ATRIO Health Plans tiene planes PPO y HMO D-SNP con un contrato de Medicare. La inscripción en ATRIO Health Plans depende de la renovación del contrato. El formulario puede cambiar en cualquier momento. Recibirá un aviso cuando corresponda.

**Aviso para los miembros existentes:** Este formulario ha cambiado desde el año pasado. Por favor revise este documento para asegurarse de que todavía contiene los medicamentos que usted toma.

Cuando en esta lista de medicamentos (Formulario) se mencione "nosotros" o "nuestro", estos términos hacen referencia a los planes de salud de ATRIO Health Plans. Cuando se mencione "plan" o "nuestro plan", se refiere a ATRIO Bronze Rx (Basin) (PPO), ATRIO Bronze Rx (Rogue) (PPO), ATRIO Bronze Rx (Umpqua) (PPO), ATRIO Gold Rx (PPO), ATRIO Gold Rx (Willamette) (PPO), ATRIO Silver Rx (PPO), ATRIO Silver Rx (Rogue) (PPO) y ATRIO Silver Rx (Willamette) (PPO).

Este documento incluye una lista de los medicamentos (formulario) de nuestro plan que está en vigencia desde el 11/01/2018. Contáctenos si desea solicitar un formulario actualizado. Nuestra información de contacto, así como la fecha en que se actualizó el formulario por última vez, figura en la portada y en la contratapa.

Para tener acceso al beneficio de medicamentos recetados, en general, debe utilizar las farmacias de la red. Los beneficios, formulario, red de farmacias y/o copagos/coseguros pueden cambiar el 1º de enero de 2019, y de vez en cuando durante el año.

## **¿Qué es el Formulario de ATRIO Health Plans?**

Un formulario es una lista de medicamentos cubiertos seleccionados por ATRIO Health Plans en consulta con un equipo de proveedores de atención médica, el cual representa las terapias prescritas que se creen son una parte necesaria de un programa de tratamiento de calidad. ATRIO Health Plans generalmente cubrirá los medicamentos que se listan en nuestro formulario siempre que el medicamento sea necesario a nivel médico, la receta sea surtida en una farmacia de la red ATRIO Health Plans y se sigan otras reglas del plan. Para más información sobre cómo surtir sus recetas, por favor revise la Evidencia de cobertura.

## **¿Puede modificarse este Formulario (Lista de medicamentos)?**

Generalmente, si usted está tomando un medicamento de nuestro formulario 2018 que fue cubierto al comienzo del año, no discontinuaremos ni reduciremos la cobertura de este medicamento durante el año de cobertura 2018, excepto si un medicamento genérico nuevo y más económico se encuentra disponible o si existe información nueva adversa sobre la seguridad o eficacia de un medicamento. Otro tipo de cambios en el formulario, tales como la eliminación de un medicamento del formulario, no afectarán a los miembros que actualmente se encuentran tomando el medicamento. Permanecerá disponible al mismo costo compartido para aquellos miembros que estén tomando el medicamento durante el resto del año de cobertura. Creemos que es importante que tenga acceso continuo durante el resto del año de cobertura a los medicamentos del formulario que se encontraban disponibles cuando eligió nuestro plan, excepto en casos en los cuales usted puede ahorrar dinero adicional o podemos garantizarle su seguridad.

Si quitamos medicamentos de nuestro formulario, o si agregamos requisitos de autorización previa, límites de cantidad o restricciones de terapia escalonada para un medicamento (o si pasamos un medicamento a un nivel más alto de costo compartido), notificaremos el cambio a los miembros por lo menos 60 días antes de la fecha en que el cambio entre en vigencia, o en el momento en que el miembro haga una solicitud para volver a surtir la receta del medicamento (en este último caso, recibirá un suministro del medicamento para 60 días). Si la Administración de Alimentos y Medicamentos (FDA) de los EE.UU. determina que un medicamento de nuestro formulario no es seguro o si el fabricante del medicamento lo retira del mercado, eliminaremos inmediatamente el medicamento de nuestro formulario y se lo notificaremos a los miembros que toman el medicamento. El formulario adjunto está en vigencia desde el 11/01/2018. Contáctenos para obtener información actualizada sobre los medicamentos cubiertos por ATRIO Health Plans. Nuestra información de contacto figura en la portada y en la contratapa.

ATRIO Health Plans notificará a sus miembros si se quitan medicamentos del formulario o si se agregan requisitos de autorización previa, límites de cantidad o restricciones de terapia escalonada para un medicamento. La notificación de estos cambios se realizará de diversas formas. Su Explicación de beneficios (EOB) mensual, que le brinda un informe de todos los medicamentos comprados durante el mes anterior, incluirá un anexo enumerando todos los cambios en el formulario que tendrán efecto a los 60 días de la fecha de la notificación. Además, encontrará este adjunto publicado en [atriohp.com](http://atriohp.com) o puede solicitarlo al 1-877-672-8620, todos los días, de 8:00 a.m. a 8:00 p.m. Los usuarios de TTY/TDD deben llamar al 1-800-735-2900. Por último, la versión más actual del formulario incluyendo todos los cambios, estará disponible en [atriohp.com](http://atriohp.com) o

puede solicitarlo al 1-877-672-8620, todos los días de 8:00 a.m. a 8:00 p.m. Los usuarios de TTY/TDD deben llamar al 1-800-735-2900.

## ¿Cómo utilizo el formulario?

Existen dos formas de encontrar su medicamento en el formulario:

### Enfermedad

El formulario comienza en la página 1. En este formulario, los medicamentos están agrupados en categorías según el tipo de enfermedades para las que se utilizan. Por ejemplo, los medicamentos utilizados para tratar una enfermedad cardíaca se enumeran bajo la categoría "Agentes cardiovasculares". Si sabe para qué se utiliza su medicamento, busque el nombre de la categoría en la lista que comienza en la página 1. Luego, busque el medicamento dentro de esa categoría.

### Lista en orden alfabético

Si no sabe en qué categoría buscar, busque el medicamento en el Índice que comienza en la página I-1. El Índice proporciona una lista en orden alfabético de todos los medicamentos incluidos en este documento. En el Índice se enumeran tanto los medicamentos de marca como los genéricos. Busque en el Índice para encontrar su medicamento. Junto al nombre del medicamento, verá el número de página en la que podrá encontrar información sobre la cobertura. Diríjase a la página que se indica en el Índice y busque el nombre de su medicamento en la primera columna de la lista.

## ¿Qué son los medicamentos genéricos?

ATRIO Health Plans cubre tanto medicamentos de marca como genéricos. Un medicamento genérico está aprobado por el FDA por tener los mismos ingredientes activos que un medicamento de marca. En general, los medicamentos genéricos cuestan menos que los medicamentos de marca.

## ¿Existen restricciones en mi cobertura?

Es posible que algunos medicamentos cubiertos posean requisitos adicionales o límites en la cobertura. Estos requisitos y límites pueden incluir:

- **Autorización previa (PA):** ATRIO Health Plans requiere que usted o su médico obtengan autorización previa para ciertos medicamentos. Esto significa que deberá obtener aprobación de ATRIO Health Plans antes de poder surtir sus recetas. Si no obtiene aprobación, ATRIO Health Plans podría no cubrir el medicamento.
- **Límites de cantidad (QL):** Para ciertos medicamentos ATRIO Health Plans limita la cantidad de ese medicamento que el plan cubrirá. Por ejemplo, ATRIO Health Plans provee 30 comprimidos por receta para simvastatina. Esto además del suministro estándar de uno o tres meses.
- **Terapia escalonada (ST):** En algunos casos, ATRIO Health Plans requiere que pruebe utilizar primero ciertos medicamentos para tratar su enfermedad antes de cubrir otro medicamento para dicha enfermedad. Por ejemplo, si tanto el Medicamento A como el Medicamento B se utilizan para tratar su enfermedad, ATRIO Health Plans podría no cubrir el Medicamento B a menos que pruebe primero con el Medicamento A. Si el Medicamento A no funciona para usted, entonces ATRIO Health Plans cubrirá el Medicamento B.

Para saber si su medicamento tiene algún requisito o límite adicional, consulte el Formulario que comienza en la página 1. También puede obtener más información sobre las restricciones aplicadas a determinados medicamentos cubiertos visitando nuestro sitio web. Hemos publicado documentos en línea que explican nuestra autorización previa y las restricciones de la terapia escalonada. También puede solicitar que le enviemos una copia. Nuestra información de contacto, así como la fecha en que se actualizó el formulario por última vez, figura en la portada y en la contratapa.

Puede solicitarle a ATRIO Health Plans que haga una excepción a estas restricciones o a los límites o solicitar una lista de otros medicamentos similares que pueden utilizarse en el tratamiento de su afección. Consulte la sección, “¿Cómo solicito una excepción al formulario de ATRIO Health Plans?” en la página iv para obtener información sobre cómo solicitar una excepción.

### ¿Qué son los medicamentos de venta libre (OTC)?

Los medicamentos de venta libre (OTC, por sus siglas en inglés) son medicamentos sin receta que normalmente no están cubiertos en un plan de medicamentos recetados de Medicare. Los planes de salud ATRIO pagan por determinados medicamentos de venta libre. ATRIO Health Plans le proporcionarán estos medicamentos de venta libre sin costo. El costo para ATRIO Health Plans de estos medicamentos de venta libre no se tendrá en cuenta para sus costos totales de los medicamentos de la Parte D (esto es, el importe que usted paga no se tiene en cuenta para la brecha de cobertura).

### MEDICAMENTOS DE VENTA LIBRE CUBIERTOS

Nombre del genérico	(Marca de referencia)	Presentación
clorhidrato de cetirizina	(Zyrtec)	Comprimidos masticables, solución, comprimidos
Clorhidrato de cetirizina/pseudoefedrina hidrocloreuro	(Zyrtec-D)	Comprimidos de 12 horas
loratadina	(Claritin)	Solución, comprimidos
loratadina/pseudoefedrina sulfato	(Claritin-D)	Comprimidos de 12 horas Comprimidos de 24 horas
ketotifeno fumarato	(Zaditor)	Gotas

### ¿Qué sucede si mi medicamento no se encuentra en el formulario?

Si su medicamento no se encuentra en este formulario (lista de medicamentos cubiertos), primero debe contactarse con el Servicio de atención al cliente y preguntar si su medicamento está cubierto.

En caso de que ATRIO Health Plans no cubra su medicamento, tiene dos opciones:

- Puede solicitar al Servicio de atención al cliente que le envíen una lista de medicamentos similares que cubre ATRIO Health Plans. Cuando reciba la lista, muéstrasela a su médico y pídale que le recete un medicamento similar cubierto por ATRIO Health Plans.
- También puede solicitarle a ATRIO Health Plans que haga una excepción y cubra su medicamento. Vea a continuación la información sobre cómo solicitar una excepción.

### ¿Cómo solicito una excepción al formulario de ATRIO Health Plans?

Puede solicitarle a ATRIO Health Plans que haga una excepción con respecto a nuestras reglas de cobertura. Hay varios tipos de excepciones que puede pedirnos que hagamos.

- Puede solicitarnos que cubramos un medicamento, aunque no esté incluido en nuestro formulario. Si se aprueba, este medicamento estará cubierto en un nivel de costo compartido predeterminado y usted no podrá pedirnos que le suministremos el medicamento en un nivel de costo compartido menor.
- Puede solicitarnos que cubramos un medicamento del formulario en un nivel de costo compartido menor [si este medicamento no está incluido en el nivel de especialidad]. Si se aprueba, esto reducirá el importe que debe pagar por su medicamento.
- Puede solicitarnos que no apliquemos las restricciones o los límites de cobertura a su medicamento. Por ejemplo, para ciertos medicamentos ATRIO Health Plans limita la cantidad de ese medicamento que cubriremos. Si su medicamento tiene un límite de cantidad, puede solicitarnos que no apliquemos ese límite y cubramos una cantidad mayor.

Generalmente, ATRIO Health Plans aprobará su solicitud de una excepción únicamente si los medicamentos alternativos figuran en el Formulario del plan, el medicamento de nivel de costo compartido inferior o las restricciones adicionales de uso no son tan efectivas para tratar su enfermedad y/o si le provocan efectos médicos adversos.

Debe contactarnos para solicitarnos una decisión de cobertura inicial de formulario o de excepción de restricción de uso. **Cuando solicita una excepción de formulario o de restricción de uso, deberá enviar una declaración de su médico o persona que le prescribe que justifique su solicitud.** Generalmente, tomamos una decisión dentro de las 72 horas de haber recibido la justificación médica. Puede solicitar una excepción acelerada (rápida) si usted o su médico consideran que su salud podría verse seriamente afectada si debe esperar por la decisión hasta 72 horas. Si se decide tomar una decisión acelerada, debemos informarle la decisión dentro de las 24 horas de haber recibido la justificación médica.

## **¿Qué hago antes de hablar con mi médico sobre el cambio de medicamento o la solicitud de excepción?**

Como miembro nuevo o ya existente de nuestro plan, es posible que esté tomando medicamentos que no estén en nuestro formulario, o puede estar tomando un medicamento que esté en nuestro formulario pero su posibilidad de adquirirlo esté limitada. Por ejemplo, es posible que necesite nuestra autorización previa antes de surtir su receta. Debe hablar con su médico para decidir si debe cambiar a un medicamento que sí cubramos o solicitar una excepción al formulario para poder obtener cobertura para el medicamento. Mientras habla con su médico para determinar qué acción tomar, es posible que cubramos el medicamento en ciertos casos durante sus primeros 90 días como miembro de nuestro plan.

Para cada uno de sus medicamentos que no se encuentre en el formulario o si posee un límite para obtenerlos, cubriremos un suministro provisorio de 30 días (a menos que tenga una receta para un período de tiempo menor) cuando vaya a una farmacia de la red. Luego del primer suministro de 30 días, no cubriremos más estos medicamentos, aún si ha sido miembro del plan por menos de 30 días.

Si usted es residente de un centro de atención prolongada, le permitiremos surtir la receta hasta que le hayamos proporcionado un suministro de transición de 93 días, de acuerdo con el incremento de dispensado (a menos que tenga una receta escrita para menos días). Cubriremos más de una receta para estos medicamentos durante los primeros 90 días como miembro nuevo de nuestro plan. Si usted necesita un medicamento que no se encuentra en nuestro formulario o si posee un límite para obtenerlos y ya han pasado los primeros 90 días desde que se hizo miembro de nuestro plan, cubriremos un suministro de emergencia de 31 días (a menos que posea una receta para un período de tiempo menor) mientras solicita una excepción del formulario.

Si lo admiten o le dan de alta de un centro, cubriremos los “primeros reabastecimientos” de los medicamentos cubiertos anteriormente según sea necesario al momento de la admisión o el alta del centro.

## **Para más información**

Para obtener información detallada sobre la cobertura de medicamentos recetados de ATRIO Health Plans, por favor revise la Evidencia de cobertura y otros documentos del plan.

Contáctenos si tiene preguntas sobre ATRIO Health Plans. Nuestra información de contacto, así como la fecha en que se actualizó el formulario por última vez, figura en la portada y en la contratapa.

Si tiene consultas generales sobre la cobertura de medicamentos de Medicare, por favor comuníquese con Medicare en el 1-800-MEDICARE (1-800-633-4227) durante las 24 horas, los 7 días de la semana. Los usuarios de TTY deben llamar al 1-877-486-2048. O, visitar <http://www.medicare.gov>.

## **Formulario de ATRIO Health Plans**

El formulario de abajo brinda información de cobertura sobre los medicamentos cubiertos por ATRIO Health Plans. Si tiene inconvenientes para encontrar su medicamento, consulte el Índice que comienza en la página I-1.

La primera columna muestra el nombre del medicamento. Los medicamentos de marca aparecen en mayúscula (por ejemplo: CRESTOR) y los medicamentos genéricos se enumeran en minúscula (por ejemplo: *rosuvastatina*).

Los datos en la columna Requisitos/Límites le informan si ATRIO Health Plans posee algún requerimiento especial para la cobertura del medicamento.

### NIVELES DE COSTO COMPARTIDO

Plan	Nivel de medicamento	Nombre del nivel del medicamento	Copago por venta minorista (suministro por 1 mes)	Copago por pedidos por correo (suministro por 3 mes)	
ATRIO Bronze Rx (Basin) (PPO) *	1	Medicamentos genéricos preferidos	\$10.00	\$20.00	
	2	Medicamentos genéricos	\$20.00	\$40.00	
	ATRIO Bronze Rx (Umpqua) (PPO) *	3	Medicamentos de marca preferidos	\$45.00	\$90.00
		4	Medicamentos de marca no preferida	\$95.00	\$190.00
		5	Medicamentos de nivel de especialidad	31%	No disponible
		6	Medicamentos seleccionados	\$0	\$0
ATRIO Bronze Rx (Rogue) (PPO) *	1	Medicamentos genéricos preferidos	\$10.00	\$20.00	
	2	Medicamentos genéricos	\$20.00	\$40.00	
	3	Medicamentos de marca preferidos	\$45.00	\$90.00	
	4	Medicamentos de marca no preferida	\$95.00	\$190.00	
	5	Medicamentos de nivel de especialidad	29%	No disponible	
	6	Medicamentos seleccionados	\$0	\$0	
ATRIO Silver Rx (PPO) *	1	Medicamentos genéricos preferidos	\$6.00	\$12.00	
	2	Medicamentos genéricos	\$15.00	\$30.00	
	3	Medicamentos de marca preferidos	\$40.00	\$80.00	

Plan	Nivel de medicamento	Nombre del nivel del medicamento	Copago por venta minorista (suministro por 1 mes)	Copago por pedidos por correo (suministro por 3 mes)
	4	Medicamentos de marca no preferida	\$85.00	\$170.00
	5	Medicamentos de nivel de especialidad	29%	No disponible
	6	Medicamentos seleccionados	\$0	\$0
ATRIO Silver Rx (Rogue) (PPO)	1	Medicamentos genéricos preferidos	\$6.00	\$12.00
	2	Medicamentos genéricos	\$15.00	\$30.00
	3	Medicamentos de marca preferidos	\$40.00	\$80.00
	4	Medicamentos de marca no preferida	\$85.00	\$170.00
	5	Medicamentos de nivel de especialidad	33%	No disponible
	6	Medicamentos seleccionados	\$0	\$0
Silver Rx (Willamette) (PPO) *	1	Medicamentos genéricos preferidos	\$6.00	\$12.00
	2	Medicamentos genéricos	\$15.00	\$30.00
	3	Medicamentos de marca preferidos	\$40.00	\$80.00
	4	Medicamentos de marca no preferida	\$85.00	\$170.00
	5	Medicamentos de nivel de especialidad	31%	No disponible
	6	Medicamentos seleccionados	\$0	\$0
ATRIO Gold Rx (PPO)	1	Medicamentos genéricos preferidos	\$4.00	\$8.00
	2	Medicamentos genéricos	\$10.00	\$20.00

<b>Plan</b>	<b>Nivel de medicamento</b>	<b>Nombre del nivel del medicamento</b>	<b>Copago por venta minorista (suministro por 1 mes)</b>	<b>Copago por pedidos por correo (suministro por 3 mes)</b>
ATRIO Gold Rx (Willamette) (PPO)	3	Medicamentos de marca preferidos	\$35.00	\$70.00
	4	Medicamentos de marca no preferida	\$75.00	\$150.00
	5	Medicamentos de nivel de especialidad	33%	No disponible
	6	Medicamentos seleccionados	\$0	\$0

\* Este plan tiene un deducible de medicamento recetado que no se aplica a los niveles 1, 2 y 6



Las siguientes abreviaturas de las Restricciones en la Administración de Uso pueden encontrarse en el cuerpo de este documento.

### ABREVIATURAS DE COMENTARIOS DE COBERTURA

ABREVIATURA	DESCRIPCIÓN	EXPLICACIÓN
PA	Restricción de autorización previa	Usted (o su médico) debe solicitar autorización previa de ATRIO Health Plans antes de surtir su receta para este medicamento. Sin la aprobación, es posible que ATRIO Health Plans no cubra este medicamento.
PA BvD	Restricción de autorización previa para la Determinación de la Parte D vs Parte B	Este medicamento puede ser elegible para pago dentro de Medicare Parte B o Parte D. Usted (o su médico) debe solicitar autorización previa de ATRIO Health Plans para determinar si este medicamento está cubierto por Medicare Parte D antes de surtir su receta para este medicamento. Sin la aprobación, es posible que ATRIO Health Plans no cubra este medicamento.
PA-HRM	Restricción de autorización previa para Medicamentos de alto riesgo	Este medicamento es considerado potencialmente riesgoso por los CMS y por lo tanto, un Medicamento de alto riesgo para los beneficiarios de 65 años de edad en adelante. Los beneficiarios de 65 años o más deben solicitar autorización previa de ATRIO Health Plans antes de surtir su receta para este medicamento. Sin la aprobación, es posible que ATRIO Health Plans no cubra este medicamento.
PA NSO	Restricción de autorización previa para Nuevas tomas solamente	Si es un miembro nuevo o si no ha tomado este medicamento previamente, usted (o su médico) debe obtener autorización previa de ATRIO Health Plans antes de surtir su receta por este medicamento. Sin la aprobación, es posible que ATRIO Health Plans no cubra este medicamento.
QL	Restricción de Límite de Cantidad	ATRIO Health Plans limita la cantidad de este medicamento que está cubierto por receta, o dentro de un plazo de tiempo específico.
ST	Restricción de terapia escalonada	Antes que ATRIO Health Plans le brinde cobertura por este medicamento, debe primero probar otro(s) medicamento(s) para

ABREVIATURA	DESCRIPCIÓN	EXPLICACIÓN
		tratar su afección médica. Este medicamento puede estar únicamente cubierto si otro(s) medicamento(s) no funcionan en su caso.

### OTROS REQUISITOS ESPECIALES PARA LA COBERTURA

ABREVIATURA	DESCRIPCIÓN	EXPLICACIÓN
LA	Medicamento de Acceso Limitado	Esta receta puede estar disponible solo en algunas farmacias. Para más información, consulte el Directorio de farmacias o llame al Servicio de atención al cliente al 1-877-672-8620, todos los días, de 8:00 a.m. a 8:00 p.m. Los usuarios de TTY/TDD deben llamar al 1-800-735-2900.
NDS	Días de suministro no extendido	Este medicamento no está disponible para un suministro de 90 días.
NM	No hay pedido por correo	Este medicamento no está disponible en la farmacia de pedidos por correo

## Table of Contents

<b>Analgesics</b> .....	3
<b>Anesthetics</b> .....	9
<b>Anti-Addiction/Substance Abuse Treatment Agents</b> .....	10
<b>Antianxiety Agents</b> .....	11
<b>Antibacterials</b> .....	14
<b>Anticancer Agents</b> .....	23
<b>Anticholinergic Agents</b> .....	34
<b>Anticonvulsants</b> .....	34
<b>Antidementia Agents</b> .....	38
<b>Antidepressants</b> .....	39
<b>Antidiabetic Agents</b> .....	41
<b>Antifungals</b> .....	46
<b>Antigout Agents</b> .....	48
<b>Antihistamines</b> .....	48
<b>Anti-Infectives (Skin And Mucous Membrane)</b> .....	49
<b>Antimigraine Agents</b> .....	49
<b>Antimycobacterials</b> .....	50
<b>Antinausea Agents</b> .....	51
<b>Antiparasite Agents</b> .....	52
<b>Antiparkinsonian Agents</b> .....	53
<b>Antipsychotic Agents</b> .....	54
<b>Antivirals (Systemic)</b> .....	59
<b>Blood Products/Modifiers/Volume Expanders</b> .....	64
<b>Caloric Agents</b> .....	68
<b>Cardiovascular Agents</b> .....	71
<b>Central Nervous System Agents</b> .....	83
<b>Contraceptives</b> .....	86

<b>Dental And Oral Agents</b> .....	93
<b>Dermatological Agents</b> .....	93
<b>Devices</b> .....	98
<b>Enzyme Replacement/Modifiers</b> .....	99
<b>Eye, Ear, Nose, Throat Agents</b> .....	101
<b>Gastrointestinal Agents</b> .....	105
<b>Genitourinary Agents</b> .....	109
<b>Heavy Metal Antagonists</b> .....	110
<b>Hormonal Agents, Stimulant/Replacement/Modifying</b> .....	110
<b>Immunological Agents</b> .....	117
<b>Inflammatory Bowel Disease Agents</b> .....	126
<b>Irrigating Solutions</b> .....	126
<b>Metabolic Bone Disease Agents</b> .....	127
<b>Miscellaneous Therapeutic Agents</b> .....	128
<b>Ophthalmic Agents</b> .....	131
<b>Replacement Preparations</b> .....	132
<b>Respiratory Tract Agents</b> .....	135
<b>Skeletal Muscle Relaxants</b> .....	139
<b>Sleep Disorder Agents</b> .....	140
<b>Vasodilating Agents</b> .....	141
<b>Vitamins And Minerals</b> .....	142

Drug Name	Drug Tier	Requirements/Limits
<b>Analgesics</b>		
<b>Analgesics, Miscellaneous</b>		
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	2	QL (2700 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg</i>	2	QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-30 mg</i> (Tylenol-Codeine #3)	2	QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i> (Tylenol-Codeine #4)	2	QL (180 per 30 days)
<i>ascomp with codeine oral capsule 30-50-325-40 mg</i>	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
BELBUCA BUCCAL FILM 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG	3	QL (60 per 30 days)
<i>buprenorphine hcl injection solution 0.3 mg/ml</i> (Buprenex)	2	
<i>buprenorphine hcl injection syringe 0.3 mg/ml</i>	2	
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i> (Butrans)	2	QL (4 per 28 days)
<i>butalbital compound w/codeine oral capsule 30-50-325-40 mg</i>	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg, 50-325-40-30 mg</i>	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen oral tablet 50-325 mg</i> (Tencon)	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i> (Capacet)	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i> (Esgic)	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i> (Fiorinal)	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butorphanol tartrate nasal spray,non-aerosol 10 mg/ml</i>	2	QL (5 per 28 days)
BUTRANS TRANSDERMAL PATCH WEEKLY 7.5 MCG/HOUR	3	QL (4 per 28 days)
<i>capacet oral capsule 50-325-40 mg</i>	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>codeine sulfate oral tablet 15 mg, 30 mg, 60 mg</i>	2	QL (180 per 30 days)
EMBEDA ORAL CAPSULE,ORAL ONLY,EXT.REL PELL 100-4 MG, 20-0.8 MG, 30-1.2 MG, 50-2 MG, 60-2.4 MG, 80-3.2 MG	4	QL (60 per 30 days)
<i>endocet oral tablet 10-325 mg</i>	2	QL (240 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	2	QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	2	QL (300 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i> (Actiq)	5	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> (Duragesic)	2	QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 2.5-167 mg/5 ml, 5-163 mg/7.5ml(7.5ml)</i>	2	QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i> (Hycet)	2	QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg</i> (Vicodin HP)	2	QL (390 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg</i> (Lorcet HD)	2	QL (360 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg</i> (Verdrocet)	2	QL (360 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-300 mg</i> (Vicodin)	2	QL (390 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-325 mg</i> (Lorcet (hydrocodone))	2	QL (360 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 7.5-300 mg</i> (Vicodin ES)	2	QL (390 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hydrocodone-acetaminophen oral tablet 7.5-325 mg</i> (Lorcet Plus)	2	QL (360 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg</i> (Ibudone)	2	QL (150 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	2	QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml)</i>	2	
<i>hydromorphone (pf) injection solution 10 mg/ml</i>	2	
<i>hydromorphone hcl 10 mg/ml vial p/f, sdv 10 mg/ml</i>	2	
<i>hydromorphone injection solution 2 mg/ml, 4 mg/ml</i>	2	
<i>hydromorphone injection syringe 2 mg/ml, 4 mg/ml</i>	2	
<i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)	2	QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	2	QL (180 per 30 days)
HYSINGLA ER ORAL TABLET,ORAL ONLY,EXT.REL.24 HR 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	3	QL (30 per 30 days)
LAZANDA NASAL SPRAY,NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	5	PA; NM; NDS; QL (30 per 30 days)
<i>lorcet (hydrocodone) oral tablet 5-325 mg</i>	2	QL (360 per 30 days)
<i>lorcet hd oral tablet 10-325 mg</i>	2	QL (360 per 30 days)
<i>lorcet plus oral tablet 7.5-325 mg</i>	2	QL (360 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	2	
<i>methadone oral solution 10 mg/5 ml, 5 mg/5 ml</i>	2	QL (1800 per 30 days)
<i>methadone oral tablet 10 mg</i> (Dolophine)	2	QL (360 per 30 days)
<i>methadone oral tablet 5 mg</i> (Dolophine)	2	QL (180 per 30 days)
<i>methadose oral tablet,soluble 40 mg</i>	2	QL (90 per 30 days)
<i>morphine 2 mg/ml syringe p/f, sub 2 mg/ml</i>	2	
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	QL (180 per 30 days)
<i>morphine injection solution 10 mg/ml</i>	2	
<i>morphine intravenous cartridge 10 mg/ml, 2 mg/ml, 4 mg/ml, 8 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>morphine intravenous solution 10 mg/ml, 4 mg/ml, 8 mg/ml</i>	2	
<i>morphine intravenous syringe 10 mg/ml, 2 mg/ml, 4 mg/ml, 8 mg/ml</i>	2	
<i>morphine oral solution 10 mg/5 ml</i>	2	QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin)	2	QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	2	QL (90 per 30 days)
NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 150 MG, 200 MG, 250 MG, 50 MG	3	QL (60 per 30 days)
NUCYNTA ORAL TABLET 100 MG, 50 MG, 75 MG	3	QL (181 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	2	QL (120 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	2	QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	QL (120 per 30 days)
<i>oxycodone oral tablet 5 mg</i> (Roxicodone)	2	QL (180 per 30 days)
<i>oxycodone oral tablet, oral only, ext. rel. 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg</i> (OxyContin)	2	QL (60 per 30 days)
<i>oxycodone oral tablet, oral only, ext. rel. 12 hr 80 mg</i> (OxyContin)	5	NM; NDS; QL (120 per 30 days)
<i>oxycodone-acetaminophen oral solution 5-325 mg/5 ml</i>	2	QL (1800 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	2	QL (240 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	2	QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	2	QL (300 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	2	QL (360 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG	3	QL (60 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 80 MG	3	QL (120 per 30 days)
<i>oxymorphone oral tablet 10 mg</i> (Opana)	2	QL (120 per 30 days)
<i>oxymorphone oral tablet 5 mg</i> (Opana)	2	QL (180 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>	2	QL (60 per 30 days)
<i>reprexain oral tablet 10-200 mg, 2.5-200 mg, 5-200 mg</i>	2	QL (150 per 30 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML, 300 MG/1.5 ML	5	NM; NDS
<i>tencon oral tablet 50-325 mg</i>	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>tramadol oral tablet 50 mg</i> (Ultram)	1	QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> (Ultracet)	2	QL (240 per 30 days)
<i>vicodin es oral tablet 7.5-300 mg</i>	2	QL (390 per 30 days)
<i>vicodin hp oral tablet 10-300 mg</i>	2	QL (390 per 30 days)
<i>vicodin oral tablet 5-300 mg</i>	2	QL (390 per 30 days)
XARTEMIS XR ORAL TAB,ORAL ONLY,IR - ER, BIPHASE 7.5-325 MG	3	QL (300 per 30 days)
XTAMPZA ER ORAL CAPSULE,SPRINKLE,ER 12HR TMPRR 13.5 MG, 18 MG, 9 MG	3	QL (60 per 30 days)
XTAMPZA ER ORAL CAPSULE,SPRINKLE,ER 12HR TMPRR 27 MG	3	QL (120 per 30 days)
XTAMPZA ER ORAL CAPSULE,SPRINKLE,ER 12HR TMPRR 36 MG	3	QL (240 per 30 days)
<i>xylon 10 oral tablet 10-200 mg</i>	2	QL (150 per 30 days)
<i>zebutal oral capsule 50-325-40 mg</i>	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZOHYDRO ER ORAL CAPSULE, ORAL ONLY, ER 12HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG	4	QL (60 per 30 days)
<b>Nonsteroidal Anti-Inflammatory Agents</b>		
CALDOLOR INTRAVENOUS RECON SOLN 800 MG/8 ML (100 MG/ML)	4	
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	2	QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	2	
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> (Voltaren-XR)	2	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg, 50 mg, 75 mg</i>	2	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg- mcg</i> (Arthrotec 50)	2	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 75-200 mg- mcg</i> (Arthrotec 75)	2	
<i>diflunisal oral tablet 500 mg</i>	2	
DUEXIS ORAL TABLET 800-26.6 MG	5	PA; NM; NDS; QL (90 per 30 days)
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	
<i>etodolac oral tablet 500 mg</i>	2	
<i>etodolac oral tablet extended release 24 hr 400 mg, 500 mg, 600 mg</i>	2	
<i>fenoprofen oral tablet 600 mg</i> (Nalfon)	2	
<i>flurbiprofen oral tablet 100 mg, 50 mg</i>	2	
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Child Ibuprofen)	2	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	
<i>indomethacin oral capsule 25 mg</i>	1	PA-HRM; QL (240 per 30 days); AGE (Max 64 Years)
<i>indomethacin oral capsule 50 mg</i>	1	PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>indomethacin oral capsule, extended release 75 mg</i>	2	PA-HRM; QL (60 per 30 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>indomethacin sodium intravenous recon soln 1 mg</i>	2	
<i>ketoprofen oral capsule 25 mg, 50 mg, 75 mg</i>	2	
<i>ketoprofen oral capsule,ext rel. pellets 24 hr 200 mg</i>	2	
<i>ketorolac injection cartridge 15 mg/ml</i>	2	QL (40 per 30 days)
<i>ketorolac injection cartridge 30 mg/ml</i>	2	QL (20 per 30 days)
<i>ketorolac injection solution 15 mg/ml</i>	2	QL (40 per 30 days)
<i>ketorolac injection solution 30 mg/ml (1 ml)</i>	2	QL (20 per 30 days)
<i>ketorolac injection syringe 15 mg/ml</i>	2	QL (40 per 30 days)
<i>ketorolac injection syringe 30 mg/ml</i>	2	QL (20 per 30 days)
<i>ketorolac intramuscular cartridge 60 mg/2 ml</i>	2	QL (20 per 30 days)
<i>ketorolac intramuscular solution 60 mg/2 ml</i>	2	QL (20 per 30 days)
<i>ketorolac intramuscular syringe 60 mg/2 ml</i>	2	QL (20 per 30 days)
<i>ketorolac oral tablet 10 mg</i>	2	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>mefenamic acid oral capsule 250 mg</i>	2	
<i>meloxicam oral suspension 7.5 mg/5 ml</i>	2	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i> (Mobic)	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	
<i>naproxen oral suspension 125 mg/5 ml</i> (Naprosyn)	2	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	
<i>naproxen oral tablet,delayed release (dr/ec) 375 mg, 500 mg</i> (EC-Naprosyn)	2	
<i>piroxicam oral capsule 10 mg, 20 mg</i> (Feldene)	2	
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	
<i>tolmetin oral capsule 400 mg</i>	2	
<i>tolmetin oral tablet 200 mg, 600 mg</i>	2	
VIMOVO ORAL TABLET,IR,DELAYED REL,BIPHASIC 375-20 MG, 500-20 MG	5	PA; NM; NDS; QL (60 per 30 days)
<b>Anesthetics</b>		
<b>Local Anesthetics</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>glydo mucous membrane jelly in applicator 2 %</i>	2	
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine-MPF)	2	
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	2	
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine)	2	
<i>lidocaine hcl mucous membrane jelly 2 %</i>	2	
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	
<i>lidocaine topical adhesive patch,medicated 5 %</i> (Lidoderm)	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	2	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	PA BvD
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<i>acamprosate oral tablet,delayed release (dr/ec) 333 mg</i>	2	
BUNAVAIL BUCCAL FILM 2.1-0.3 MG	3	QL (30 per 30 days)
BUNAVAIL BUCCAL FILM 4.2-0.7 MG, 6.3-1 MG	3	QL (60 per 30 days)
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i> (Zyban)	2	
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	3	QL (168 per 84 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG	3	QL (168 per 84 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS,DOSE PACK 0.5 MG (11)- 1 MG (42)	3	QL (53 per 28 days)
<i>disulfiram oral tablet 250 mg, 500 mg</i> (Antabuse)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LUCEMYRA ORAL TABLET 0.18 MG	5	NM; NDS; QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	2	
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	
<i>naltrexone oral tablet 50 mg</i>	2	
NARCAN NASAL SPRAY, NON-AEROSOL 2 MG/ACTUATION, 4 MG/ACTUATION	3	QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	4	QL (1008 per 90 days)
SUBOXONE SUBLINGUAL FILM 12-3 MG, 8-2 MG	3	QL (60 per 30 days)
SUBOXONE SUBLINGUAL FILM 2-0.5 MG, 4-1 MG	3	QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG	3	QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG	3	QL (60 per 30 days)

## Antianxiety Agents

### Benzodiazepines

<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg</i> (Xanax XR)	2	QL (120 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 3 mg</i> (Xanax XR)	2	QL (90 per 30 days)
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	2	QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab)	2	QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG	4	
DIASTAT RECTAL KIT 2.5 MG	4	
<i>diazepam injection solution 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam intensol oral concentrate 5 mg/ml</i>	2	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	QL (120 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> (Diastat AcuDial)	2	
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	2	
<i>estazolam oral tablet 1 mg</i>	2	PA-HRM; (High Risk Med. QL applies to all members; PA required for 65 years and older with over 90 days cumulative use with any benzodiazepine hypnotic drug); QL (60 per 30 days); AGE (Max 64 Years)
<i>estazolam oral tablet 2 mg</i>	2	PA-HRM; (High Risk Med. QL applies to all members; PA required for 65 years and older with over 90 days cumulative use with any benzodiazepine hypnotic drug); QL (30 per 30 days); AGE (Max 64 Years)
<i>flurazepam oral capsule 15 mg</i>	2	PA-HRM; (High Risk Med. QL applies to all members; PA required for 65 years and older with over 90 days cumulative use with any benzodiazepine hypnotic drug); QL (60 per 30 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>flurazepam oral capsule 30 mg</i>	2	PA-HRM; (High Risk Med. QL applies to all members; PA required for 65 years and older with over 90 days cumulative use with any benzodiazepine hypnotic drug); QL (30 per 30 days); AGE (Max 64 Years)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i> (Ativan)	2	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	2	QL (2 per 30 days)
<i>lorazepam oral concentrate 2 mg/ml</i> (Lorazepam Intensol)	2	QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	QL (150 per 30 days)
<i>midazolam oral syrup 2 mg/ml</i>	2	QL (10 per 30 days)
ONFI ORAL SUSPENSION 2.5 MG/ML	5	PA NSO; NM; NDS; QL (480 per 30 days)
ONFI ORAL TABLET 10 MG, 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	2	QL (120 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	2	PA-HRM; (High Risk Med. QL applies to all members; PA required for 65 years and older with over 90 days cumulative use with any benzodiazepine hypnotic drug); QL (30 per 30 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>triazolam oral tablet 0.125 mg</i>	2	PA-HRM; (High Risk Med. QL applies to all members; PA required for 65 years and older with over 90 days cumulative use with any benzodiazepine hypnotic drug); QL (120 per 30 days); AGE (Max 64 Years)
<i>triazolam oral tablet 0.25 mg</i> (Halcion)	2	PA-HRM; (High Risk Med. QL applies to all members; PA required for 65 years and older with over 90 days cumulative use with any benzodiazepine hypnotic drug); QL (60 per 30 days); AGE (Max 64 Years)
<b>Antibacterials</b>		
<b>Aminoglycosides</b>		
BETHKIS INHALATION SOLUTION FOR NEBULIZATION 300 MG/4 ML	5	PA BvD; NM; NDS
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml</i>	2	
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	2	
<i>neomycin oral tablet 500 mg</i>	1	
<i>streptomycin intramuscular recon soln 1 gram</i>	2	
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
<i>tobramycin in 0.9 % nacl intravenous piggyback 60 mg/50 ml</i>	2	
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	2	
<b>Antibacterials, Miscellaneous</b>		
<i>baciim intramuscular recon soln 50,000 unit</i>	2	
<i>bacitracin intramuscular recon soln 50,000 unit</i> (BACiM)	2	
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	2	
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	2	
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i> (Cleocin in 5 % dextrose)	2	
<i>clindamycin palmitate hcl oral recon soln 75 mg/5 ml</i> (Cleocin Pediatric)	2	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	2	
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	2	
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i> (Cleocin)	2	
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	2	
<i>daptomycin intravenous recon soln 500 mg</i> (Cubicin)	5	NM; NDS
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	5	NM; NDS
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	5	NM; NDS
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	5	NM; NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	5	NM; NDS
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	2	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	2	
<i>metronidazole oral tablet 250 mg, 500 mg</i> (Flagyl)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nitrofurantoin macrocrystal oral capsule</i> (Macrochantin) 100 mg, 25 mg, 50 mg	2	PA-HRM; (High Risk Med. QL applies to all members; PA required for 65 years and older with over 90 days cumulative use of nitrofurantoin drugs); QL (120 per 30 days); AGE (Max 64 Years)
<i>nitrofurantoin monohyd/m-cryst oral capsule</i> 100 mg (Macrobid)	2	PA-HRM; (High Risk Med. QL applies to all members; PA required for 65 years and older with over 90 days cumulative use of nitrofurantoin drugs); QL (60 per 30 days); AGE (Max 64 Years)
<i>nitrofurantoin oral suspension</i> 25 mg/5 ml (Furadantin)	2	PA-HRM; (High Risk Med. QL applies to all members; PA required for 65 years and older with over 90 days cumulative use of nitrofurantoin drugs); QL (2400 per 30 days); AGE (Max 64 Years)
<i>polymyxin b sulfate injection recon soln</i> 500,000 unit	2	
SYNERCID INTRAVENOUS RECON SOLN 500 MG	5	NM; NDS
<i>trimethoprim oral tablet</i> 100 mg	1	
<i>vancomycin in dextrose 5 % intravenous piggyback</i> 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml	2	
<i>vancomycin intravenous recon soln</i> 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg	2	
<i>vancomycin oral capsule</i> 125 mg, 250 mg (Vancocin)	5	NM; NDS
XIFAXAN ORAL TABLET 200 MG	5	PA; NM; NDS; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NM; NDS
<b>Cephalosporins</b>		
<i>cefactor oral capsule</i> 250 mg, 500 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	2	
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	2	
<i>cefadroxil oral capsule 500 mg</i>	2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefadroxil oral tablet 1 gram</i>	2	
<i>cefazolin in 0.9% sod chloride intravenous solution 2 gram/100 ml</i>	2	
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/100 ml</i>	2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	
<i>cefdinir oral capsule 300 mg</i>	2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefditoren pivoxil oral tablet 200 mg</i>	2	
<i>cefditoren pivoxil oral tablet 400 mg (Spectracef)</i>	2	
CEFEPIME 1 GM INJECTION 1 GRAM/50 ML	4	
CEFEPIME INJECTION RECON SOLN (Maxipime) 1 GRAM, 2 GRAM	4	
CEFEPIME-DEXTROSE 2 GM/50 ML 2 GRAM/50 ML	4	
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml (Suprax)</i>	2	
<i>cefotaxime injection recon soln 1 gram, 500 mg</i>	2	
<i>cefotaxime injection recon soln 10 gram, 2 gram (Claforan)</i>	2	
<i>cefoxitin 2 gm piggyback bag 2 gram/50 ml</i>	2	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram</i>	2	
<i>cefoxitin intravenous recon soln 2 gram</i>	2	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ceftazidime injection recon soln 2 gram, 6 gram</i> (TAZICEF)	2	
<i>ceftibuten oral capsule 400 mg</i>	2	
<i>ceftibuten oral suspension for reconstitution 180 mg/5 ml</i>	2	
<i>ceftriaxone 1 gm piggyback l/f, single use 1 gram/50 ml</i>	2	
<i>ceftriaxone 2 gm piggyback l/f, single use 2 gram/50 ml</i>	2	
<i>ceftriaxone injection recon soln 1 gram, 2 gram</i>	2	
<i>ceftriaxone injection recon soln 10 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cefuroxime-dextrose (iso-osm) intravenous piggyback 1.5 gram/50 ml</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg</i> (Keflex)	1	
<i>cephalexin oral capsule 750 mg</i> (Keflex)	2	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cephalexin oral tablet 250 mg, 500 mg</i>	2	
SUPRAX ORAL CAPSULE 400 MG	4	
SUPRAX ORAL SUSPENSION FOR RECONSTITUTION 500 MG/5 ML	4	
SUPRAX ORAL TABLET,CHEWABLE 100 MG, 200 MG	4	
<i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i>	2	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	4	
<b>Macrolides</b>		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	2	
<i>azithromycin oral packet 1 gram</i> (Zithromax)	2	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i>	2	
<i>azithromycin oral tablet 250 mg, 500 mg, 600 mg</i> (Zithromax)	2	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	2	
DIFICID ORAL TABLET 200 MG	5	ST; NM; NDS; QL (20 per 10 days)
<i>e.e.s. 400 oral tablet 400 mg</i>	4	
E.E.S. GRANULES ORAL SUSPENSION FOR RECONSTITUTION 200 MG/5 ML	4	
ERYPED 200 ORAL SUSPENSION FOR RECONSTITUTION 200 MG/5 ML	4	
ERYPED 400 ORAL SUSPENSION FOR RECONSTITUTION 400 MG/5 ML	4	
<i>ery-tab oral tablet, delayed release (dr/ec) 250 mg, 500 mg</i>	2	
ERY-TAB ORAL TABLET, DELAYED RELEASE (DR/EC) 333 MG	4	
<i>erythrocin (as stearate) oral tablet 250 mg</i>	2	
ERYTHROCIN INTRAVENOUS RECON SOLN 1,000 MG, 500 MG	4	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	2	
<i>erythromycin ethylsuccinate oral tablet 400 mg</i> (E.E.S. 400)	2	
<i>erythromycin oral capsule, delayed release (dr/ec) 250 mg</i>	2	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	
<b>Miscellaneous B-Lactam Antibiotics</b>		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	2	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	NM; LA; NDS
<i>ertapenem injection recon soln 1 gram</i> (Invanz)	2	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	2	
INVANZ INJECTION RECON SOLN 1 GRAM	4	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i> (Merrem)	2	
<b>Penicillins</b>		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>	2	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> (Augmentin XR)	2	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	
<i>ampicillin oral capsule 250 mg, 500 mg</i>	1	
<i>ampicillin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	2	
<i>ampicillin sodium intravenous recon soln 2 gram</i>	2	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BICILLIN C-R INTRAMUSCULAR SYRINGE 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K)	4	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	
<i>nafcillin 2 gm vial sterile, latex-free 2 gram</i>	2	
<i>nafcillin injection recon soln 1 gram</i>	2	
<i>nafcillin injection recon soln 10 gram</i>	5	NM; NDS
<i>nafcillin intravenous recon soln 2 gram</i>	5	NM; NDS
<i>oxacillin 1 gm add-vantage vl add-vantage, inner 1 gram</i>	2	
<i>oxacillin in dextrose(iso-osm) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i>	2	
<i>oxacillin injection recon soln 1 gram, 10 gram, 2 gram</i>	2	
<i>penicillin g pot in dextrose intravenous piggyback 1 million unit/50 ml, 2 million unit/50 ml, 3 million unit/50 ml</i>	2	
<i>penicillin g potassium injection recon soln (Pfizerpen-G) 20 million unit</i>	2	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	2	
<i>pfizerpen-g injection recon soln 20 million unit</i>	2	
<i>piperacillin-tazobactam intravenous recon (Zosyn) soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	
<b>Quinolones</b>		
BAXDELA ORAL TABLET 450 MG	5	PA; NM; NDS; QL (28 per 14 days)
<i>ciprofloxacin (mixture) oral tablet, er multiphase 24 hr 1,000 mg, 500 mg</i> (Cipro XR)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ciprofloxacin hcl oral tablet 100 mg, 750 mg</i>	1	
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml</i>	2	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 400 mg/200 ml</i> (Cipro in D5W)	2	
<i>ciprofloxacin lactate intravenous solution 200 mg/20 ml, 400 mg/40 ml</i>	2	
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	2	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	
<i>levofloxacin intravenous solution 25 mg/ml</i>	2	
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	
<i>levofloxacin oral tablet 250 mg</i>	2	
<i>levofloxacin oral tablet 500 mg, 750 mg</i> (Levaquin)	2	
<i>moxifloxacin oral tablet 400 mg</i> (Avelox)	2	
<i>ofloxacin oral tablet 300 mg, 400 mg</i>	2	
<b>Sulfonamides</b>		
<i>sulfadiazine oral tablet 500 mg</i>	2	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	2	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	2	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	
<i>sulfatrim oral suspension 200-40 mg/5 ml</i>	2	
<b>Tetracyclines</b>		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	2	
<i>doxy-100 intravenous recon soln 100 mg</i>	2	
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	2	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	2	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 100 mg, 75 mg</i>	2	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 150 mg</i> (Soloxide)	2	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 200 mg, 50 mg</i> (Doryx)	2	
<i>doxycycline monohydrate oral capsule 100 mg, 50 mg, 75 mg</i> (Mondoxyne NL)	2	
<i>doxycycline monohydrate oral capsule 150 mg</i>	2	
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> (Vibramycin)	2	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	2	
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>	2	
MINOCIN INTRAVENOUS RECON SOLN 100 MG	3	
<i>minocycline oral capsule 100 mg, 75 mg</i>	2	
<i>minocycline oral capsule 50 mg</i> (Minocin)	2	
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	2	
<i>minocycline oral tablet extended release 24 hr 135 mg, 45 mg, 90 mg</i> (CoreMino)	2	
<i>mondoxyne nl oral capsule 100 mg, 50 mg, 75 mg</i>	2	
<i>okebo oral capsule 100 mg, 75 mg</i>	2	
<i>soloxide oral tablet, delayed release (dr/ec) 150 mg</i>	2	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	5	NM; NDS
<b>Anticancer Agents</b>		
<b>Anticancer Agents</b>		
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	NM; NDS
<i>adriamycin intravenous recon soln 10 mg, 50 mg</i>	2	PA BvD
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>	2	PA BvD
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
AFINITOR ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NM; NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML, 25 MG/ML (16 ML)	5	PA NSO; NM; NDS
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NM; NDS
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
BESPOLSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NM; NDS; QL (420 per 30 days)
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	PA BvD
BLINCYTO INTRAVENOUS KIT 35 MCG	5	PA NSO; NM; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i>	2	
<i>cladribine intravenous solution 10 mg/10 ml</i>	2	PA BvD
<i>clofarabine intravenous solution 20 mg/20 ml (Clolar)</i>	5	NM; NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NM; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	4	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML, 10 MG/ML (50 ML)	5	PA NSO; NM; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; LA; NDS
<i>decitabine intravenous recon soln 50 mg (Dacogen)</i>	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>docetaxel intravenous solution 140 mg/7 ml (20 mg/ml), 160 mg/16 ml (10 mg/ml), 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml</i>	5	NM; NDS
<i>docetaxel intravenous solution 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml)</i> (Taxotere)	5	NM; NDS
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> (Adriamycin)	2	PA BvD
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	5	PA BvD; NM; NDS
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	3	
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	5	PA NSO; NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	2	
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	
FARESTON ORAL TABLET 60 MG	5	NM; NDS
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NM; NDS
FASLODEX INTRAMUSCULAR SYRINGE 250 MG/5 ML	5	NM; NDS
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml</i>	2	PA BvD
<i>fluorouracil intravenous solution 5 gram/100 ml, 500 mg/10 ml</i> (Adrucil)	2	PA BvD
<i>flutamide oral capsule 125 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	5	PA NSO; NM; NDS
<i>gemcitabine intravenous recon soln 1 gram, 200 mg</i> (Gemzar)	5	NM; NDS
<i>gemcitabine intravenous recon soln 2 gram</i>	5	NM; NDS
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 100 mg/ml, 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	5	NM; NDS
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG, 5 MG	4	
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG, 440 MG	5	PA NSO; NM; NDS
HEXALEN ORAL CAPSULE 50 MG	5	NM; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram, 3 gram</i> (Ifex)	2	PA BvD
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	PA BvD
<i>ifosfamide-mesna intravenous kit 1-1 gram, 3,000-1,000 mg</i>	5	PA BvD; NM; NDS
<i>imatinib oral tablet 100 mg</i> (Gleevec)	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	5	PA NSO; NM; NDS; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG, 70 MG	5	PA NSO; NM; NDS
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML, 50 MG/ML (10 ML)	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (8 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 40 mg/2 ml</i> (Camptosar)	2	
<i>irinotecan intravenous solution 500 mg/25 ml</i>	2	
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	5	NM; NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
KEYTRUDA INTRAVENOUS RECON SOLN 50 MG	5	PA NSO; NM; NDS; QL (4 per 21 days)
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (8 per 21 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	5	PA NSO; NM; NDS
LARTRUVO INTRAVENOUS SOLUTION 10 MG/ML, 10 MG/ML (19 ML)	5	PA NSO; NM; LA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	2	
LEUKERAN ORAL TABLET 2 MG	4	
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	2	
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 22.5 MG	5	NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	NM; NDS
LYNPARZA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (448 per 28 days)
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
MARQIBO INTRAVENOUS KIT 5 MG/31 ML(0.16 MG/ML) FINAL	5	PA NSO; NM; NDS; QL (4 per 28 days)
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>melphalan hcl intravenous recon soln 50 mg</i> (Alkeran)	5	NM; NDS
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	PA BvD
<i>methotrexate sodium (pf) injection solution 25 mg/ml, 25 mg/ml (10 ml)</i>	2	PA BvD
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	PA BvD
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	PA BvD
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	5	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	5	PA NSO; NM; NDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	5	PA BvD; NM; NDS
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	2	
<i>oxaliplatin intravenous solution 100 mg/20 ml, 50 mg/10 ml (5 mg/ml)</i>	2	
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	2	
PERJETA INTRAVENOUS SOLUTION 420 MG/14 ML (30 MG/ML)	5	PA NSO; NM; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	5	PA NSO; NM; NDS; QL (100 per 21 days)
POTELIGEO INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NM; NDS
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	5	NM; NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NM; NDS
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; LA; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML, 10 MG/ML (10 ML)	5	PA NSO; NM; NDS
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
SOLTAMOX ORAL SOLUTION 10 MG/5 ML	4	
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	5	PA NSO; NM; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
TABLOID ORAL TABLET 40 MG	4	
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAGRISSE ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TARCEVA ORAL TABLET 100 MG, 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TARCEVA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
TARGRETIN TOPICAL GEL 1 %	5	PA NSO; NM; NDS; QL (60 per 28 days)
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML)	5	PA NSO; NM; NDS; QL (20 per 21 days)
TEMODAR INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
<i>temsirolimus intravenous recon soln 30 mg/3 ml (10 mg/ml) (first)</i> (Torisel)	5	PA BvD; NM; NDS; QL (4 per 28 days)
<i>thiotepa injection recon soln 15 mg</i> (Tepadina)	5	NM; NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>toposar intravenous solution 20 mg/ml</i>	2	
<i>topotecan intravenous recon soln 4 mg</i> (Hycamtin)	5	NM; NDS
<i>topotecan intravenous solution 4 mg/4 ml (1 mg/ml)</i>	5	NM; NDS
TORISEL INTRAVENOUS RECON SOLN 30 MG/3 ML (10 MG/ML) (FIRST)	5	PA BvD; NM; NDS; QL (4 per 28 days)
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	5	NM; NDS
TRELSTAR 11.25 MG VIAL INNER, SDV 11.25 MG	5	NM; NDS; QL (1 per 84 days)
TRELSTAR 22.5 MG VIAL INNER,SDV 22.5 MG	5	NM; NDS; QL (1 per 168 days)
TRELSTAR 3.75 MG VIAL INNER, SDV 3.75 MG	5	NM; NDS
TRELSTAR INTRAMUSCULAR SYRINGE 11.25 MG/2 ML	5	NM; NDS; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SYRINGE 22.5 MG/2 ML	5	NM; NDS; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SYRINGE 3.75 MG/2 ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tretinoin (chemotherapy) oral capsule 10 mg</i>	5	NM; NDS
TREXALL ORAL TABLET 10 MG, 15 MG, 5 MG, 7.5 MG	4	PA BvD; ST
TYKERB ORAL TABLET 250 MG	5	NM; NDS
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	5	PA NSO; NM; NDS
VALSTAR INTRAVESICAL SOLUTION 40 MG/ML	5	NM; NDS
VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML)	5	PA NSO; NM; NDS
VELCADE INJECTION RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (120 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	3	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG-100 MG	5	PA NSO; NM; LA; NDS; QL (42 per 28 days)
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>vinblastine intravenous solution 1 mg/ml</i>	2	PA BvD
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i>	2	PA BvD
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i> (Vincasar PFS)	2	PA BvD
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	2	
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	5	PA BvD; NM; NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML)	5	PA NSO; NM; NDS
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	4	QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	4	QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (140 per 28 days)
ZYTIGA ORAL TABLET 250 MG, 500 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<b>Anticholinergic Agents</b>		
<b>Antimuscarinics/Antispasmodics</b>		
<i>atropine injection syringe 0.05 mg/ml, 0.1 mg/ml</i>	2	
<i>propantheline oral tablet 15 mg</i>	2	
<b>Anticonvulsants</b>		
<b>Anticonvulsants</b>		
APTIOM ORAL TABLET 200 MG, 400 MG, 600 MG, 800 MG	5	NM; NDS
BANZEL ORAL SUSPENSION 40 MG/ML	5	NM; NDS
BANZEL ORAL TABLET 200 MG, 400 MG	5	NM; NDS
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	4	QL (80 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BRIVIACT ORAL SOLUTION 10 MG/ML	4	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	5	NM; NDS; QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	2	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	2	
<i>carbamazepine oral tablet 200 mg</i> (Epilex)	2	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	2	
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	
CELONTIN ORAL CAPSULE 300 MG	3	
DILANTIN ORAL CAPSULE 30 MG	2	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	
<i>epitol oral tablet 200 mg</i>	2	
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	
<i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)	2	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	2	
<i>fospheyntoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	2	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	4	
FYCOMPA ORAL TABLET 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	4	
<i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i> (Neurontin)	2	
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	
<i>gabapentin oral tablet 600 mg, 800 mg</i> (Neurontin)	2	
GRALISE 30-DAY STARTER PACK ORAL TABLET EXTENDED RELEASE 24 HR 300 MG (9)- 600 MG (69)	4	ST; QL (78 per 30 days)
GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 300 MG, 600 MG	4	ST; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	(Lamictal)	2	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) -50 mg (7)</i>	(Lamictal ODT Starter (Blue))	2	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7)</i>	(Lamictal ODT Starter (Orange))	2	
<i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) -100 mg (14)</i>	(Lamictal ODT Starter (Green))	2	
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i>	(Lamictal XR)	2	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i>	(Lamictal)	2	
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i>	(Lamictal ODT)	2	
<i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml</i>		2	
<i>levetiracetam intravenous solution 500 mg/5 ml</i>	(Keppra)	2	
<i>levetiracetam oral solution 100 mg/ml</i>	(Keppra)	2	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i>	(Keppra)	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i>	(Keppra XR)	2	
LYRICA ORAL CAPSULE 100 MG, 150 MG, 200 MG, 225 MG, 25 MG, 300 MG, 50 MG, 75 MG		3	QL (90 per 30 days)
LYRICA ORAL SOLUTION 20 MG/ML		3	QL (900 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i>	(Trileptal)	2	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i>	(Trileptal)	2	
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG		4	
PEGANONE ORAL TABLET 250 MG		3	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>		2	PA NSO-HRM; AGE (Max 64 Years)
<i>phenobarbital oral tablet 100 mg</i>		1	PA NSO-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>phenobarbital oral tablet 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	
POTIGA ORAL TABLET 200 MG, 300 MG, 400 MG	5	NM; NDS; QL (90 per 30 days)
POTIGA ORAL TABLET 50 MG	5	NM; NDS; QL (270 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	
ROWEEPRA ORAL TABLET 1,000 MG, 500 MG, 750 MG	2	
SABRIL ORAL TABLET 500 MG	5	NM; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril)	2	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	
<i>topiramate oral capsule, sprinkle, er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg</i> (Qudexy XR)	2	
<i>topiramate oral tablet 100 mg, 200 mg, 50 mg</i> (Topamax)	2	
<i>topiramate oral tablet 25 mg</i> (Topamax)	1	
TROKENDI XR ORAL CAPSULE, EXTENDED RELEASE 24HR 100 MG, 25 MG, 50 MG	4	QL (30 per 30 days)
TROKENDI XR ORAL CAPSULE, EXTENDED RELEASE 24HR 200 MG	5	NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i> (Depacon)	2	
<i>valproic acid (as sodium salt) oral solution 500 mg/10 ml (10 ml)</i>	2	
<i>valproic acid 250 mg/5 ml soln 250 mg/5 ml</i> (Depakene)	2	
<i>valproic acid oral capsule 250 mg</i> (Depakene)	2	
<i>vigabatrin oral powder in packet 500 mg</i> (Sabril)	5	NM; NDS
<i>vigadrone oral powder in packet 500 mg</i>	5	NM; NDS
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	3	QL (200 per 5 days)
VIMPAT ORAL SOLUTION 10 MG/ML	3	QL (1200 per 30 days)
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	3	QL (60 per 30 days)
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	
<i>zonisamide oral capsule 50 mg</i>	2	
<b>Antidementia Agents</b>		
<b>Antidementia Agents</b>		
<i>donepezil oral tablet 10 mg, 23 mg, 5 mg</i> (Aricept)	2	QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i> (Razadyne)	2	QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	2	QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	QL (360 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	2	QL (60 per 30 days)
<i>memantine oral tablets, dose pack 5-10 mg</i> (Namenda Titration Pak)	2	QL (49 per 28 days)
NAMENDA XR ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7-14-21-28 MG	3	QL (28 per 28 days)
NAMZARIC ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	3	QL (56 per 365 days)
NAMZARIC ORAL CAPSULE, SPRINKLE, ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	3	QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
<i>rivastigmine transdermal patch 24 hour</i> (Exelon) 13.3 mg/24 hour, 4.6 mg/24 hr, 9.5 mg/24 hr	2	QL (30 per 30 days)
<b>Antidepressants</b>		
<b>Antidepressants</b>		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	2	
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	2	
<i>citalopram oral solution 10 mg/5 ml</i>	2	QL (600 per 30 days)
<i>citalopram oral tablet 10 mg, 20 mg, 40 mg</i> (Celexa)	1	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	2	PA NSO-HRM; AGE (Max 64 Years)
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	2	PA NSO-HRM; AGE (Max 64 Years)
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	2	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>doxepin oral concentrate 10 mg/ml</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 60 mg</i> (Cymbalta)	2	QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 30 mg</i> (Cymbalta)	2	QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 40 mg</i>	2	QL (30 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST; QL (56 per 365 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	
<i>fluoxetine oral capsule, delayed release(dr/ec) 90 mg</i>	2	QL (4 per 28 days)
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>fluoxetine oral tablet 10 mg, 20 mg</i> (Sarafem)	2	
FLUOXETINE ORAL TABLET 60 MG	4	
<i>fluvoxamine oral capsule, extended release 24hr 100 mg, 150 mg</i>	2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i> (Tofranil)	2	PA NSO-HRM; AGE (Max 64 Years)
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg</i> (Remeron)	1	
<i>mirtazapine oral tablet 30 mg</i> (Remeron)	2	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	2	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	PA NSO-HRM; AGE (Max 64 Years)
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	PA NSO-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>paroxetine hcl oral tablet extended release</i> (Paxil CR) 24 hr 12.5 mg, 25 mg, 37.5 mg	2	PA NSO-HRM; AGE (Max 64 Years)
PAXIL ORAL SUSPENSION 10 MG/5 ML	4	PA NSO-HRM; AGE (Max 64 Years)
<i>perphenazine-amitriptyline oral tablet 2- 10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>phenelzine oral tablet 15 mg</i> (Nardil)	2	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	
SURMONTIL ORAL CAPSULE 100 MG, 25 MG, 50 MG	4	PA NSO-HRM; AGE (Max 64 Years)
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	2	
<i>trazodone oral tablet 100 mg, 50 mg</i>	1	
<i>trazodone oral tablet 150 mg, 300 mg</i>	2	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i> (Surmontil)	2	PA NSO-HRM; AGE (Max 64 Years)
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	ST; QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release</i> (Effexor XR) 24hr 150 mg	2	QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release</i> (Effexor XR) 24hr 37.5 mg, 75 mg	2	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	
<i>venlafaxine oral tablet extended release</i> 24hr 150 mg, 37.5 mg, 75 mg	2	
<i>venlafaxine oral tablet extended release</i> 24hr 225 mg	4	
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG	3	ST; QL (30 per 30 days)
VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)- 20 MG (23)	3	ST; QL (30 per 180 days)
<b>Antidiabetic Agents</b>		
<b>Antidiabetic Agents, Miscellaneous</b>		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	2	QL (90 per 30 days)
CYCLOSET ORAL TABLET 0.8 MG	4	QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG	3	
GLUCAGON EMERGENCY KIT (HUMAN) INJECTION RECON SOLN 1 MG	4	
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	ST; QL (30 per 30 days)
INVOKAMET ORAL TABLET 150- 1,000 MG, 150-500 MG, 50-1,000 MG	3	ST; QL (60 per 30 days)
INVOKAMET ORAL TABLET 50-500 MG	3	ST; QL (120 per 30 days)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG	3	ST; QL (60 per 30 days)
INVOKANA ORAL TABLET 100 MG	3	ST; QL (60 per 30 days)
INVOKANA ORAL TABLET 300 MG	3	ST; QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50- 500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	ST; QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5- 1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
KAZANO ORAL TABLET 12.5-1,000 MG, 12.5-500 MG	4	QL (60 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>metformin oral tablet 1,000 mg</i> (Glucophage)	6	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i> (Glucophage)	6	QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i> (Glucophage)	6	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i> (Glucophage XR)	6	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metformin oral tablet extended release 24 hr 750 mg</i> (Glucophage XR)	6	QL (90 per 30 days)
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i> (Glyset)	2	QL (90 per 30 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i> (Starlix)	6	QL (90 per 30 days)
NESINA ORAL TABLET 12.5 MG, 25 MG, 6.25 MG	4	QL (30 per 30 days)
OSENI ORAL TABLET 12.5-15 MG, 12.5-30 MG, 12.5-45 MG, 25-15 MG, 25-30 MG, 25-45 MG	4	QL (30 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/0.75 ML (2 MG/1.5 ML)	3	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	6	QL (30 per 30 days)
<i>pioglitazone-glimepiride oral tablet 30-2 mg, 30-4 mg</i> (DUETACT)	2	QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg, 15-850 mg</i> (Actoplus MET)	2	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg</i>	6	QL (240 per 30 days)
<i>repaglinide oral tablet 1 mg, 2 mg</i> (Prandin)	6	QL (240 per 30 days)
<i>repaglinide-metformin oral tablet 1-500 mg, 2-500 mg</i>	6	QL (150 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	ST; QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	ST; QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	ST; QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML	3	QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
<b>Insulins</b>		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
HUMALOG JUNIOR KWIKPEN U-100 SUBCUTANEOUS INSULIN PEN, HALF-UNIT 100 UNIT/ML	4	ST; QL (30 per 28 days)
HUMALOG KWIKPEN INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML, 200 UNIT/ML (3 ML)	4	ST; QL (30 per 28 days)
HUMALOG MIX 50-50 INSULN U-100 SUBCUTANEOUS SUSPENSION 100 UNIT/ML (50-50)	4	ST; QL (40 per 28 days)
HUMALOG MIX 50-50 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (50-50)	4	ST; QL (30 per 28 days)
HUMALOG MIX 75-25 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (75-25)	4	ST; QL (30 per 28 days)
HUMALOG MIX 75-25(U-100)INSULN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (75-25)	4	ST; QL (40 per 28 days)
HUMALOG U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	4	ST; QL (30 per 28 days)
HUMALOG U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	4	ST; QL (40 per 28 days)
HUMULIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	4	ST; QL (40 per 28 days)
HUMULIN 70/30 U-100 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	4	ST; QL (30 per 28 days)
HUMULIN N NPH INSULIN KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	4	ST; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HUMULIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	4	ST; QL (40 per 28 days)
HUMULIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	4	ST; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	QL (24 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	QL (40 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	3	QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	3	QL (40 per 28 days)
NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	3	QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	ST; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	ST; QL (15 per 28 days)
<b>Sulfonylureas</b>		
<i>glimepiride oral tablet 1 mg, 2 mg</i> (Amaryl)	6	QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i> (Amaryl)	6	QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i> (Glucotrol)	6	QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i> (Glucotrol)	6	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	6	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i> (Glucotrol XL)	6	QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	6	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	6	QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i> (Glynase)	6	PA-HRM; AGE (Max 64 Years)
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	6	PA-HRM; AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	6	PA-HRM; AGE (Max 64 Years)
<i>tolazamide oral tablet 250 mg</i>	2	QL (120 per 30 days)
<i>tolazamide oral tablet 500 mg</i>	2	QL (60 per 30 days)
<i>tolbutamide oral tablet 500 mg</i>	6	QL (180 per 30 days)
<b>Antifungals</b>		
<b>Antifungals</b>		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	5	PA BvD; NM; NDS
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	5	PA BvD; NM; NDS
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD
<i>casprofungin intravenous recon soln 50 mg, 70 mg</i> (Cancidas)	5	NM; NDS
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ciclopirox topical gel 0.77 %</i>	2	
<i>ciclopirox topical shampoo 1 %</i> (Loprox)	2	
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	2	
<i>ciclopirox topical suspension 0.77 %</i> (Loprox (as olamine))	2	
<i>clotrimazole mucous membrane troche 10 mg</i>	2	
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	2	
<i>clotrimazole topical solution 1 %</i>	2	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i> (Lotrisone)	2	
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>	2	
<i>econazole topical cream 1 %</i>	2	
EXELDERM TOPICAL CREAM 1 %	4	
EXELDERM TOPICAL SOLUTION 1 %	4	
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> (Diflucan)	2	
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Diflucan)	2	
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	5	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	2	
<i>griseofulvin microsize oral tablet 500 mg</i>	2	
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>	2	
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	2	
<i>itraconazole oral solution 10 mg/ml</i> (Sporanox)	5	NM; NDS
<i>ketoconazole oral tablet 200 mg</i>	2	
<i>ketoconazole topical cream 2 %</i>	2	
<i>ketoconazole topical shampoo 2 %</i> (Nizoral)	2	
<i>miconazole-3 vaginal suppository 200 mg</i>	2	
NOXAFIL INTRAVENOUS SOLUTION 300 MG/16.7 ML	5	NM; NDS
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)	5	NM; NDS
NOXAFIL ORAL TABLET, DELAYED RELEASE (DR/EC) 100 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nyamyc topical powder 100,000 unit/gram</i>	2	
<i>nyata topical powder 100,000 unit/gram</i>	2	
<i>nystatin oral suspension 100,000 unit/ml</i>	2	
<i>nystatin oral tablet 500,000 unit</i>	2	
<i>nystatin topical cream 100,000 unit/gram</i>	2	
<i>nystatin topical ointment 100,000 unit/gram</i>	2	
<i>nystatin topical powder 100,000 unit/gram (Nyamyc)</i>	2	
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	2	
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	2	
<i>nystop topical powder 100,000 unit/gram</i>	2	
SPORANOX ORAL SOLUTION 10 MG/ML	5	NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	
<i>voriconazole intravenous solution 200 mg (Vfend IV)</i>	5	NM; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml) (Vfend)</i>	5	NM; NDS
<i>voriconazole oral tablet 200 mg, 50 mg (Vfend)</i>	5	NM; NDS
<b>Antigout Agents</b>		
<b>Antigout Agents, Other</b>		
<i>allopurinol oral tablet 100 mg, 300 mg (Zyloprim)</i>	1	
COLCRYS ORAL TABLET 0.6 MG	2	
<i>probenecid oral tablet 500 mg</i>	2	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	
ULORIC ORAL TABLET 40 MG, 80 MG	3	QL (30 per 30 days)
ZURAMPIC ORAL TABLET 200 MG	3	ST; QL (30 per 30 days)
<b>Antihistamines</b>		
<b>Antihistamines</b>		
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>	2	
<i>carbinoxamine maleate oral tablet 4 mg</i>	2	
<i>clemastine oral tablet 2.68 mg</i>	2	
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	PA-HRM; AGE (Max 64 Years)
<i>cyproheptadine oral tablet 4 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	2	
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i> (Children's Allergy (diphenhyd))	1	PA-HRM; AGE (Max 64 Years)
<i>hydroxyzine hcl intramuscular solution 25 mg/ml</i>	2	PA-HRM; AGE (Max 64 Years)
<i>hydroxyzine hcl intramuscular solution 50 mg/ml</i>	2	PA-HRM; AGE (Max 64 Years)
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	PA-HRM; AGE (Max 64 Years)
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>levocetirizine oral solution 2.5 mg/5 ml</i> (Xyzal)	2	
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	
<i>promethazine oral syrup 6.25 mg/5 ml</i>	2	PA-HRM; AGE (Max 64 Years)
<i>promethazine vc oral syrup 6.25-5 mg/5 ml</i>	2	
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
AVC VAGINAL VAGINAL CREAM 15 %	3	
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	2	
<i>metronidazole vaginal gel 0.75 %</i> (Metrogel Vaginal)	2	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	
<i>terconazole vaginal suppository 80 mg</i>	2	
<b>Antimigraine Agents</b>		
<b>Antimigraine Agents</b>		
AIMOVIG 70 MG/ML AUTOINJECTOR 70 MG/ML	4	PA; QL (2 per 30 days)
AIMOVIG AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR 70 MG/ML	4	PA; QL (2 per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i> (D.H.E.45)	5	NM; NDS; QL (30 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	NM; NDS; QL (8 per 28 days)
ERGOMAR SUBLINGUAL TABLET 2 MG	3	QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>naratriptan oral tablet 1 mg, 2.5 mg</i> (Amerge)	2	QL (18 per 28 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	QL (18 per 28 days)
<i>rizatriptan oral tablet 5 mg</i>	2	QL (18 per 28 days)
<i>rizatriptan oral tablet, disintegrating 10 mg, 5 mg</i> (Maxalt-MLT)	2	QL (18 per 28 days)
<i>sumatriptan nasal spray, non-aerosol 20 mg/actuation, 5 mg/actuation</i> (Imitrex)	2	QL (12 per 28 days)
<i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i> (Imitrex)	2	QL (18 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Kit Refill)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	2	QL (4 per 28 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	2	QL (12 per 28 days)
<i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i> (Zomig ZMT)	2	QL (12 per 28 days)
<b>Antimycobacterials</b>		
<b>Antimycobacterials</b>		
CAPASTAT INJECTION RECON SOLN 1 GRAM	4	
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	
<i>ethambutol oral tablet 100 mg</i>	2	
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	2	
<i>isoniazid oral solution 50 mg/5 ml</i>	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	
PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM	4	
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	2	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	2	
<i>rifampin oral capsule 150 mg, 300 mg</i> (Rifadin)	2	
RIFATER ORAL TABLET 50-120-300 MG	4	
SIRTURO ORAL TABLET 100 MG	5	PA; NM; NDS; QL (188 per 168 days)
TRECTOR ORAL TABLET 250 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antinausea Agents</b>		
<b>Antinausea Agents</b>		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235- 0.25 MG	3	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	3	PA BvD
<i>aprepitant oral capsule 125 mg</i> (Emend)	2	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i> (Emend)	2	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	2	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	2	PA BvD; QL (6 per 28 days)
CINVANTI INTRAVENOUS EMULSION 7.2 MG/ML	4	QL (36 per 28 days)
<i>compro rectal suppository 25 mg</i>	2	
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	2	PA
EMEND (FOSAPREPITANT) INTRAVENOUS RECON SOLN 150 MG	4	QL (2 per 28 days)
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>granisetron (pf) intravenous solution 100 mcg/ml</i>	2	
<i>granisetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>	2	
<i>granisetron hcl oral tablet 1 mg</i>	2	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>meclizine oral tablet 25 mg</i> (Dramamine Less Drowsy)	2	PA-HRM; AGE (Max 64 Years)
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	2	
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	2	
<i>ondansetron hcl oral solution 4 mg/5 ml</i> (Zofran)	2	PA BvD
<i>ondansetron hcl oral tablet 24 mg</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i> (Zofran)	2	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i> (Zofran ODT)	2	PA BvD
<i>phenadoz rectal suppository 12.5 mg, 25 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	2	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	1	
<i>prochlorperazine rectal suppository 25 mg</i> (Compazine)	2	
<i>promethazine injection solution 25 mg/ml, 50 mg/ml</i> (Phenergan)	2	PA-HRM; AGE (Max 64 Years)
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository 12.5 mg, 25 mg</i> (Phenadoz)	2	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository 50 mg</i> (Phenergan)	2	PA-HRM; AGE (Max 64 Years)
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	2	QL (10 per 30 days)
SYNDROS ORAL SOLUTION 5 MG/ML	4	PA
TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY 1 MG OVER 3 DAYS	4	QL (10 per 30 days)
<b>Antiparasite Agents</b>		
<b>Antiparasite Agents</b>		
ALBENZA ORAL TABLET 200 MG	5	NM; NDS
ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML	4	
ALINIA ORAL TABLET 500 MG	4	
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	5	NM; NDS
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	2	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	2	
<i>benznidazole oral tablet 100 mg, 12.5 mg</i>	4	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	
COARTEM ORAL TABLET 20-120 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DARAPRIM ORAL TABLET 25 MG	5	PA; NM; NDS
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	2	
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	2	
<i>mefloquine oral tablet 250 mg</i>	2	
NEBUPENT INHALATION RECON SOLN 300 MG	4	PA BvD
<i>paromomycin oral capsule 250 mg</i>	2	
PENTAM INJECTION RECON SOLN 300 MG	4	
PRIMAQUINE ORAL TABLET 26.3 MG	4	
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	2	PA; QL (42 per 7 days)
<i>tinidazole oral tablet 250 mg</i>	2	
<i>tinidazole oral tablet 500 mg</i> (Tindamax)	2	
<b>Antiparkinsonian Agents</b>		
<b>Antiparkinsonian Agents</b>		
<i>amantadine hcl oral capsule 100 mg</i>	2	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	2	
<i>amantadine hcl oral tablet 100 mg</i>	2	
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML	5	NM; NDS; QL (60 per 30 days)
<i>benztropine injection solution 2 mg/2 ml</i> (Cogentin)	2	PA-HRM; AGE (Max 64 Years)
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	2	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	2	
<i>cabergoline oral tablet 0.5 mg</i>	2	
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	5	NM; NDS
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i> (Sinemet)	2	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i> (Sinemet CR)	2	
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	2	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	2	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	2	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	2	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	2	
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	2	
<i>entacapone oral tablet 200 mg</i> (Comtan)	2	
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 137 MG	5	PA; NM; NDS; QL (60 per 30 days)
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 68.5 MG	5	PA; NM; NDS; QL (30 per 30 days)
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.75 mg, 1 mg, 1.5 mg</i> (Mirapex)	2	
<i>pramipexole oral tablet 0.5 mg</i> (Mirapex)	1	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	2	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i> (Requip)	2	
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i> (Requip XL)	2	
<i>selegiline hcl oral capsule 5 mg</i>	2	
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	PA-HRM; AGE (Max 64 Years)
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	2	PA-HRM; AGE (Max 64 Years)
XADAGO ORAL TABLET 100 MG, 50 MG	5	PA; NM; NDS; QL (30 per 30 days)
<b>Antipsychotic Agents</b>		
<b>Antipsychotic Agents</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NM; NDS; QL (1 per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NM; NDS; QL (1 per 28 days)
<i>aripiprazole oral solution 1 mg/ml</i>	2	QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i> (Abilify)	2	QL (60 per 30 days)
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	2	QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	2	QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NM; NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 28 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	2	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	2	
<i>clozapine oral tablet 100 mg</i> (Clozaril)	2	QL (270 per 30 days)
<i>clozapine oral tablet 200 mg</i>	2	QL (135 per 30 days)
<i>clozapine oral tablet 25 mg</i> (Clozaril)	2	QL (90 per 30 days)
<i>clozapine oral tablet 50 mg</i>	2	QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i> (FazaClo)	2	ST; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clozapine oral tablet, disintegrating 150 mg</i> (FazaClo)	2	ST; QL (180 per 30 days)
<i>clozapine oral tablet, disintegrating 200 mg</i> (FazaClo)	2	ST; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 2 MG, 4 MG	4	ST; QL (60 per 30 days)
FANAPT ORAL TABLET 10 MG, 12 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS, DOSE PACK 1MG(2)-2MG(2)- 4MG(2)- 6MG(2)	4	ST; QL (8 per 28 days)
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	2	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	
GEODON INTRAMUSCULAR RECON SOLN 20 MG/ML (FINAL CONC.)	4	QL (6 per 28 days)
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i> (Haldol Decanoate)	2	
<i>haloperidol lactate injection solution 5 mg/ml</i> (Haldol)	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	4	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	5	NM; NDS; QL (0.875 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	5	NM; NDS; QL (1.315 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	5	NM; NDS; QL (2.625 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG, 80 MG	3	QL (30 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>molindone oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 17 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)	2	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	2	QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> (Invega)	5	NM; NDS; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	5	NM; NDS; QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	
<i>pimozide oral tablet 1 mg, 2 mg</i> (Orap)	2	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)	2	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 50 mg</i> (Seroquel XR)	2	QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg</i> (Seroquel XR)	2	QL (60 per 30 days)
REXULTI ORAL TABLET 0.25 MG	5	ST; NM; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NM; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NM; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML, 25 MG/2 ML	4	QL (4 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 37.5 MG/2 ML, 50 MG/2 ML	5	NM; NDS; QL (4 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	2	QL (60 per 30 days)
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	2	QL (60 per 30 days)
<i>risperidone oral tablet, disintegrating 3 mg, 4 mg</i>	2	QL (120 per 30 days)
SAPHRIS SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG	5	ST; NM; NDS; QL (60 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE, DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST; QL (7 per 30 days)
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	QL (60 per 30 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)
<b>Antivirals (Systemic)</b>		
<b>Antiretrovirals</b>		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	
<i>abacavir oral tablet 300 mg</i> (Ziagen)	2	
<i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom)	5	NM; NDS
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	5	NM; NDS
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
APTIVUS ORAL SOLUTION 100 MG/ML	4	
<i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i> (Reyataz)	5	NM; NDS
ATRIPLA ORAL TABLET 600-200-300 MG	5	NM; NDS
BIKTARVY ORAL TABLET 50-200-25 MG	5	NM; NDS
CIMDUO ORAL TABLET 300-300 MG	5	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NM; NDS
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	4	
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NM; NDS
DESCOVY ORAL TABLET 200-25 MG	5	NM; NDS
<i>didanosine oral capsule, delayed release(dr/ec) 125 mg, 200 mg, 250 mg, 400 mg</i> (Videx EC)	2	
EDURANT ORAL TABLET 25 MG	5	NM; NDS
<i>efavirenz oral capsule 200 mg</i> (Sustiva)	5	NM; NDS
<i>efavirenz oral capsule 50 mg</i> (Sustiva)	2	
<i>efavirenz oral tablet 600 mg</i> (Sustiva)	5	NM; NDS
EMTRIVA ORAL CAPSULE 200 MG	3	
EMTRIVA ORAL SOLUTION 10 MG/ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
EVOTAZ ORAL TABLET 300-150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	5	NM; NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS
INTELENCE ORAL TABLET 100 MG, 200 MG	5	NM; NDS
INTELENCE ORAL TABLET 25 MG	3	
INVIRASE ORAL CAPSULE 200 MG	5	NM; NDS
INVIRASE ORAL TABLET 500 MG	5	NM; NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	3	
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	3	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
KALETRA ORAL TABLET 100-25 MG	3	
KALETRA ORAL TABLET 200-50 MG	5	NM; NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	2	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	3	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	
<i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune)	2	
<i>nevirapine oral tablet 200 mg</i> (Viramune)	2	
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i> (Viramune XR)	2	
NORVIR ORAL CAPSULE 100 MG	3	
NORVIR ORAL POWDER IN PACKET 100 MG	3	
NORVIR ORAL SOLUTION 80 MG/ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	4	
PREZISTA ORAL TABLET 150 MG, 75 MG	3	
PREZISTA ORAL TABLET 600 MG, 800 MG	5	NM; NDS
RESCRIPTOR ORAL TABLET 200 MG	4	
RESCRIPTOR ORAL TABLET, DISPERSIBLE 100 MG	4	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	3	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	
SELZENTRY ORAL SOLUTION 20 MG/ML	4	
SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG	5	NM; NDS
SELZENTRY ORAL TABLET 25 MG	4	
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i> (Zerit)	2	
<i>stavudine oral recon soln 1 mg/ml</i> (Zerit)	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS
SYMFI LO ORAL TABLET 400-300-300 MG	5	NM; NDS
SYMFI ORAL TABLET 600-300-300 MG	5	NM; NDS
SYMITUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	5	NM; NDS
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	NM; NDS; QL (30 per 30 days)
VIDEX 2 GM PEDIATRIC SOLN 10 MG/ML (FINAL)	3	
VIDEX 4 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	3	
VIDEX EC ORAL CAPSULE, DELAYED RELEASE (DR/EC) 125 MG	4	
VIRACEPT ORAL TABLET 250 MG, 625 MG	4	
VIRAMUNE ORAL SUSPENSION 50 MG/5 ML	4	
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
ZERIT ORAL RECON SOLN 1 MG/ML	3	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i>	2	
<b>Antivirals, Miscellaneous</b>		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	2	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	QL (540 per 180 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NM; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NM; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	2	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
<b>Hcv Antivirals</b>		
DAKLINZA ORAL TABLET 30 MG, 60 MG, 90 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG	5	PA; NM; NDS; QL (30 per 30 days)
MAVYRET ORAL TABLET 100-40 MG	5	PA; NM; NDS; QL (84 per 28 days)
OLYSIO ORAL CAPSULE 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
SOVALDI ORAL TABLET 400 MG	5	PA; NM; NDS; QL (28 per 28 days)
TECHNIVIE ORAL TABLET 12.5-75-50 MG	5	PA; NM; NDS; QL (56 per 28 days)
VIEKIRA PAK ORAL TABLETS,DOSE PACK 12.5 MG-75 MG -50 MG/250 MG	5	PA; NM; NDS; QL (112 per 28 days)
VIEKIRA XR ORAL TABLET, IR - ER, BIPHASIC 24HR 8.33 MG-50 MG- 33.33 MG-200 MG	5	PA; NM; NDS; QL (84 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
ZEPATIER ORAL TABLET 50-100 MG	5	PA; NM; NDS; QL (30 per 30 days)
<b>Interferons</b>		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	PA NSO; NM; NDS
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	5	PA NSO; NM; NDS
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 135 MCG/0.5 ML, 180 MCG/0.5 ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	NM; NDS
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	NM; NDS
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG	5	PA NSO; NM; NDS; QL (4 per 28 days)
<b>Nucleosides And Nucleotides</b>		
<i>acyclovir 1,000 mg/20 ml vial 10's, latex-free, sdv 50 mg/ml</i>	5	PA BvD; NM; NDS
<i>acyclovir oral capsule 200 mg</i> (Zovirax)	2	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	2	
<i>acyclovir oral tablet 400 mg, 800 mg</i> (Zovirax)	2	
<i>acyclovir sodium intravenous recon soln 500 mg</i>	5	PA BvD; NM; NDS
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	5	NM; NDS
<i>cidofovir intravenous solution 75 mg/ml</i>	5	NM; NDS
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	5	NM; NDS
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	
<i>ganciclovir sodium intravenous recon soln 500 mg</i> (Cytovene)	2	PA BvD
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD
<i>ribasphere oral capsule 200 mg</i>	2	
<i>ribasphere oral tablet 200 mg, 400 mg, 600 mg</i>	2	
<i>ribasphere ribapak oral tablets, dose pack 200 mg (7)- 400 mg (7), 400-400 mg (28)-mg (28), 600-400 mg (28)-mg (28)</i>	5	NM; NDS
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	5	PA BvD; NM; NDS
<i>ribavirin oral capsule 200 mg</i> (Ribasphere)	2	
<i>ribavirin oral tablet 200 mg</i> (Moderiba)	2	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	2	
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	2	
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	5	NM; NDS
<b>Blood Products/Modifiers/Volume Expanders</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Anticoagulants</b>		
BEVYXXA ORAL CAPSULE 40 MG, 80 MG	4	QL (43 per 42 days)
CEPROTIN (BLUE BAR) INTRAVENOUS RECON SOLN 500 UNIT	5	NM; NDS
ELIQUIS ORAL TABLET 2.5 MG, 5 MG	3	
ELIQUIS ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	2	
<i>enoxaparin subcutaneous syringe 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml</i> (Lovenox)	2	
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i> (Arixtra)	5	NM; NDS
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	2	
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml)</i>	2	
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 25,000 unit/250 ml(100 unit/ml)</i>	2	
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	2	
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	2	
<i>heparin 25,000 unit/250 ml (100 unit/ml)-0.45% nacl bag l/f,inner,single-use 25,000 unit/250 ml</i>	2	
<i>heparin, porcine (pf) injection solution 1,000 unit/ml, 5,000 unit/0.5 ml</i>	2	
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	2	
IPRIVASK SUBCUTANEOUS RECON SOLN 15 MG	5	PA; NM; NDS; QL (24 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	4	ST; QL (60 per 30 days)
SAVAYSA ORAL TABLET 15 MG, 30 MG, 60 MG	4	
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Coumadin)	1	
XARELTO ORAL TABLET 10 MG, 15 MG, 20 MG	3	
XARELTO ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
<b>Blood Formation Modifiers</b>		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NM; NDS
DOPTELET ORAL TABLET 20 MG, 20 MG (15 PACK)	5	PA; NM; NDS
EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	NM; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	NM; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT, 3,000 UNIT	5	PA; NM; NDS
LEUKINE INJECTION RECON SOLN 250 MCG	5	NM; NDS
MIRCERA INJECTION SYRINGE 100 MCG/0.3 ML, 200 MCG/0.3 ML, 50 MCG/0.3 ML, 75 MCG/0.3 ML	4	PA; QL (0.6 per 28 days)
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	5	NM; NDS
MULPLETA ORAL TABLET 3 MG	5	PA; NM; NDS
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6ML	5	NM; NDS
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	NM; NDS
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	NM; NDS
PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
PROCRIT INJECTION SOLUTION 20,000 UNIT/ML	5	PA; NM; NDS; QL (12 per 28 days)
PROCRIT INJECTION SOLUTION 40,000 UNIT/ML	5	PA; NM; NDS; QL (6 per 28 days)
PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (30 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	4	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	4	PA; QL (6 per 28 days)
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	ST; NM; NDS
<b>Hematologic Agents, Miscellaneous</b>		
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	
<i>anagrelide oral capsule 1 mg</i>	2	
<i>protamine intravenous solution 10 mg/ml</i>	2	
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i> (Cyklokapron)	2	
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	2	QL (30 per 30 days)
<b>Platelet-Aggregation Inhibitors</b>		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i> (Aggrenox)	2	
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	
<i>clopidogrel oral tablet 300 mg</i> (Plavix)	2	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Caloric Agents</b>		
<b>Caloric Agents</b>		
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN II 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	4	PA BvD
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	4	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 5%/D25W SULFITE-FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLINIMIX 2.75%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%-D20W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%-D25W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 2.75%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D25W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D25W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLINISOL SF 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	2	PA BvD
<i>dextrose 20 % in water (d20w) intravenous parenteral solution 20 %</i>	2	PA BvD
<i>dextrose 25 % in water (d25w) intravenous syringe</i>	2	PA BvD
<i>dextrose 40 % in water (d40w) intravenous parenteral solution 40 %</i>	2	PA BvD
<i>dextrose 5 % in ringer's intravenous parenteral solution 5 %</i>	2	
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	2	
<i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i>	2	
<i>dextrose 50 % in water (d50w) intravenous parenteral solution</i>	2	PA BvD
<i>dextrose 50 % in water (d50w) intravenous syringe</i>	2	PA BvD
<i>dextrose 70 % in water (d70w) intravenous parenteral solution</i>	2	PA BvD
FREAMINE HBC 6.9 % INTRAVENOUS PARENTERAL SOLUTION 6.9 %	4	PA BvD
FREAMINE III 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	4	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
KABIVEN INTRAVENOUS EMULSION 3.31-9.8-3.9 %	4	PA BvD
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PERIKABIVEN INTRAVENOUS EMULSION 2.36-6.8-3.5 %	4	PA BvD
PLENAMINE INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
PREMASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
PREMASOL 6 % INTRAVENOUS PARENTERAL SOLUTION 6 %	4	PA BvD
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
<i>smoflipid intravenous emulsion 20 %</i>	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 6% INTRAVENOUS PARENTERAL SOLUTION 6 %	4	PA BvD
<b>Cardiovascular Agents</b>		
<b>Alpha-Adrenergic Agents</b>		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i> (Catapres)	1	
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	2	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	2	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	2	QL (8 per 28 days)
<i>clorpres oral tablet 0.1-15 mg, 0.2-15 mg, 0.3-15 mg</i>	2	
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	2	
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG	5	PA; NM; NDS; QL (180 per 30 days)
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	2	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	2	
<b>Angiotensin II Receptor Antagonists</b>		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	2	
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DIOVAN HCT ORAL TABLET 160-12.5 MG, 160-25 MG, 320-12.5 MG, 320-25 MG, 80-12.5 MG	4	ST
DIOVAN ORAL TABLET 160 MG, 320 MG, 40 MG, 80 MG	4	ST
EDARBI ORAL TABLET 40 MG, 80 MG	3	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	3	
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	3	QL (60 per 30 days)
<i>eprosartan oral tablet 600 mg</i>	2	
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	6	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	6	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	6	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	6	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	2	
<i>olmesartan-amlodipin-hcthiiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	2	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	2	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	6	
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i> (Twynsta)	2	
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	2	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	6	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	6	
<b>Angiotensin-Converting Enzyme Inhibitors</b>		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	6	
<i>benazepril oral tablet 5 mg</i>	6	
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>benazepril-hydrochlorothiazide oral tablet</i> 5-6.25 mg	6	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	6	
<i>captopril-hydrochlorothiazide oral tablet</i> 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg	6	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	6	
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	
<i>enalapril-hydrochlorothiazide oral tablet</i> (Vaseretic) 10-25 mg	6	
<i>enalapril-hydrochlorothiazide oral tablet</i> 5-12.5 mg	6	
EPANED ORAL SOLUTION 1 MG/ML	4	ST
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	6	
<i>fosinopril-hydrochlorothiazide oral tablet</i> 10-12.5 mg, 20-12.5 mg	6	
<i>lisinopril oral tablet 10 mg, 20 mg, 5 mg</i> (Prinivil)	6	
<i>lisinopril oral tablet 2.5 mg, 30 mg, 40 mg</i> (Zestril)	6	
<i>lisinopril-hydrochlorothiazide oral tablet</i> (Zestoretic) 10-12.5 mg, 20-12.5 mg, 20-25 mg	6	
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	6	
<i>moexipril-hydrochlorothiazide oral tablet</i> 15-12.5 mg, 15-25 mg, 7.5-12.5 mg	6	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	6	
QBRELIS ORAL SOLUTION 1 MG/ML	4	ST
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	6	
<i>quinapril-hydrochlorothiazide oral tablet</i> (Accuretic) 10-12.5 mg, 20-12.5 mg, 20-25 mg	6	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	6	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	6	
<b>Antiarrhythmic Agents</b>		
<i>amiodarone intravenous solution 50 mg/ml</i>	2	
<i>amiodarone intravenous syringe 150 mg/3 ml</i>	2	
<i>amiodarone oral tablet 100 mg, 400 mg</i> (Pacerone)	2	
<i>amiodarone oral tablet 200 mg</i> (Pacerone)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	2	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	2	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i>	2	
<i>lidocaine in 5 % dextrose (pf) intravenous parenteral solution 8 mg/ml (0.8 %)</i>	2	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	
MULTAQ ORAL TABLET 400 MG	3	
<i>pacerone oral tablet 100 mg, 400 mg</i>	2	
<i>pacerone oral tablet 200 mg</i>	1	
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	
<i>procainamide intravenous syringe 100 mg/ml</i>	2	
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i> (Rythmol SR)	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	
<i>quinidine gluconate oral tablet extended release 324 mg</i>	2	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	
<b>Beta-Adrenergic Blocking Agents</b>		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	2	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	2	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> (Ziac)	1	
BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG	3	
BYVALSON ORAL TABLET 5-80 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	
<i>esmolol intravenous solution 100 mg/10 ml (10 mg/ml)</i> (Brevibloc)	5	PA BvD; NM; NDS
<i>labetalol intravenous solution 5 mg/ml</i>	2	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	2	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>	2	
<i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i> (Lopressor HCT)	2	
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i> (Lopressor)	2	
<i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>	2	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i> (Corgard)	2	
<i>pindolol oral tablet 10 mg, 5 mg</i>	2	
<i>propranolol intravenous solution 1 mg/ml</i>	2	
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	2	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	
<i>sotalol 120 mg tablet 120 mg</i> (Betapace)	2	
<i>sotalol af oral tablet 120 mg</i>	2	
<i>sotalol oral tablet 160 mg, 240 mg, 80 mg</i> (Betapace)	2	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	

**Calcium-Channel Blocking Agents**

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cartia xt oral capsule, extended release</i> 24hr 120 mg, 180 mg, 240 mg, 300 mg	2	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	
<i>diltiazem hcl oral capsule, extended release 12 hr</i> 120 mg, 60 mg, 90 mg	2	
<i>diltiazem hcl oral capsule, extended release 24 hr</i> 360 mg (Taztia XT)	2	
<i>diltiazem hcl oral capsule, extended release 24 hr</i> 420 mg (Tiazac)	2	
<i>diltiazem hcl oral capsule, extended release 24hr</i> 120 mg, 180 mg, 240 mg, 300 mg (Cardizem CD)	2	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	1	
<i>diltiazem hcl oral tablet 90 mg</i>	1	
<i>diltiazem hcl oral tablet extended release 24 hr</i> 180 mg, 240 mg, 300 mg, 360 mg, 420 mg (Cardizem LA)	2	
<i>dilt-xr oral capsule, ext. rel 24h degradable</i> 120 mg, 180 mg, 240 mg	2	
<i>matzim la oral tablet extended release 24 hr</i> 180 mg, 240 mg, 300 mg, 360 mg, 420 mg	2	
<i>taztia xt oral capsule, extended release 24 hr</i> 120 mg, 180 mg, 240 mg, 300 mg, 360 mg	2	
<i>verapamil intravenous syringe 2.5 mg/ml</i>	2	
<i>verapamil oral capsule, 24 hr er pellet ct</i> 100 mg, 200 mg, 300 mg (Verelan PM)	2	
<i>verapamil oral capsule, ext rel. pellets 24 hr</i> 120 mg, 180 mg, 240 mg, 360 mg (Verelan)	2	
<i>verapamil oral tablet 120 mg, 80 mg</i> (Calan)	1	
<i>verapamil oral tablet 40 mg</i>	1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR)	1	
<b>Cardiovascular Agents, Miscellaneous</b>		
CORLANOR ORAL TABLET 5 MG, 7.5 MG	3	PA; QL (60 per 30 days)
DEMSER ORAL CAPSULE 250 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>digitek oral tablet 125 mcg</i>	2	PA-HRM; High Risk Med. PA Required for ages 65 and older and dose is greater than 125mcg per day; QL (30 per 30 days); AGE (Max 64 Years)
<i>digitek oral tablet 250 mcg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>digox oral tablet 125 mcg</i>	2	PA-HRM; High Risk Med. PA Required for ages 65 and older and dose is greater than 125mcg per day; QL (30 per 30 days); AGE (Max 64 Years)
<i>digox oral tablet 250 mcg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>digoxin 0.25 mg/ml syringe 250 mcg/ml</i>	2	PA-HRM; AGE (Max 64 Years)
<i>digoxin injection solution 250 mcg/ml</i> (Lanoxin)	2	PA-HRM; AGE (Max 64 Years)
DIGOXIN ORAL SOLUTION 50 MCG/ML	3	PA-HRM; AGE (Max 64 Years)
<i>digoxin oral tablet 125 mcg</i> (Digitek)	2	PA-HRM; High Risk Med. PA Required for ages 65 and older and dose is greater than 125mcg per day; QL (30 per 30 days); AGE (Max 64 Years)
<i>digoxin oral tablet 250 mcg</i> (Digitek)	2	PA-HRM; AGE (Max 64 Years)
<i>dobutamine in d5w intravenous parenteral solution 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml)</i>	2	PA BvD
<i>dobutamine intravenous solution 250 mg/20 ml (12.5 mg/ml), 500 mg/40 ml (12.5 mg/ml)</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dopamine in 5 % dextrose intravenous solution 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/250 ml (3,200 mcg/ml), 800 mg/500 ml (1,600 mcg/ml)</i>	2	PA BvD
<i>dopamine intravenous solution 200 mg/5 ml (40 mg/ml), 400 mg/10 ml (40 mg/ml), 400 mg/5 ml (80 mg/ml), 800 mg/10 ml (80 mg/ml), 800 mg/5 ml (160 mg/ml)</i>	2	PA BvD
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	2	Mylan generic preferred; QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	2	Mylan generic preferred; QL (4 per 30 days)
EPIPEN 2-PAK INJECTION AUTO-INJECTOR 0.3 MG/0.3 ML	2	QL (4 per 30 days)
EPIPEN INJECTION AUTO-INJECTOR 0.3 MG/0.3 ML	2	QL (4 per 30 days)
EPIPEN JR 2-PAK INJECTION AUTO-INJECTOR 0.15 MG/0.3 ML	2	QL (4 per 30 days)
FIRAZYR SUBCUTANEOUS SYRINGE 30 MG/3 ML	5	NM; NDS; QL (18 per 30 days)
<i>hydralazine injection solution 20 mg/ml</i>	2	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
LANOXIN ORAL TABLET 187.5 MCG	4	PA-HRM; QL (30 per 30 days); AGE (Max 64 Years)
LANOXIN ORAL TABLET 62.5 MCG	4	PA-HRM; High Risk Med. PA Required for ages 65 and older and dose is greater than 125mcg per day; QL (60 per 30 days); AGE (Max 64 Years)
<i>milrinone in 5 % dextrose intravenous piggyback 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml)</i>	5	PA BvD; NM; NDS
<i>milrinone intravenous solution 1 mg/ml</i>	5	PA BvD; NM; NDS
<i>norepinephrine bitartrate intravenous solution 1 mg/ml</i> (Levophed (bitartrate))	2	PA BvD
RANEXA ORAL TABLET EXTENDED RELEASE 12 HR 1,000 MG, 500 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
<b>Dihydropyridines</b>		
<i>afeditab cr oral tablet extended release 30 mg, 60 mg</i>	2	
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg, 5-40 mg</i> (Lotrel)	6	
<i>amlodipine-benazepril oral capsule 2.5-10 mg</i>	6	
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)	2	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	6	
<i>amlodipine-valsartan-hcthiiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT)	2	
CLEVIPREX INTRAVENOUS EMULSION 25 MG/50 ML, 50 MG/100 ML	4	
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	2	
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	2	
<i>nicardipine oral capsule 20 mg, 30 mg</i>	2	
<i>nifedipine oral capsule 10 mg</i> (Procardia)	2	PA-HRM; AGE (Max 64 Years)
<i>nifedipine oral capsule 20 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	2	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i> (Adalat CC)	2	
<b>Diuretics</b>		
<i>amiloride oral tablet 5 mg</i>	2	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	
<i>bumetanide injection solution 0.25 mg/ml</i>	2	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>chlorothiazide oral tablet 250 mg, 500 mg</i>	2	
<i>chlorothiazide sodium intravenous recon soln 500 mg</i> (Diuril IV)	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DYRENIUM ORAL CAPSULE 100 MG, 50 MG	4	
<i>furosemide injection solution 10 mg/ml</i>	2	
<i>furosemide injection syringe 10 mg/ml</i>	2	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	
<i>hydrochlorothiazide oral capsule 12.5 mg</i> (Microzide)	1	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	
JYNARQUE ORAL TABLETS, SEQUENTIAL 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; NM; NDS; QL (56 per 28 days)
<i>methyclothiazide oral tablet 5 mg</i>	2	
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>spironolactone oral tablet 100 mg</i> (Aldactone)	2	
<i>spironolactone oral tablet 25 mg, 50 mg</i> (Aldactone)	1	
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i> (Aldactazide)	2	
<i>toremide oral tablet 10 mg, 20 mg</i> (Demadex)	2	
<i>toremide oral tablet 100 mg</i>	2	
<i>toremide oral tablet 5 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> (Dyazide)	1	
<i>triamterene-hydrochlorothiazid oral capsule 50-25 mg</i>	2	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	
<b>Dyslipidemics</b>		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)	2	
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	2	
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	2	
<i>cholestyramine light oral powder 4 gram</i>	2	
<i>cholestyramine light packet 4 gram</i>	2	
<i>colestipol oral packet 5 gram</i> (Colestid)	2	
<i>colestipol oral tablet 1 gram</i> (Colestid)	2	
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	2	
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)	2	
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)	2	
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)	2	
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)	2	
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	2	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	2	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i> (Trilipix)	2	
<i>fenofibric acid oral tablet 105 mg, 35 mg</i> (Fibricor)	2	
<i>fluvastatin oral capsule 20 mg, 40 mg</i> (Lescol)	2	
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	
JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG	5	PA; NM; NDS; QL (30 per 30 days)
JUXTAPID ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (90 per 30 days)
JUXTAPID ORAL CAPSULE 5 MG	5	PA; NM; NDS; QL (45 per 30 days)
KYNAMRO SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (4 per 28 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	3	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	6	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> (Niaspan Extended-Release)	2	
<i>niacor oral tablet 500 mg</i>	2	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	5	PA; NM; NDS; QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>pravastatin oral tablet 10 mg</i>	6	
<i>pravastatin oral tablet 20 mg, 40 mg, 80 mg</i> (Pravachol)	6	
<i>prevalite oral powder in packet 4 gram</i>	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	5	PA; NM; NDS; QL (3.5 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	5	PA; NM; NDS; QL (3 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	5	PA; NM; NDS; QL (3 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	6	
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	6	
<i>simvastatin oral tablet 5 mg</i>	6	
<i>simvastatin oral tablet 80 mg</i> (Zocor)	6	QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	3	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	3	QL (120 per 30 days)
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM	2	
WELCHOL ORAL TABLET 625 MG	2	
<b>Renin-Angiotensin-Aldosterone System Inhibitors</b>		
<i>epplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	2	
TEKAMLO ORAL TABLET 150-10 MG, 150-5 MG, 300-10 MG, 300-5 MG	3	ST
TEKTURNA HCT ORAL TABLET 150- 12.5 MG, 150-25 MG, 300-12.5 MG, 300- 25 MG	3	ST
TEKTURNA ORAL TABLET 150 MG, 300 MG	3	ST
<b>Vasodilators</b>		
BIDIL ORAL TABLET 20-37.5 MG	3	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)	2	
<i>isosorbide dinitrate oral tablet extended release 40 mg</i> (ISOCHRON)	2	
<i>isosorbide mononitrate oral tablet 10 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>isosorbide mononitrate oral tablet 20 mg</i>	1	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 60 mg</i>	2	
<i>isosorbide mononitrate oral tablet extended release 24 hr 30 mg</i>	1	
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.6 mg/hr</i>	2	QL (30 per 30 days)
<i>minitran transdermal patch 24 hour 0.4 mg/hr</i>	2	QL (60 per 30 days)
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	
NITRO-BID TRANSDERMAL OINTMENT 2 %	2	
<i>nitroglycerin in 5 % dextrose intravenous solution 100 mg/250 ml (400 mcg/ml), 200 mg/500 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml), 50 mg/500 ml (100 mcg/ml)</i>	2	
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.6 mg/hr</i> (Minitran)	2	QL (30 per 30 days)
<i>nitroglycerin transdermal patch 24 hour 0.4 mg/hr</i> (Minitran)	2	QL (60 per 30 days)
<b>Central Nervous System Agents</b>		
<b>Central Nervous System Agents</b>		
AMPYRA ORAL TABLET EXTENDED RELEASE 12 HR 10 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>atomoxetine oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg</i> (Strattera)	2	
AUBAGIO ORAL TABLET 14 MG, 7 MG	5	PA; NM; NDS; QL (28 per 28 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
AVONEX (WITH ALBUMIN) INTRAMUSCULAR KIT 30 MCG	5	PA; NM; NDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i> (Cafcit)	2	
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	2	
<i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i> (Kapvay)	2	
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	5	PA; NM; NDS; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	2	QL (60 per 30 days)
<i>dextroamphetamine oral capsule, extended release 10 mg, 15 mg, 5 mg</i> (Dexedrine Spansule)	2	QL (120 per 30 days)
<i>dextroamphetamine oral tablet 10 mg, 5 mg</i> (Zenedi)	2	QL (180 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	2	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	2	QL (60 per 30 days)
EXTAVIA SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS
<i>flumazenil intravenous solution 0.1 mg/ml</i>	2	
GILENYA ORAL CAPSULE 0.25 MG	5	PA; NM; NDS; QL (30 per 30 days)
GILENYA ORAL CAPSULE 0.5 MG	5	PA; NM; NDS; QL (28 per 28 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone)	5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	5	PA; NM; NDS; QL (12 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	2	
INGREZZA ORAL CAPSULE 40 MG	5	PA; NM; NDS; QL (60 per 30 days)
INGREZZA ORAL CAPSULE 80 MG	5	PA; NM; NDS; QL (30 per 30 days)
LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2 ML	5	PA; NM; NDS
<i>lithium carbonate oral capsule 150 mg, 300 mg</i>	1	
<i>lithium carbonate oral capsule 600 mg</i>	2	
<i>lithium carbonate oral tablet 300 mg</i>	2	
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	2	
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	
<i>lithium citrate oral solution 8 meq/5 ml</i>	2	
<i>methylphenidate er 18 mg tab 18 mg</i> (Concerta)	2	QL (30 per 30 days)
<i>methylphenidate er 27 mg tab 27 mg</i> (Concerta)	2	QL (30 per 30 days)
<i>methylphenidate er 36 mg tab 36 mg</i> (Concerta)	2	QL (60 per 30 days)
<i>methylphenidate er 54 mg tab 54 mg</i> (Concerta)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 30 mg</i> (Ritalin LA)	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 20 mg</i> (Metadate ER)	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i> (Concerta)	2	QL (60 per 30 days)
NUEDEXTA ORAL CAPSULE 20-10 MG	3	PA NSO; QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NM; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
RADICAVA INTRAVENOUS PIGGYBACK 30 MG/100 ML	5	PA; NM; NDS; QL (2800 per 28 days)
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML	5	PA; NM; NDS
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML, 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; NM; NDS
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; NM; NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	QL (60 per 30 days)
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG	5	PA; NM; NDS; QL (14 per 30 days)
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (14)- 240 MG (46), 240 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	5	PA; NM; NDS; QL (112 per 28 days)
<b>Contraceptives</b>		
<b>Contraceptives</b>		
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	2	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	2	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	2	
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	
<i>aubra oral tablet 0.1-20 mg-mcg</i>	2	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	2	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	2	
<i>camila oral tablet 0.35 mg</i>	2	
<i>camrese lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>camrese oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	2	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	2	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>cyred oral tablet 0.15-0.03 mg</i>	2	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	2	
<i>delyla (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (Azurette (28))	2	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> (Apri)	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i> (Gianvi (28))	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i> (Ocella)	2	
<i>elimest oral tablet 0.3-30 mg-mcg</i>	2	
ELLA ORAL TABLET 30 MG	4	QL (6 per 365 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	2	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>enskyce oral tablet 0.15-0.03 mg</i>	2	
<i>errin oral tablet 0.35 mg</i>	2	
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	2	
<i>ethynodiol diac-eth estradiol oral tablet 1- 35 mg-mcg</i> (Kelnor 1/35 (28))	2	
<i>ethynodiol diac-eth estradiol oral tablet 1- 50 mg-mcg</i> (Kelnor 1-50)	2	
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	2	
<i>gianvi (28) oral tablet 3-0.02 mg</i>	2	
<i>gildagia oral tablet 0.4-35 mg-mcg</i>	2	
<i>heather oral tablet 0.35 mg</i>	2	
<i>incassia oral tablet 0.35 mg</i>	2	
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	2	QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	2	
<i>jencycla oral tablet 0.35 mg</i>	2	
<i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	2	QL (91 per 84 days)
<i>jolivette oral tablet 0.35 mg</i>	2	
<i>juleber oral tablet 0.15-0.03 mg</i>	2	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg- mcg</i>	2	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>kelnor 1-50 oral tablet 1-50 mg-mcg</i>	2	
<i>kimidess (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>kurvelo oral tablet 0.15-0.03 mg</i>	2	
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i> (Amethia Lo)	2	QL (91 per 84 days)
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i> (Fayosim)	2	QL (91 per 84 days)
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (Amethia)	2	QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>larissia oral tablet 0.1-20 mg-mcg</i>	2	
<i>leena 28 oral tablet 0.5/1/0.5-35 mg-mcg</i>	2	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	2	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>levonorgestrel-ethinyl estradiol oral tablet 0.1-20 mg-mcg</i> (Aubra)	2	
<i>levonorgestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> (Altavera (28))	2	QL (91 per 84 days)
<i>levonorgestrel-ethinyl estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg</i> (Introvale)	2	QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>levonorg-eth estrad triphasic oral tablet</i> (Enpresse) 50-30 (6)/75-40 (5)/125-30(10)	2	QL (91 per 84 days)
<i>levora-28 oral tablet 0.15-0.03 mg</i>	2	
<i>lillow oral tablet 0.15-0.03 mg</i>	2	
<i>lomedica 24 fe oral tablet 1 mg-20 mcg</i> (24)/75 mg (4)	2	
<i>loryna (28) oral tablet 3-0.02 mg</i>	2	
<i>low-ogestrel (28) oral tablet 0.3-30 mg- mcg</i>	2	
<i>lutera (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>lyza oral tablet 0.35 mg</i>	2	
<i>marlissa oral tablet 0.15-0.03 mg</i>	2	
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>microgestin 1/20 (21) oral tablet 1-20 mg- mcg</i>	2	
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>microgestin fe 1/20 (28) oral tablet 1 mg- 20 mcg (21)/75 mg (7)</i>	2	
<i>mili oral tablet 0.25-35 mg-mcg</i>	2	
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	2	
<i>mononessa (28) oral tablet 0.25-35 mg- mcg</i>	2	
<i>myzilra oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg- mcg</i>	2	
<i>necon 1/50 (28) oral tablet 1-50 mg-mcg</i>	2	
<i>necon 10/11 (28) oral tablet 0.5-35/1-35 mg-mcg/mg-mcg</i>	2	
<i>necon 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>nikki (28) oral tablet 3-0.02 mg</i>	2	
<i>nora-be oral tablet 0.35 mg</i>	2	
<i>noreth-ethinyl estradiol-iron oral</i> (Wymzya Fe) <i>tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i>	2	
<i>norethindrone (contraceptive) oral tablet</i> (Camila) <i>0.35 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> (Junel 1/20 (21))	2	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (Blisovi Fe 1/20 (28))	2	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (Blisovi 24 Fe)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i> (Ortho Tri-Cyclen LO (28))	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (Ortho Tri-Cyclen (28))	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i> (Estarylla)	2	
<i>norlyda oral tablet 0.35 mg</i>	2	
<i>norlyroc oral tablet 0.35 mg</i>	2	
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg</i>	2	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<b>NUVARING VAGINAL RING 0.12-0.015 MG/24 HR</b>	3	QL (1 per 28 days)
<i>ocella oral tablet 3-0.03 mg</i>	2	
<i>ogestrel (28) oral tablet 0.5-50 mg-mcg</i>	2	
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	2	
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	
<i>pimtreea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg</i>	2	
<i>portia oral tablet 0.15-0.03 mg</i>	2	
<i>previfem oral tablet 0.25-35 mg-mcg</i>	2	
<i>quasense oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	2	QL (91 per 84 days)
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	2	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	2	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	2	
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	2	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	2	
<i>syeda oral tablet 3-0.03 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tarina fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	2	
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	2	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>trinessa (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tulana oral tablet 0.35 mg</i>	2	
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	2	
<i>vestura (28) oral tablet 3-0.02 mg</i>	2	
<i>vienva oral tablet 0.1-20 mg-mcg</i>	2	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	2	
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>wymzya fe oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	2	QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	2	
<i>zenchent (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>zenchent fe oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i>	2	
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	2	
<i>zovia 1/50e (28) oral tablet 1-50 mg-mcg</i>	2	
<b>Dental And Oral Agents</b>		
<b>Dental And Oral Agents</b>		
<i>cevimeline oral capsule 30 mg</i> (Evoxac)	2	
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> (Paroex Oral Rinse)	2	
<i>oralone dental paste 0.1 %</i>	2	
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	2	
<i>periogard mucous membrane mouthwash 0.12 %</i>	2	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine))	2	
<i>triamcinolone acetonide dental paste 0.1 %</i> (Oralone)	2	
<b>Dermatological Agents</b>		
<b>Dermatological Agents, Other</b>		
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i> (Soriatane)	5	NM; NDS
<i>acyclovir topical ointment 5 %</i> (Zovirax)	2	QL (30 per 30 days)
ALCOHOL PADS TOPICAL PADS, MEDICATED	1	
ALCOHOL PREP PADS	1	
<i>ammonium lactate topical cream 12 %</i> (Geri-Hydrolac)	2	
<i>ammonium lactate topical lotion 12 %</i> (AmLactin)	2	
<i>calcipotriene scalp solution 0.005 %</i>	2	
<i>calcipotriene topical cream 0.005 %</i> (Dovonex)	2	
<i>calcipotriene topical ointment 0.005 %</i> (Calcitrene)	2	
<i>calcitrene topical ointment 0.005 %</i>	2	
<i>calcitriol topical ointment 3 mcg/gram</i> (Vectical)	2	
CONDYLOX TOPICAL GEL 0.5 %	4	
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
DENAVIR TOPICAL CREAM 1 %	5	NM; NDS
<i>diclofenac sodium topical drops 1.5 %</i>	2	QL (300 per 30 days)
<i>diclofenac sodium topical gel 3 %</i> (Solaraze)	5	PA; NM; NDS; QL (100 per 28 days)
DUPIXENT SUBCUTANEOUS SYRINGE 300 MG/2 ML	5	PA; NM; NDS
FLECTOR TRANSDERMAL PATCH 12 HOUR 1.3 %	3	PA
<i>fluorouracil topical cream 0.5 %</i> (Carac)	5	NM; NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	
<i>fluorouracil topical solution 2 %, 5 %</i>	2	
<i>imiquimod topical cream in packet 5 %</i> (Aldara)	2	PA NSO; QL (24 per 30 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i> (Oxsoralen Ultra)	5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %	5	NM; NDS
PENNSAID TOPICAL SOLUTION IN METERED-DOSE PUMP 20 MG/GRAM /ACTUATION(2 %)	5	PA; NM; NDS; QL (224 per 28 days)
PICATO TOPICAL GEL 0.015 %	3	QL (3 per 56 days)
PICATO TOPICAL GEL 0.05 %	3	QL (2 per 56 days)
<i>podofilox topical solution 0.5 %</i>	2	
REGRANEX TOPICAL GEL 0.01 %	5	PA; NM; NDS; QL (30 per 30 days)
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	
SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML	5	PA; NM; NDS
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	5	PA; NM; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NM; NDS
TOLAK TOPICAL CREAM 4 %	4	
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
VALCHLOR TOPICAL GEL 0.016 %	5	NM; NDS
VEREGEN TOPICAL OINTMENT 15 %	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
VOLTAREN TOPICAL GEL 1 %	2	
zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg	2	
ZOVIRAX TOPICAL CREAM 5 %	5	NM; NDS; QL (5 per 4 days)
<b>Dermatological Antibacterials</b>		
clindamycin phosphate topical foam 1 % (Evoclin)	2	
clindamycin phosphate topical gel 1 % (Cleocin T)	2	
clindamycin phosphate topical lotion 1 % (Cleocin T)	2	
clindamycin phosphate topical solution 1 % (Cleocin T)	2	
clindamycin phosphate topical swab 1 % (Cleocin T)	2	
clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 % (Duac)	2	
clindamycin-benzoyl peroxide topical gel 1-5 % (Benzaclin)	2	
ery pads topical swab 2 %	2	
erythromycin with ethanol topical gel 2 % (Erygel)	2	
erythromycin with ethanol topical solution 2 %	2	
erythromycin with ethanol topical swab 2 % (Ery Pads)	2	
erythromycin-benzoyl peroxide topical gel 3-5 % (Aktipak)	2	
gentamicin topical cream 0.1 %	2	
gentamicin topical ointment 0.1 %	2	
metronidazole topical cream 0.75 % (MetroCream)	2	
metronidazole topical gel 0.75 % (Rosadan)	2	
metronidazole topical gel 1 % (Metrogel)	2	
metronidazole topical lotion 0.75 % (MetroLotion)	2	
mupirocin calcium topical cream 2 % (Bactroban)	2	
mupirocin topical ointment 2 % (Centany)	2	
neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml	2	
neuac topical gel 1.2 %(1 % base) -5 %	2	
rosadan topical cream 0.75 %	2	
selenium sulfide topical lotion 2.5 %	2	
silver sulfadiazine topical cream 1 % (Silvadene)	2	
ssd topical cream 1 %	2	
sulfacetamide sodium (acne) topical suspension 10 % (Klaron)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Dermatological Anti-Inflammatory Agents</b>		
<i>ala-cort topical cream 1 %</i>	2	
<i>ala-cort topical cream 2.5 %</i>	1	
<i>ala-scalp topical lotion 2 %</i>	2	
<i>alclometasone topical cream 0.05 %</i>	2	
<i>alclometasone topical ointment 0.05 %</i>	2	
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical foam 0.12 %</i> (Luxiq)	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene)	2	
<i>clobetasol scalp solution 0.05 %</i> (Cormax)	2	
<i>clobetasol topical cream 0.05 %</i> (Temovate)	2	
<i>clobetasol topical foam 0.05 %</i> (Olux)	2	
<i>clobetasol topical gel 0.05 %</i>	2	
<i>clobetasol topical lotion 0.05 %</i> (Clobex)	2	
<i>clobetasol topical ointment 0.05 %</i> (Temovate)	2	
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E)	2	
<i>clocortolone pivalate topical cream 0.1 %</i> (Cloderm)	2	
<i>cormax scalp solution 0.05 %</i>	2	
<i>desonide topical cream 0.05 %</i> (DesOwen)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>desonide topical lotion 0.05 %</i> (DesOwen)	2	
<i>desonide topical ointment 0.05 %</i>	2	
<i>desoximetasone topical cream 0.05 %, 0.25 %</i> (Topicort)	2	
<i>desoximetasone topical gel 0.05 %</i> (Topicort)	2	
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i> (Topicort)	2	
<i>diflorasone topical cream 0.05 %</i> (Psorcon)	2	
<i>diflorasone topical ointment 0.05 %</i>	2	
ELIDEL TOPICAL CREAM 1 %	3	
EUCRISA TOPICAL OINTMENT 2 %	3	
<i>fluocinolone topical cream 0.01 %</i>	2	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>	2	
<i>fluocinonide topical gel 0.05 %</i>	2	
<i>fluocinonide topical ointment 0.05 %</i>	2	
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluocinonide-e topical cream 0.05 %</i>	2	
<i>fluticasone topical cream 0.05 %</i> (Cutivate)	2	
<i>fluticasone topical ointment 0.005 %</i>	2	
<i>halobetasol propionate topical cream 0.05 %</i> (Ultravate)	2	
<i>halobetasol propionate topical ointment 0.05 %</i> (Ultravate)	2	
<i>hydrocortisone butyrate topical cream 0.1 %</i> (Locoid)	2	
<i>hydrocortisone butyrate topical ointment 0.1 %</i>	2	
<i>hydrocortisone butyrate topical solution 0.1 %</i> (Locoid)	2	
<i>hydrocortisone topical cream 1 %, 2.5 %</i> (Ala-Cort)	1	
<i>hydrocortisone topical lotion 2.5 %</i>	2	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	
<i>hydrocortisone topical ointment 2.5 %</i>	1	
<i>hydrocortisone valerate topical cream 0.2 %</i>	2	
<i>hydrocortisone valerate topical ointment 0.2 %</i>	2	
<i>mometasone topical cream 0.1 %</i> (Elocon)	2	
<i>mometasone topical ointment 0.1 %</i> (Elocon)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>mometasone topical solution 0.1 %</i>	2	
<i>prednicarbate topical cream 0.1 %</i>	2	
<i>prednicarbate topical ointment 0.1 %</i> (Dermatop)	2	
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	2	
<i>procto-pak topical cream with perineal applicator 1 %</i>	2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	2	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	2	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic)	2	
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	2	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.025 %</i>	1	
<i>triamcinolone acetonide topical ointment 0.1 %, 0.5 %</i>	2	
<i>tridesilon topical cream 0.05 %</i>	2	
<b>Dermatological Retinoids</b>		
<i>adapalene topical cream 0.1 %</i> (Differin)	2	
<i>adapalene topical gel 0.1 %</i> (Differin)	2	
<i>tazarotene topical cream 0.1 %</i> (Avage)	2	
TAZORAC TOPICAL CREAM 0.05 %	4	
<i>tretinoin topical cream 0.025 %</i> (Avita)	2	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	2	PA
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	2	PA
<i>tretinoin topical gel 0.025 %</i> (Avita)	2	PA
<b>Scabicides And Pediculicides</b>		
<i>malathion topical lotion 0.5 %</i> (Ovide)	2	
<i>permethrin topical cream 5 %</i> (Elimite)	2	
<i>spinosad topical suspension 0.9 %</i> (Natroba)	2	
<b>Devices</b>		
<b>Devices</b>		
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	2	
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	
BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	2	
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	2	
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	1	
INSULIN SYRINGE-NEEDLE U-100 (Ultilet Insulin Syringe) SYRINGE 0.3 ML 29 GAUGE	2	
INSULIN SYRINGE-NEEDLE U-100 (Advocate Syringes) SYRINGE 1 ML 29 GAUGE X 1/2"	2	
INSULIN SYRINGE-NEEDLE U-100 (Lite Touch Insulin Syringe) SYRINGE 1/2 ML 28 GAUGE	2	
PEN NEEDLE, DIABETIC NEEDLE 29 (1st Tier Unifine GAUGE X 1/2" Pentips)	2	
STERILE PADS 2" X 2" 2 X 2 "	1	
VGO 40 DISPOSABLE DEVICE	2	
<b>Enzyme Replacement/Modifiers</b>		
<b>Enzyme Replacement/Modifiers</b>		
ADAGEN INTRAMUSCULAR SOLUTION 250 UNIT/ML	5	NM; NDS
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	NM; NDS
CERDELGA ORAL CAPSULE 84 MG	5	PA; NM; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000- 19,000 -30,000 UNIT	3	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	NM; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	NM; NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NM; NDS; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	NM; NDS
KUVAN ORAL TABLET,SOLUBLE 100 MG	5	NM; NDS
<i>miglustat oral capsule 100 mg</i> (Zavesca)	5	NM; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	NM; NDS
ORFADIN ORAL CAPSULE 10 MG, 20 MG, 5 MG	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NM; NDS
PERTZYE ORAL CAPSULE,DELAYED RELEASE(DR/EC) 16,000-57,500-60,500 UNIT, 24,000-86,250- 90,750 UNIT	5	NM; NDS
PERTZYE ORAL CAPSULE,DELAYED RELEASE(DR/EC) 4,000-14,375- 15,125 UNIT, 8,000-28,750- 30,250 UNIT	4	
PROCYSBI ORAL CAPSULE, DELAYED REL SPRINKLE 25 MG, 75 MG	5	NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 100 MG/ML, 40 MG/ML	5	PA; NM; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; NM; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 10,000-34,000 -55,000 UNIT, 15,000-47,000 -63,000 UNIT, 15,000-51,000 -82,000 UNIT, 20,000-63,000- 84,000 UNIT, 20,000-68,000 - 109,000 UNIT, 25,000-79,000- 105,000 UNIT, 25,000-85,000- 136,000 UNIT, 3,000-10,000 -14,000-UNIT, 3,000-10,000- 16,000 UNIT, 40,000-126,000-168,000 UNIT, 40,000-136,000- 218,000 UNIT, 5,000-17,000 -27,000 UNIT, 5,000-17,000- 24,000 UNIT	3	
<b>Eye, Ear, Nose, Throat Agents</b>		
<b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>		
AKTEN (PF) OPHTHALMIC (EYE) GEL 3.5 %	4	
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i> (Iopidine)	2	
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	2	
<i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i>	2	QL (30 per 25 days)
<i>azelastine nasal spray,non-aerosol 0.15 %</i> (Astepro) (205.5 mcg)	2	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	
BEPREVE OPHTHALMIC (EYE) DROPS 1.5 %	4	ST
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	2	
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	NM; NDS
<i>epinastine ophthalmic (eye) drops 0.05 %</i> (Elestat)	2	
<i>ipratropium bromide nasal spray,non-aerosol 0.03 %</i>	2	QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	QL (15 per 10 days)
LACRISERT OPHTHALMIC (EYE) INSERT 5 MG	3	
<i>olopatadine nasal spray,non-aerosol 0.6 %</i> (Patanase)	2	QL (30.5 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Patanol)	2	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Pataday)	2	
OTOVEL OTIC (EAR) SOLUTION 0.3-0.025 % (0.25 ML)	3	
<i>phenylephrine hcl ophthalmic (eye) drops 10 %</i>	1	
<i>phenylephrine hcl ophthalmic (eye) drops 2.5 %</i>	2	
<i>proparacaine ophthalmic (eye) drops 0.5 %</i>	2	
TYZINE NASAL DROPS 0.1 %	4	
TYZINE NASAL SPRAY, NON-AEROSOL 0.1 %	4	
<b>Eye, Ear, Nose, Throat Anti-Infectives Agents</b>		
<i>acetazol hc otic (ear) drops 1-2 %</i>	2	
<i>acetic acid otic (ear) solution 2 %</i>	2	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (AK-Poly-Bac)	2	
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	2	
CILOXAN OPHTHALMIC (EYE) OINTMENT 0.3 %	4	
CIPRODEX OTIC (EAR) DROPS, SUSPENSION 0.3-0.1 %	3	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> (Ciloxan)	2	
<i>ciprofloxacin hcl otic (ear) dropperette 0.2 %</i> (Cetraxal)	2	
COLY-MYCIN S OTIC (EAR) DROPS, SUSPENSION 3.3-3-10-0.5 MG/ML	4	
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i> (Zymaxid)	2	
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	2	
<i>gentamicin ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i> (Gentak)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	2	
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	2	
MOXEZA OPHTHALMIC (EYE) DROPS, VISCOUS 0.5 %	3	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	2	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	3	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	2	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)	2	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	2	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	2	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	2	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	2	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflox)	2	
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i> (Polytrim)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i> (Bleph-10)	2	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	2	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	
TOBRADEX OPHTHALMIC (EYE) OINTMENT 0.3-0.1 %	4	
TOBRADEX ST OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.05 %	3	
<i>tobramycin ophthalmic (eye) drops 0.3 %</i> (Tobrex)	2	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i> (TobraDex)	2	
<i>trifluridine ophthalmic (eye) drops 1 %</i> (Viroptic)	2	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
<b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	3	ST
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	2	
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	3	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	
DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %	3	
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (DermOtic Oil)	2	
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	2	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	2	
<i>fluticasone nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
<i>ketorolac ophthalmic (eye) drops 0.4 %</i> (Acular LS)	2	
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	2	
LOTEMAX OPHTHALMIC (EYE) DROPS,GEL 0.5 %	3	
LOTEMAX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.5 %	3	
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Omnipred)	2	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	3	
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	3	QL (60 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	4	PA; QL (60 per 30 days)

## Gastrointestinal Agents

### Antiulcer Agents And Acid Suppressants

<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	2	
CARAFATE ORAL SUSPENSION 100 MG/ML	3	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	
<i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine))	2	
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>	2	
DEXILANT ORAL CAPSULE,BIPHASE DELAYED RELEAS 30 MG, 60 MG	3	ST
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	2	
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	2	
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	2	
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	2	
<i>famotidine intravenous solution 10 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
famotidine oral suspension 40 mg/5 ml (8 mg/ml) (Pepcid)	2	
famotidine oral tablet 20 mg (Acid Controller)	1	
famotidine oral tablet 40 mg (Pepcid)	1	
lansoprazole oral capsule, delayed release(dr/ec) 15 mg (Heartburn Treatment 24 Hour)	2	
lansoprazole oral capsule, delayed release(dr/ec) 30 mg (Prevacid)	2	
misoprostol oral tablet 100 mcg, 200 mcg (Cytotec)	2	
nizatidine oral capsule 150 mg, 300 mg	2	
nizatidine oral solution 150 mg/10 ml	2	
omeprazole oral capsule, delayed release(dr/ec) 10 mg	2	
omeprazole oral capsule, delayed release(dr/ec) 20 mg, 40 mg	1	
pantoprazole intravenous recon soln 40 mg (Protonix)	2	
pantoprazole oral tablet, delayed release (dr/ec) 20 mg, 40 mg (Protonix)	1	
rabeprazole oral tablet, delayed release (dr/ec) 20 mg (Aciphex)	2	ST; QL (30 per 30 days)
ranitidine hcl injection solution 25 mg/ml, 50 mg/2 ml (25 mg/ml) (Zantac)	2	
ranitidine hcl oral syrup 15 mg/ml	2	
ranitidine hcl oral tablet 150 mg (Acid Control (ranitidine))	1	
ranitidine hcl oral tablet 300 mg (Zantac)	1	
sucralfate oral tablet 1 gram (Carafate)	2	
<b>Gastrointestinal Agents, Other</b>		
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG	3	QL (60 per 30 days)
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	5	NM; NDS
constulose oral solution 10 gram/15 ml	2	
cromolyn oral concentrate 100 mg/5 ml (Gastrocrom)	5	NM; NDS
dicyclomine oral capsule 10 mg	2	
dicyclomine oral solution 10 mg/5 ml	2	
dicyclomine oral tablet 20 mg	2	
diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml	2	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	2	PA-HRM; AGE (Max 64 Years)
<i>enulose oral solution 10 gram/15 ml</i>	2	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NM; NDS
<i>generlac oral solution 10 gram/15 ml</i>	2	
<i>glycopyrrolate injection solution 0.2 mg/ml</i>	2	
<i>glycopyrrolate oral tablet 1 mg</i> (Robinul)	2	
<i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)	2	
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>	2	
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	2	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	2	
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	2	
<i>metoclopramide hcl injection solution 5 mg/ml</i>	2	
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	2	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	1	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
NUTRESTORE ORAL POWDER IN PACKET 5 GRAM	4	
OCALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NM; NDS
RELISTOR ORAL TABLET 150 MG	5	PA; NM; NDS; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	5	PA; NM; NDS; QL (28 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML, 8 MG/0.4 ML	5	PA; NM; NDS; QL (28 per 28 days)
<i>sod polystyren sulf 15 g/60 ml sorbitol free 15 gram/60 ml</i>	2	
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sodium polystyrene sulfonate oral powder</i>	2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	
<i>ursodiol oral capsule 300 mg</i> (Actigall)	2	
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	2	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	2	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	QL (30 per 30 days)
VIBERZI ORAL TABLET 100 MG, 75 MG	5	ST; NM; NDS; QL (60 per 30 days)
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (90 per 30 days)
<b>Laxatives</b>		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	4	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	2	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	2	
<i>gavilyte-n oral recon soln 420 gram</i>	2	
MOVIPREP ORAL POWDER IN PACKET 100-7.5-2.691 GRAM	3	
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> (GaviLyte-G)	2	
<i>peg 3350-electrolytes oral recon soln 240-22.72-6.72 -5.84 gram</i> (Colyte with Flavor Packs)	1	
<i>peg-electrolyte soln oral recon soln 420 gram</i> (GaviLyte-N)	2	
<i>polyethylene glycol 3350 oral powder 17 gram/dose</i> (ClearLax)	2	
PREPOPIK ORAL POWDER IN PACKET 10 MG-3.5 GRAM-12 GRAM	4	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	3	
<i>trilyte with flavor packets oral recon soln 420 gram</i>	2	
<b>Phosphate Binders</b>		
AURYXIA ORAL TABLET 210 MG IRON	4	
<i>calcium acetate oral capsule 667 mg</i>	2	
<i>calcium acetate oral tablet 667 mg</i> (Calphron)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>eliphos oral tablet 667 mg</i>	2	
FOSRENOL ORAL POWDER IN PACKET 1,000 MG, 750 MG	4	
<i>lanthanum oral tablet, chewable 1,000 mg, 500 mg, 750 mg</i> (Fosrenol)	5	NM; NDS
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	
RENAGEL ORAL TABLET 400 MG, 800 MG	3	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	2	
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	2	
VELPHORO ORAL TABLET, CHEWABLE 500 MG	3	
<b>Genitourinary Agents</b>		
<b>Antispasmodics, Urinary</b>		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i> (Urecholine)	2	
<i>flavoxate oral tablet 100 mg</i>	2	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	1	
<i>oxybutynin chloride oral tablet 5 mg</i>	2	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i> (Ditropan XL)	2	
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>	2	
<i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	2	
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	2	
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG	3	
<i>trospium oral capsule, extended release 24hr 60 mg</i>	2	
<i>trospium oral tablet 20 mg</i>	2	
VESICARE ORAL TABLET 10 MG, 5 MG	3	
<b>Genitourinary Agents, Miscellaneous</b>		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	2	
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i> (Jalyn)	2	QL (30 per 30 days)
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	2	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
<b>Heavy Metal Antagonists</b>		
<b>Heavy Metal Antagonists</b>		
CUPRIMINE ORAL CAPSULE 250 MG	5	PA; NM; NDS
<i>deferoxamine injection recon soln 2 gram, 500 mg</i> (Desferal)	2	PA
DEPEN TITRATABS ORAL TABLET 250 MG	5	PA; NM; NDS
EXJADE ORAL TABLET, DISPERSIBLE 125 MG, 250 MG, 500 MG	5	PA; NM; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NM; NDS
FERRIPROX ORAL TABLET 500 MG	5	PA; NM; NDS
JADENU ORAL TABLET 180 MG, 360 MG, 90 MG	5	PA; NM; NDS
JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG	5	PA; NM; NDS
<i>trientine oral capsule 250 mg</i> (Syprine)	5	PA; NM; NDS; QL (240 per 30 days)
<b>Hormonal Agents, Stimulant/Replacement/Modifying</b>		
<b>Androgens</b>		
ANADROL-50 ORAL TABLET 50 MG	5	PA; NM; NDS
ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24 HOUR, 4 MG/24 HR	3	PA; QL (30 per 30 days)
ANDROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 20.25 MG/1.25 GRAM (1.62 %)	3	PA; QL (150 per 30 days)
ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM), 1.62 % (40.5 MG/2.5 GRAM)	3	PA; QL (150 per 30 days)
<i>androxy oral tablet 10 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin)	2	
<i>testosterone cypionate intramuscular oil 100 mg/ml</i> (Depo-Testosterone)	2	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml</i> (Depo-Testosterone)	2	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> (AndroGel)	2	PA; QL (300 per 30 days)
<b>Estrogens And Antiestrogens</b>		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	2	
COMBIPATCH TRANSDERMAL PATCH SEMIWEEKLY 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR	3	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
DUAVEE ORAL TABLET 0.45-20 MG	3	PA-HRM; AGE (Max 64 Years)
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	2	PA-HRM; AGE (Max 64 Years)
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Alora)	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>estradiol transdermal patch semiweekly 0.0375 mg/24 hr</i> (Minivelle)	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	2	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	2	
<i>estradiol vaginal tablet 10 mcg</i> (Vagifem)	2	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> (Delestrogen)	2	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (Activella)	2	PA-HRM; AGE (Max 64 Years)
ESTRING VAGINAL RING 2 MG (7.5 MCG /24 HOUR)	4	QL (1 per 84 days)
<i>estropipate oral tablet 0.75 mg, 1.5 mg, 3 mg</i>	2	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	QL (1 per 84 days)
<i>fyavolv oral tablet 1-5 mg-mcg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>jinteli oral tablet 1-5 mg-mcg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>lopreeza oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	2	PA-HRM; AGE (Max 64 Years)
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG	4	PA-HRM; AGE (Max 64 Years)
<i>mimvey lo oral tablet 0.5-0.1 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>mimvey oral tablet 1-0.5 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg</i> (Femhrt Low Dose)	2	PA-HRM; AGE (Max 64 Years)
<i>norethindrone ac-eth estradiol oral tablet 1-5 mg-mcg</i> (Fyavolv)	2	PA-HRM; AGE (Max 64 Years)
PREMARIN INJECTION RECON SOLN 25 MG	3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	3	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	PA-HRM; AGE (Max 64 Years)
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	PA-HRM; AGE (Max 64 Years)
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	
<i>yuvafem vaginal tablet 10 mcg</i>	2	QL (18 per 28 days)
<b>Glucocorticoids/Mineralocorticoids</b>		
<i>a-hydrocort injection recon soln 100 mg</i>	2	
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	2	
<i>cortisone oral tablet 25 mg</i>	2	PA BvD
<i>decadron oral elixir 0.5 mg/5 ml</i>	2	PA BvD
<i>dexamethasone oral elixir 0.5 mg/5 ml</i> (Decadron)	2	PA BvD
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg</i> (Decadron)	1	PA BvD
<i>dexamethasone oral tablet 1 mg, 1.5 mg</i>	1	PA BvD
<i>dexamethasone oral tablet 2 mg</i>	2	PA BvD
<i>dexamethasone oral tablet 6 mg</i> (Decadron)	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	2	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	2	
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	2	
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	5	PA; NM; NDS; QL (39 per 30 days)
EMFLAZA ORAL TABLET 18 MG	5	PA; NM; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	2	PA BvD
KENALOG INJECTION SUSPENSION 10 MG/ML, 40 MG/ML	4	
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	2	
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Medrol)	2	PA BvD
<i>methylprednisolone oral tablets, dose pack 4 mg</i> (Medrol (Pak))	2	PA BvD
<i>methylprednisolone sodium succ recon soln 125 mg, 40 mg</i>	2	
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i> (Solu-Medrol)	2	
<i>prednisolone 15 mg/5 ml soln a/f, d/f 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	2	PA BvD
<i>prednisone 10 mg tablet 10 mg</i>	1	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD
<i>prednisone oral tablet 1 mg</i>	2	PA BvD
<i>prednisone oral tablet 10 mg, 2.5 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablet 20 mg</i> (Deltasone)	1	PA BvD
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SOLU-CORTEF (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML	4	
<i>triamcinolone acetonide injection</i> (Kenalog) <i>suspension 40 mg/ml</i>	2	
<b>Pituitary</b>		
<i>desmopressin 10 mcg/0.1 ml spr 10</i> (DDAVP) <i>mcg/spray (0.1 ml)</i>	2	
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	2	
<i>desmopressin nasal solution 0.1 mg/ml</i> (DDAVP) <i>(refrigerate)</i>	2	
<i>desmopressin nasal spray, non-aerosol 10</i> <i>mcg/spray (0.1 ml)</i>	2	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML	4	PA
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML	5	PA; NM; NDS
GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML)	5	PA; NM; NDS
HUMATROPE INJECTION CARTRIDGE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT)	5	PA; NM; NDS
HUMATROPE INJECTION RECON SOLN 5 (15 UNIT) MG	5	PA; NM; NDS
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML)	5	PA; NM; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 5 MG/1.5 ML (3.3 MG/ML)	4	PA
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution 1,000 mcg/ml</i>	5	NM; NDS
<i>octreotide acetate injection solution 100 (Sandostatin) mcg/ml, 50 mcg/ml</i>	2	
<i>octreotide acetate injection solution 200 mcg/ml</i>	2	
<i>octreotide acetate injection solution 500 (Sandostatin) mcg/ml</i>	5	NM; NDS
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml)</i>	2	
<i>octreotide acetate injection syringe 500 mcg/ml (1 ml)</i>	5	NM; NDS
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	5	PA; NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SAIZEN SAIZENPREP SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	5	PA; NM; NDS
SAIZEN SUBCUTANEOUS RECON SOLN 5 MG, 8.8 MG	5	PA; NM; NDS
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 10 MG, 20 MG, 30 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML, 60 MG/0.2 ML, 90 MG/0.3 ML	5	NM; NDS; QL (1 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	NM; NDS
STIMATE NASAL SPRAY, NON-AEROSOL 150 MCG/SPRAY (0.1 ML)	4	
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	5	NM; NDS; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	5	NM; NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)
ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG	5	PA; NM; NDS
ZOMACTON SUBCUTANEOUS RECON SOLN 5 MG	4	PA
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	5	PA; NM; NDS
<b>Progestins</b>		
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	4	QL (10 per 28 days)
<i>hydroxyprogesterone caproate intramuscular oil 250 mg/ml</i>	2	PA NSO
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	2	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	2	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	2	PA-HRM; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg</i> (Aygestin)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>progesterone in oil intramuscular oil 50 mg/ml</i>	2	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	2	
<b>Thyroid And Antithyroid Agents</b>		
<i>levothyroxine intravenous recon soln 100 mcg, 200 mcg, 500 mcg</i>	5	NM; NDS
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Levo-T)	1	
<i>liothyronine intravenous solution 10 mcg/ml</i> (Triostat)	2	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	2	
<i>methimazole oral tablet 10 mg</i> (Tapazole)	2	
<i>methimazole oral tablet 5 mg</i> (Tapazole)	1	
<i>propylthiouracil oral tablet 50 mg</i>	2	
<b>Immunological Agents</b>		
<b>Immunological Agents</b>		
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NM; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NM; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NM; NDS
ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG	4	PA BvD
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD
CARIMUNE NF NANOFILTERED INTRAVENOUS RECON SOLN 12 GRAM, 6 GRAM	5	PA BvD; NM; NDS
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NM; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cyclosporine intravenous solution 250 mg/5 ml</i> (Sandimmune)	2	PA BvD
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i> (Gengraf)	2	PA BvD
<i>cyclosporine modified oral capsule 50 mg</i>	2	PA BvD
<i>cyclosporine modified oral solution 100 mg/ml</i> (Gengraf)	2	PA BvD
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	2	PA BvD
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5ML (0.51), 50 MG/ML (0.98 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (0.98 ML)	5	PA; NM; NDS
ENVARUSUS XR ORAL TABLET EXTENDED RELEASE 24 HR 0.75 MG, 1 MG, 4 MG	4	PA BvD
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
GAMASTAN S/D INTRAMUSCULAR SOLUTION 15-18 % RANGE, 15-18 % RANGE (10 ML), 15-18 % RANGE (2 ML)	3	PA BvD
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NM; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NM; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	5	PA BvD; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg, 50 mg</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>gengraf oral solution 100 mg/ml</i>	2	PA BvD
HUMIRA PEDIATRIC CROHN'S START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML, 40 MG/0.8 ML (6 PACK), 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA PEN CROHN'S-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML, 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN PSORIASIS-UVEITIS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 10 MG/0.2 ML, 20 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS
HYPERRAB (PF) INTRAMUSCULAR SOLUTION 300 UNIT/ML	4	
HYPERRAB S/D (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML, 150 UNIT/ML (10 ML)	4	
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA BvD; NM; NDS
ILARIS (PF) SUBCUTANEOUS RECON SOLN 150 MG/ML	5	PA; NM; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NM; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
IMOGAM RABIES-HT (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KEDRAB (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS; QL (2.28 per 28 days)
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS; QL (2.28 per 28 days)
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NM; NDS; QL (18.76 per 28 days)
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	
<i>mycophenolate mofetil hcl intravenous recon soln 500 mg</i> (CellCept Intravenous)	2	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	2	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	5	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	2	PA BvD
<i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i> (Myfortic)	2	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NM; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
OLUMIANT ORAL TABLET 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NM; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	5	PA; NM; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NM; NDS
OTEZLA ORAL TABLET 30 MG	5	PA; NM; NDS; QL (60 per 30 days)
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
OTREXUP (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML	3	
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
RAPAMUNE ORAL SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 27.5 MG/0.55 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REMICADE INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NM; NDS
SIMPONI ARIA INTRAVENOUS SOLUTION 12.5 MG/ML	5	PA; NM; NDS
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune)	2	PA BvD
<i>sirolimus oral tablet 2 mg</i> (Rapamune)	5	PA BvD; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; NM; LA; NDS; QL (15 per 28 days)
XELJANZ ORAL TABLET 10 MG	5	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XELJANZ ORAL TABLET 5 MG	5	PA; NM; NDS; QL (120 per 30 days)
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG	5	PA; NM; NDS; QL (30 per 30 days)
ZORTRESS ORAL TABLET 0.25 MG, 0.5 MG, 0.75 MG	5	PA BvD; NM; NDS
<b>Vaccines</b>		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	PA BvD
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	6	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	6	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	6	
CERVARIX VACCINE (PF) INTRAMUSCULAR SYRINGE 20-20 MCG/0.5 ML	6	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	6	
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	6	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	6	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SUSPENSION 10 MCG/0.5 ML	6	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	6	PA BvD
GARDASIL (PF) INTRAMUSCULAR SUSPENSION 20-40-40-20 MCG/0.5 ML	6	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	6	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	6	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	6	
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	6	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	6	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25- 58-10 LF-MCG-LF/0.5ML	6	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	6	
IPOL INJECTION SUSPENSION 40-8- 32 UNIT/0.5 ML	6	
IPOL INJECTION SYRINGE 40-8-32 UNIT/0.5 ML	6	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	6	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	6	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	6	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	6	
MENHIBRIX (PF) INTRAMUSCULAR RECON SOLN 5-2.5 MCG/0.5 ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MENOMUNE - A/C/Y/W-135 (PF) SUBCUTANEOUS RECON SOLN 50 MCG	6	
MENOMUNE - A/C/Y/W-135 SUBCUTANEOUS RECON SOLN 50 MCG	6	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	6	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	6	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG- 10LF/0.5 ML	6	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	6	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	6	
PENTACEL DTAP-IPV COMPNT (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	6	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	6	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	6	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	6	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	6	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	6	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	6	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	6	QL (2 per 365 days)
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	6	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	6	
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	6	
TETANUS-DIPHThERIA TOXOIDS-TD INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	6	
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	3	
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	6	
TWINRIX (PF) INTRAMUSCULAR SUSPENSION 720 ELISA UNIT- 20 MCG/ML	6	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	6	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	6	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	6	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	6	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	6	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	6	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	6	QL (1 per 365 days)
<b>Inflammatory Bowel Disease Agents</b>		
<b>Inflammatory Bowel Disease Agents</b>		
<i>alosetron oral tablet 0.5 mg, 1 mg</i> (Lotronex)	5	NM; NDS
APRISO ORAL CAPSULE,EXTENDED RELEASE 24HR 0.375 GRAM	3	
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	
<i>budesonide oral capsule,delayed,extend.release 3 mg</i> (Entocort EC)	5	NM; NDS
CANASA RECTAL SUPPOSITORY 1,000 MG	3	
<i>colocort rectal enema 100 mg/60 ml</i>	2	
DELZICOL ORAL CAPSULE (WITH DEL REL TABLETS) 400 MG	3	
DIPENTUM ORAL CAPSULE 250 MG	5	ST; NM; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Colocort)	2	
LIALDA ORAL TABLET,DELAYED RELEASE (DR/EC) 1.2 GRAM	2	
<i>mesalamine oral tablet,delayed release (dr/ec) 800 mg</i> (Asacol HD)	2	
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	
<i>sulfasalazine oral tablet,delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs)	2	
UCERIS RECTAL FOAM 2 MG/ACTUATION	3	
<b>Irrigating Solutions</b>		
<b>Irrigating Solutions</b>		
<i>acetic acid irrigation solution 0.25 %</i>	2	
LACTATED RINGERS IRRIGATION SOLUTION	3	
<i>ringer's irrigation solution</i>	2	
<i>sodium chloride irrigation solution 0.9 %</i> (Aqua Care Sodium Chloride)	2	
<i>sorbitol irrigation solution 3 %, 3.3 %</i>	2	
<i>sorbitol-mannitol urethral solution 2.7-0.54 g/100 ml</i>	2	
<i>water for irrigation, sterile irrigation solution</i> (Aqua Care Sterile Water)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
<b>Metabolic Bone Disease Agents</b>		
<b>Metabolic Bone Disease Agents</b>		
<i>alendronate oral solution 70 mg/75 ml</i>	2	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	
<i>alendronate oral tablet 35 mg</i>	1	QL (4 per 28 days)
<i>alendronate oral tablet 40 mg</i>	2	
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	2	QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	2	
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	2	
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i> (Hectorol)	2	
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	2	
<i>etidronate disodium oral tablet 200 mg, 400 mg</i>	2	
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE - 600 MCG/2.4 ML	3	PA; QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	2	QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i> (Boniva)	2	QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i> (Boniva)	2	QL (1 per 28 days)
MIACALCIN INJECTION SOLUTION 200 UNIT/ML	3	
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NM; NDS; QL (2 per 28 days)
<i>pamidronate intravenous recon soln 30 mg, 90 mg</i>	2	
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	2	
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	2	
PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCG/ML	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>paricalcitol intravenous solution 2 mcg/ml</i> (Zemplar)	2	
PARICALCITOL INTRAVENOUS SOLUTION 5 MCG/ML (Zemplar)	2	
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	2	
<i>paricalcitol oral capsule 4 mcg</i>	2	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	2	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg</i>	2	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	2	QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	2	QL (4 per 28 days)
<i>risedronate oral tablet 5 mg</i> (Actonel)	2	QL (30 per 30 days)
SENSIPAR ORAL TABLET 30 MG	3	QL (60 per 30 days)
SENSIPAR ORAL TABLET 60 MG	5	NM; NDS; QL (60 per 30 days)
SENSIPAR ORAL TABLET 90 MG	5	NM; NDS; QL (120 per 30 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	2	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i> (Zometa)	2	
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	2	QL (100 per 300 days)
<i>zoledronic ac-mannitol-0.9nacl intravenous piggyback 4 mg/100 ml</i>	2	
ZOMETA INTRAVENOUS PIGGYBACK 4 MG/100 ML	5	NM; NDS
<b>Miscellaneous Therapeutic Agents</b>		
<b>Miscellaneous Therapeutic Agents</b>		
ACTHAR H.P. INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	NM; NDS
<i>amifostine crystalline intravenous recon soln 500 mg</i> (Ethyol)	2	
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NM; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NM; NDS; QL (4 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (4 per 28 days)
BOTOX INJECTION RECON SOLN 100 UNIT	4	PA; QL (4 per 90 days)
BOTOX INJECTION RECON SOLN 200 UNIT	4	PA; QL (1 per 90 days)
CETYLEV ORAL TABLET, EFFERVESCENT 2.5 GRAM, 500 MG	4	
CYSTADANE ORAL POWDER 1 GRAM/1.7 ML	5	NM; NDS
<i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i> (Zinecard (as HCl))	2	
<i>droperidol injection solution 2.5 mg/ml</i>	2	
ELMIRON ORAL CAPSULE 100 MG	4	
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NM; NDS; QL (180 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	
EXONDYS 51 INTRAVENOUS SOLUTION 50 MG/ML, 50 MG/ML (10 ML)	5	PA; NM; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	5	NM; NDS
<i>guanidine oral tablet 125 mg</i>	2	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i> (Vistaril)	2	PA-HRM; AGE (Max 64 Years)
KEVEYIS ORAL TABLET 50 MG	5	PA; NM; NDS; QL (120 per 30 days)
<i>leucovorin calcium injection recon soln 100 mg</i>	2	
<i>leucovorin calcium injection recon soln 200 mg, 350 mg, 50 mg, 500 mg</i>	2	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	2	
<i>levocarnitine intravenous solution 200 mg/ml</i> (Carnitor)	2	
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	2	
LEVOLEUCOVORIN INTRAVENOUS RECON SOLN 175 MG	4	
<i>levoleucovorin intravenous recon soln 50 mg</i> (Fusilev)	5	NM; NDS
<i>mesna intravenous solution 100 mg/ml</i> (Mesnex)	2	
MESNEX ORAL TABLET 400 MG	5	NM; NDS
MESTINON ORAL SYRUP 60 MG/5 ML	5	NM; NDS
<i>methylergonovine injection solution 0.2 mg/ml (1 ml)</i>	2	
MYOBLOC INTRAMUSCULAR SOLUTION 10,000 UNIT/2 ML	4	PA; QL (2 per 90 days)
MYOBLOC INTRAMUSCULAR SOLUTION 2,500 UNIT/0.5 ML	4	PA; QL (0.5 per 90 days)
MYOBLOC INTRAMUSCULAR SOLUTION 5,000 UNIT/ML	4	PA; QL (1 per 90 days)
NPLATE SUBCUTANEOUS RECON SOLN 250 MCG, 500 MCG	5	PA; NM; NDS; QL (8 per 28 days)
PROGLYCEM ORAL SUSPENSION 50 MG/ML	4	
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	2	
<i>pyridostigmine bromide oral tablet extended release 180 mg</i> (Mestinon Timespan)	2	
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
THIOLA ORAL TABLET 100 MG	5	NM; NDS
TOTECT INTRAVENOUS RECON SOLN 500 MG	5	NM; NDS
TYBOST ORAL TABLET 150 MG	3	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	5	NM; NDS; QL (24 per 14 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	5	PA; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Ophthalmic Agents</b>		
<b>Antiglaucoma Agents</b>		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	2	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	2	
<i>brimonidine ophthalmic (eye) drops 0.15 %</i> (Alphagan P)	2	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	3	
<i>dorzolamide ophthalmic (eye) drops 2 %</i> (Trusopt)	2	
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)	2	
<i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)	2	
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	2	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	2	
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	2	
PHOSPHOLINE IODIDE OPHTHALMIC (EYE) DROPS 0.125 %	3	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i> (Isopto Carpine)	2	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i> (Timoptic)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>timolol maleate ophthalmic (eye) drops, once daily 0.5 %</i> (Istalol)	1	
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i> (Timoptic-XE)	2	
TRAVATAN Z OPHTHALMIC (EYE) DROPS 0.004 %	3	QL (2.5 per 25 days)
ZIOPTAN (PF) OPHTHALMIC (EYE) DROPPERETTE 0.0015 %	3	QL (30 per 30 days)
<b>Replacement Preparations</b>		
<b>Replacement Preparations</b>		
<i>calcium chloride intravenous solution 100 mg/ml (10 %)</i>	2	
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	2	
<i>d10 %-0.45 % sodium chloride intravenous parenteral solution</i>	2	
<i>d2.5 %-0.45 % sodium chloride intravenous parenteral solution</i>	2	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	2	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	2	
<i>dextrose 10 % and 0.2 % nacl intravenous parenteral solution</i>	2	
<i>dextrose 5 %-lactated ringers intravenous parenteral solution</i>	2	
<i>dextrose 5%-0.2 % sod chloride intravenous parenteral solution</i>	2	
<i>dextrose 5%-0.3 % sod.chloride intravenous parenteral solution</i>	2	
<i>dextrose with sodium chloride intravenous parenteral solution 5-0.2 %</i>	2	
<i>electrolyte-48 in d5w intravenous parenteral solution</i>	2	
IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	4	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	2	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	2	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	2	
<i>klor-con sprinkle oral capsule, extended release 10 meq, 8 meq</i>	2	
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	2	
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	2	
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	2	
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	2	
<i>magnesium sulfate injection syringe 4 meq/ml</i>	2	
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE-56 IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
<i>potassium acetate intravenous solution 2 meq/ml</i>	2	
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 30 meq/l, 40 meq/l</i>	2	
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 20 meq/l</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	2	
<i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 30 meq/l, 40 meq/l</i>	2	
<i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l, 40 meq/l</i>	2	
<i>potassium chloride in water intravenous piggyback 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml</i>	2	
<i>potassium chloride intravenous solution 2 meq/ml</i>	2	
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	2	
<i>potassium chloride oral capsule, extended release 10 meq</i>	2	
<i>potassium chloride oral capsule, extended release 8 meq</i> (Klor-Con Sprinkle)	2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	
<i>potassium chloride oral tablet extended release 10 meq, 20 meq, 8 meq</i> (K-Tab)	2	
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i> (Klor-Con M10)	2	
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i> (Klor-Con M20)	2	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l</i>	2	
<i>potassium chloride-d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	2	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	2	
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	2	
<i>potassium citrate-citric acid oral packet 3,300-1,002 mg</i> (Cytra K Crystals)	2	
<i>ringer's intravenous parenteral solution</i>	2	
<i>sodium acetate intravenous solution 2 meq/ml</i>	2	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	2	
<i>sodium chloride 0.45 % intravenous piggyback 0.45 %</i>	2	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	
<i>sodium chloride 100 meq/40 ml 25's, sdv 2.5 meq/ml</i>	2	
<i>sodium chloride intravenous parenteral solution 2.5 meq/ml</i>	2	
<i>sodium lactate intravenous solution 5 meq/ml</i>	2	
<i>sodium phosphate intravenous solution 3 mmol/ml</i>	2	
TPN ELECTROLYTES II IV SOLN 25'S,20ML/50ML FTV 18-18-5-4.5-35 MEQ/20 ML	4	
TPN ELECTROLYTES INTRAVENOUS SOLUTION 35-20-5 MEQ/20 ML	4	
<b>Respiratory Tract Agents</b>		
<b>Anti-Inflammatories, Inhaled Corticosteroids</b>		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	3	QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	3	QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> (Pulmicort)	2	PA BvD
DULERA INHALATION HFA AEROSOL INHALER 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION	3	QL (13 per 28 days)
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	3	QL (12 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	3	QL (24 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	3	QL (21.2 per 28 days)
QVAR INHALATION AEROSOL 40 MCG/ACTUATION, 80 MCG/ACTUATION	3	QL (17.4 per 25 days)
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION, 80 MCG/ACTUATION	3	QL (21.2 per 25 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYMBICORT 160-4.5 MCG INHALER 60 INHALATIONS 160-4.5 MCG/ACTUATION	3	QL (12 per 25 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	3	QL (11 per 25 days)
<b>Antileukotrienes</b>		
<i>montelukast oral granules in packet 4 mg</i> (Singulair)	2	
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	2	
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	2	
<b>Bronchodilators</b>		
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 5 mg/ml</i>	2	PA BvD
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	2	
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	2	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	3	QL (25.8 per 28 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>elixophyllin oral elixir 80 mg/15 ml</i>	2	
INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION	3	
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD
<i>levalbuterol tartrate inhalation hfa aerosol inhaler 45 mcg/actuation</i> (Xopenex HFA)	2	QL (30 per 30 days)
LONHALA MAGNAIR STARTER INHALATION SOLUTION FOR NEBULIZATION 25 MCG/ML	3	QL (60 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metaproterenol oral tablet 10 mg, 20 mg</i>	2	
PROAIR HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	3	
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	3	
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION	3	
SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 28 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	5	NM; NDS
<i>theophylline in dextrose 5 % intravenous parenteral solution 200 mg/100 ml, 200 mg/50 ml, 400 mg/250 ml, 400 mg/500 ml, 800 mg/250 ml</i>	2	
<i>theophylline oral solution 80 mg/15 ml</i>	2	
<i>theophylline oral tablet extended release (Theochron) 12 hr 100 mg, 200 mg, 300 mg</i>	2	
<i>theophylline oral tablet extended release 12 hr 450 mg</i>	2	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG	3	
VENTOLIN HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	4	ST
<b>Respiratory Tract Agents, Other</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>acetylcysteine intravenous solution 200 mg/ml (20 %)</i> (Acetadote)	2	PA BvD
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD
DALIRESP ORAL TABLET 250 MCG, 500 MCG	3	QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	5	PA; NM; NDS; QL (90 per 30 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 50 MG, 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	5	PA; NM; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (120 per 30 days)
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	NM; NDS
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N)	5	PA; NM; NDS; QL (56 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
<b>Skeletal Muscle Relaxants</b>		
<b>Skeletal Muscle Relaxants</b>		
<i>baclofen oral tablet 10 mg, 20 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>carisoprodol oral tablet 250 mg, 350 mg</i> (Soma)	2	PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>chlorzoxazone oral tablet 500 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 7.5 mg</i> (Fexmid)	2	PA-HRM; AGE (Max 64 Years)
<i>dantrolene oral capsule 100 mg</i>	2	
<i>dantrolene oral capsule 25 mg, 50 mg</i> (Dantrium)	2	
<i>methocarbamol oral tablet 500 mg</i> (Robaxin)	2	PA-HRM; AGE (Max 64 Years)
<i>methocarbamol oral tablet 750 mg</i> (Robaxin-750)	2	PA-HRM; AGE (Max 64 Years)
<i>revonto intravenous recon soln 20 mg</i>	2	
<i>tizanidine oral capsule 2 mg, 4 mg, 6 mg</i> (Zanaflex)	2	
<i>tizanidine oral tablet 2 mg</i>	2	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	
<b>Sleep Disorder Agents</b>		
<b>Sleep Disorder Agents</b>		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	PA-HRM; (High Risk Med. QL applies to all members; PA required for 65 years and older with over 90 days cumulative use with any non-benzodiazepine hypnotic drug); QL (30 per 30 days); AGE (Max 64 Years)
HETLIOZ ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (30 per 30 days)
SILENOR ORAL TABLET 3 MG, 6 MG	3	QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	5	NM; LA; NDS; QL (540 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
zaleplon oral capsule 10 mg, 5 mg (Sonata)	2	PA-HRM; (High Risk Med. QL applies to all members; PA required for 65 years and older with over 90 days cumulative use with any non-benzodiazepine hypnotic drug); QL (60 per 30 days); AGE (Max 64 Years)
zolpidem oral tablet 10 mg, 5 mg (Ambien)	2	PA-HRM; (High Risk Med. QL applies to all members; PA required for 65 years and older with over 90 days cumulative use with any non-benzodiazepine hypnotic drug); QL (30 per 30 days); AGE (Max 64 Years)
zolpidem oral tablet,ext release multiphase (Ambien CR) 12.5 mg, 6.25 mg	2	PA-HRM; (High Risk Med. QL applies to all members; PA required for 65 years and older with over 90 days cumulative use with any non-benzodiazepine hypnotic drug); QL (30 per 30 days); AGE (Max 64 Years)

**Vasodilating Agents**

Vasodilating Agents		
ADCIRCA ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
CIALIS ORAL TABLET 2.5 MG, 5 MG	3	PA; QL (30 per 30 days)
epoprostenol (glycine) intravenous recon soln 0.5 mg (Flolan)	2	PA
epoprostenol (glycine) intravenous recon soln 1.5 mg (Flolan)	5	PA; NM; NDS
LETAIRIS ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
OPSUMIT ORAL TABLET 10 MG	5	PA; NM; NDS; QL (30 per 30 days)
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG	3	PA
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.25 MG, 1 MG, 2.5 MG, 5 MG	5	PA; NM; NDS
REMODULIN INJECTION SOLUTION 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML	5	PA; NM; NDS
<i>sildenafil (antihypertensive) intravenous solution 10 mg/12.5 ml</i> (Revatio)	5	PA; NM; NDS; QL (37.5 per 1 day)
<i>sildenafil (antihypertensive) oral tablet 20 mg</i> (Revatio)	2	PA; QL (90 per 30 days)
<i>tadalafil (antihypertensive) oral tablet 20 mg</i> (Adcirca)	5	PA; NM; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	5	PA; NM; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NM; NDS; QL (112 per 28 days)
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NM; NDS
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS; QL (400 per 365 days)
<b>Vitamins And Minerals</b>		
<b>Vitamins And Minerals</b>		
<i>fluoride (sodium) oral tablet 1 mg (2.2 mg sod. fluoride)</i>	2	
<i>pnv prenatal plus multivit tab s/f, gluten-free 27 mg iron- 1 mg</i>	3	ALL RX PRENATAL VITAMINS COVERABLE UNDER PART D
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	3	ALL RX PRENATAL VITAMINS COVERABLE UNDER PART D

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sodium fluoride 0.5 mg/ml drop d/f, s/f,gluten-free (otc) 0.5 mg (1.1 mg sod.fluorid)/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



## INDEX

<b>A</b>		
abacavir .....	59	
abacavir-lamivudine .....	59	
abacavir-lamivudine-zidovudine .....	59	
ABELCET .....	46	
ABILIFY MAINTENA .....	55	
ABRAXANE .....	23	
acamprosate .....	10	
acarbose .....	41	
acebutolol .....	74	
acetaminophen-codeine .....	3	
acetazol hc .....	102	
acetazolamide .....	131	
acetazolamide sodium .....	131	
acetic acid .....	102, 126	
acetylcysteine .....	139	
acitretin .....	93	
ACTEMRA .....	117	
ACTHAR H.P. ....	128	
ACTHIB (PF) .....	122	
ACTIMMUNE .....	129	
acyclovir .....	64, 93	
acyclovir sodium .....	64	
ADACEL(TDAP ADOLESN/ADULT)(PF) .....	122	
ADAGEN .....	99	
adapalene .....	98	
ADCIRCA .....	141	
adefovir .....	64	
ADEMPAS .....	141	
adriamycin .....	23	
adrucil .....	24	
ADVAIR DISKUS .....	135	
ADVAIR HFA .....	135	
afeditab cr .....	79	
AFINITOR .....	24	
AFINITOR DISPERZ .....	24	
a-hydrocort .....	112	
AIMOVIG AUTOINJECTOR .....	49	
AIMOVIG AUTOINJECTOR (2 PACK) .....	49	
AKTEN (PF) .....	101	
AKYNZEO (FOSNETUPITANT) .....	51	
AKYNZEO (NETUPITANT) .....	51	
ala-cort .....	96	
ala-scalp .....	96	
ALBENZA .....	52	
albuterol sulfate .....	137	
alclometasone .....	96	
ALCOHOL PADS .....	93	
ALCOHOL PREP PADS .....	93	
ALDURAZYME .....	99	
ALECENSA .....	24	
alendronate .....	127	
alfuzosin .....	109	
ALIMTA .....	24	
ALINIA .....	52	
ALIQOPA .....	24	
allopurinol .....	48	
alose tron .....	126	
ALPHAGAN P .....	131	
alprazolam .....	11	
ALREX .....	104	
altavera (28) .....	86	
ALUNBRIG .....	24	
alyacen 1/35 (28) .....	86	
alyacen 7/7/7 (28) .....	87	
amabelz .....	111	
amantadine hcl .....	53	
AMBISOME .....	46	
amethia .....	87	
amethia lo .....	87	
amifostine crystalline .....	129	
amiloride .....	79	
amiloride-hydrochlorothiazide .....	79	
AMINOSYN 10 % .....	68	
AMINOSYN 7 % WITH ELECTROLYTES .....	68	
AMINOSYN 8.5 % .....	68	
AMINOSYN 8.5 %- ELECTROLYTES .....	68	
AMINOSYN II 10 % .....	68	
AMINOSYN II 15 % .....	68	
AMINOSYN II 7 % .....	68	
AMINOSYN II 8.5 % .....	68	
AMINOSYN II 8.5 %- ELECTROLYTES .....	68	
AMINOSYN M 3.5 % .....	68	
AMINOSYN-HBC 7% .....	68	
AMINOSYN-PF 10 % .....	68	
AMINOSYN-PF 7 % (SULFITE-FREE) .....	68	
AMINOSYN-RF 5.2 % .....	68	
amiodarone .....	73	
AMITIZA .....	106	
amitriptyline .....	39	
amitriptyline-chlordiazepoxide .....	39	
amlodipine .....	79	
amlodipine-atorvastatin .....	80	
amlodipine-benazepril .....	79	
amlodipine-olmesartan .....	79	
amlodipine-valsartan .....	79	
amlodipine-valsartan-hcthiiazid .....	79	
ammonium lactate .....	93	
amoxapine .....	39	

amoxicil-clarithromy-lansopraz	52	benazepril-hydrochlorothiazide	72, 73
.....	105	BENDEKA	24
amoxicillin	20	BENLYSTA	129
amoxicillin-pot clavulanate	20	benznidazole	52
amphotericin b	46	benztropine	53
ampicillin	20	BEPREVE	101
ampicillin sodium	20	BESPONSA	24
ampicillin-sulbactam	20	betamethasone acet,sod phos	112
AMPYRA	83	betamethasone dipropionate	96
ANADROL-50	110	betamethasone valerate	96
anagrelide	67	betamethasone, augmented	96
anastrozole	24	BETASERON	84
ANDRODERM	110	betaxolol	74, 131
ANDROGEL	110	bethanechol chloride	109
androxy	110	BETHKIS	14
ANORO ELLIPTA	137	BEVYXXA	65
APOKYN	53	bexarotene	24
apraclonidine	101	BEXSERO	122
aprepitant	51	bicalutamide	24
apri	87	BICILLIN C-R	21
APRISO	126	BICILLIN L-A	21
APTIOM	34	BIDIL	82
APTIVUS	59	BIKTARVY	59
aranelle (28)	87	bimatoprost	131
ARCALYST	117	bisoprolol fumarate	74
aripiprazole	55	bisoprolol-hydrochlorothiazide	74
ARISTADA	55	bleomycin	24
ARISTADA INITIO	55	bleph-10	102
armodafinil	140	BLINCYTO	24
ARNUITY ELLIPTA	136	blisovi 24 fe	87
ascomp with codeine	3	blisovi fe 1.5/30 (28)	87
ashlyna	87	blisovi fe 1/20 (28)	87
aspirin-dipyridamole	67	BOOSTRIX TDAP	122
ASSURE ID INSULIN		BORTEZOMIB	24
SAFETY	98	BOSULIF	25
ASTAGRAF XL	117	BOTOX	129
atazanavir	59	BRAFTOVI	25
atenolol	74	BREO ELLIPTA	136
atenolol-chlorthalidone	74	briellyn	87
atomoxetine	83	BRILINTA	67
atorvastatin	80		
atovaquone	52		
atovaquone-proguanil	52		
ATRIPLA	59		
atropine	34, 101		
ATROVENT HFA	137		
AUBAGIO	83		
aubra	87		
AURYXIA	108		
AUSTEDO	83		
AVASTIN	24		
AVC VAGINAL	49		
aviane	87		
AVONEX	83, 84		
AVONEX (WITH ALBUMIN)			
.....	83		
azacitidine	24		
azathioprine	117		
azathioprine sodium	117		
azelastine	101		
azithromycin	18, 19		
AZOPT	131		
aztreonam	19		
azurette (28)	87		
<b>B</b>			
baciim	15		
bacitracin	15, 102		
bacitracin-polymyxin b	102		
baclofen	139		
balsalazide	126		
balziva (28)	87		
BANZEL	34		
BAVENCIO	24		
BAXDELA	21		
BCG VACCINE, LIVE (PF)	122		
BD ULTRA-FINE NANO PEN			
NEEDLE	99		
BD VEO INSULIN SYRINGE			
UF	99		
bekyree (28)	87		
BELBUCA	3		
BELEODAQ	24		
BELSOMRA	140		
benazepril	72		

brimonidine .....	131	candesartan-hydrochlorothiazid	71	cefpodoxime.....	17
BRIVIACT .....	34, 35	.....	71	cefprozil .....	17
bromfenac.....	104	capacet .....	4	ceftazidime.....	18
bromocriptine .....	53	CAPASTAT.....	50	ceftibuten.....	18
BROMSITE.....	104	CAPRELSA.....	25	ceftriaxone.....	18
budesonide.....	126, 136	captopril.....	73	ceftriaxone in dextrose,iso-os	18
bumetanide .....	79	captopril-hydrochlorothiazide	73	cefuroxime axetil .....	18
BUNAVAIL.....	10	CARAFATE .....	105	cefuroxime sodium.....	18
buprenorphine.....	3	CARBAGLU .....	106	cefuroxime-dextrose (iso-osm)	18
buprenorphine hcl.....	3, 10	carbamazepine .....	35	.....	18
buprenorphine-naloxone.....	10	carbidopa .....	53	celecoxib .....	8
bupropion hcl.....	39	carbidopa-levodopa .....	53	CELONTIN.....	35
bupropion hcl (smoking deter)	10	carbidopa-levodopa-entacapone	53, 54	cephalexin .....	18
buspirone .....	11	.....	53, 54	CEPROTIN (BLUE BAR).....	65
butalbital compound w/codeine	3	carbinoxamine maleate .....	48	CERDELGA .....	99
butalbital-acetaminop-caf-cod..	3	carboplatin .....	25	CEREZYME.....	99
butalbital-acetaminophen .....	3	CARIMUNE NF		CERVARIX VACCINE (PF)	122
butalbital-acetaminophen-caff..	3	NANOFILTERED.....	117	.....	129
butalbital-aspirin-caffeine ....	3, 4	carisoprodol .....	140	CETYLEV .....	129
butorphanol tartrate .....	4	carteolol .....	131	cevimeline .....	93
BUTRANS .....	4	cartia xt .....	76	CHANTIX.....	10
BYSTOLIC .....	74	carvedilol .....	75	CHANTIX CONTINUING	
BYVALSON .....	74	caspofungin.....	46	MONTH BOX .....	10
<b>C</b>		CAYSTON .....	19	CHANTIX STARTING	
cabergoline .....	53	caziant (28) .....	87	MONTH BOX .....	10
CABOMETYX.....	25	cefaclor .....	16, 17	chloramphenicol sod succinate	15
caffeine citrate .....	84	cefadroxil.....	17	.....	15
calcipotriene .....	93	cefazolin.....	17	chlordiazepoxide hcl .....	11
calcitonin (salmon).....	127	cefazolin in 0.9% sod chloride	17	chlorhexidine gluconate .....	93
calcitrene .....	93	.....	17	chloroquine phosphate .....	52
calcitriol.....	93, 127	cefazolin in dextrose (iso-os).	17	chlorothiazide.....	79
calcium acetate .....	108	cefdinir.....	17	chlorothiazide sodium.....	79
calcium chloride .....	132	cefditoren pivoxil.....	17	chlorpromazine .....	55
CALDOLOR .....	8	CEFEPIME.....	17	chlorthalidone .....	79
CALQUENCE.....	25	CEFEPIME IN DEXTROSE 5		chlorzoxazone .....	140
camila .....	87	% .....	17	cholestyramine (with sugar)...	81
camrese.....	87	CEFEPIME IN		cholestyramine light.....	81
camrese lo.....	87	DEXTROSE,ISO-OSM.....	17	CIALIS.....	141
CANASA .....	126	cefixime .....	17	ciclopirox .....	46, 47
candesartan .....	71	cefotaxime .....	17	cidofovir .....	64
		cefoxitin .....	17	cilostazol .....	67
		cefoxitin in dextrose, iso-osm	17	CILOXAN.....	102

CIMDUO.....	59	CLINIMIX 5%-		COMBIVENT RESPIMAT .	137
cimetidine.....	105	D20W(SULFITE-FREE)...	69	COMETRIQ.....	25
cimetidine hcl.....	105	CLINIMIX E 2.75%/D10W		COMPLERA.....	59
CIMZIA.....	117	SUL FREE.....	69	compro.....	51
CIMZIA POWDER FOR		CLINIMIX E 2.75%/D5W		CONDYLOX.....	93
RECONST.....	117	SULF FREE.....	69	constulose.....	106
CINQAIR.....	139	CLINIMIX E 4.25%/D10W		CORLANOR.....	76
CINRYZE.....	66	SUL FREE.....	69	cormax.....	96
CINVANTI.....	51	CLINIMIX E 4.25%/D25W		cortisone.....	112
CIPRODEX.....	102	SUL FREE.....	69	COSENTYX (2 SYRINGES)	93
ciprofloxacin.....	22	CLINIMIX E 4.25%/D5W		COSENTYX PEN (2 PENS) .	94
ciprofloxacin (mixture) .....	21	SULF FREE.....	69	COTELLIC.....	25
ciprofloxacin hcl.....	22, 102	CLINIMIX E 5%/D15W		CREON.....	99
ciprofloxacin in 5 % dextrose.	22	SULFIT FREE.....	69	CRIVIVAN.....	59
ciprofloxacin lactate.....	22	CLINIMIX E 5%/D20W		cromolyn.....	101, 106, 139
cialopram.....	39	SULFIT FREE.....	69	cryselle (28).....	87
cladribine.....	25	CLINIMIX E 5%/D25W		CUPRIMINE.....	110
clarithromycin.....	19	SULFIT FREE.....	69	cyclafem 1/35 (28).....	87
clemastine.....	48	CLINISOL SF 15 %.....	70	cyclafem 7/7/7 (28).....	87
CLENPIQ.....	108	clobetasol.....	96	cyclobenzaprine.....	140
CLEVIPREX.....	79	clobetasol-emollient.....	96	cyclopentolate.....	101
clindamycin hcl.....	15	clocortolone pivalate.....	96	cyclophosphamide.....	25
clindamycin in 5 % dextrose..	15	clofarabine.....	25	CYCLOPHOSPHAMIDE.....	25
clindamycin palmitate hcl.....	15	clomipramine.....	39	CYCLOSET.....	41
clindamycin phosphate.....	15, 49,	clonazepam.....	11	cyclosporine.....	118
95		clonidine.....	71	cyclosporine modified.....	118
clindamycin-benzoyl peroxide		clonidine hcl.....	71, 84	cyproheptadine.....	48
.....	95	clopidogrel.....	67	CYRAMZA.....	25
CLINIMIX 5%/D15W		clorazepate dipotassium.....	11	cyred.....	87
SULFITE FREE.....	68	clorpres.....	71	CYSTADANE.....	129
CLINIMIX 5%/D25W		clotrimazole.....	47	CYSTARAN.....	101
SULFITE-FREE.....	68	clotrimazole-betamethasone ..	47	<b>D</b>	
CLINIMIX 2.75%/D5W		clozapine.....	55, 56	d10 %-0.45 % sodium chloride	
SULFIT FREE.....	69	COARTEM.....	52	.....	132
CLINIMIX 4.25%/D10W SULF		codeine sulfate.....	4	d2.5 %-0.45 % sodium chloride	
FREE.....	69	COLCRYS.....	48	.....	132
CLINIMIX 4.25%/D5W		colestipol.....	81	d5 % and 0.9 % sodium chloride	
SULFIT FREE.....	69	colistin (colistimethate na).....	15	.....	132
CLINIMIX 4.25%-D20W		colocort.....	126	d5 %-0.45 % sodium chloride	
SULF-FREE.....	69	COLY-MYCIN S.....	102	.....	132
CLINIMIX 4.25%-D25W		COMBIGAN.....	131	DAKLINZA.....	63
SULF-FREE.....	69	COMBIPATCH.....	111	dalfampridine.....	84

DALIRESP.....	139	dextroamphetamine-		DIGOXIN .....	77
danazol .....	111	amphetamine.....	84	dihydroergotamine .....	49
dantrolene .....	140	dextrose 10 % and 0.2 % nacl		DILANTIN .....	35
dapsone.....	50	.....	132	diltiazem hcl.....	76
DAPTACEL (DTAP		dextrose 10 % in water (d10w)		dilt-xr.....	76
PEDIATRIC) (PF).....	122	.....	70	dimenhydrinate .....	51
daptomycin.....	15	dextrose 20 % in water (d20w)		DIOVAN.....	72
DARAPRIM.....	53	.....	70	DIOVAN HCT.....	72
DARZALEX .....	25	dextrose 25 % in water (d25w)		DIPENTUM.....	126
dasetta 1/35 (28).....	87	.....	70	diphenhydramine hcl.....	48, 49
dasetta 7/7/7 (28).....	87	dextrose 40 % in water (d40w)		diphenoxylate-atropine	106, 107
daysee.....	88	.....	70	dipyridamole .....	67
deblitane .....	88	dextrose 5 % in ringer's .....	70	disopyramide phosphate.....	74
decadron .....	112	dextrose 5 % in water (d5w)..	70	disulfiram .....	10
decitabine .....	25	dextrose 5 %-lactated ringers		divalproex .....	35
deferoxamine.....	110	.....	132	dobutamine.....	77
DELSTRIGO.....	59	dextrose 5%-0.2 % sod chloride		dobutamine in d5w.....	77
delyla (28) .....	88	.....	132	docetaxel .....	26
DELZICOL .....	126	dextrose 5%-0.3 % sod.chloride		dofetilide .....	74
demeclocycline.....	22	.....	132	donepezil .....	38
DEMSER.....	76	dextrose 50 % in water (d50w)		dopamine.....	78
DENAVIR.....	94	.....	70	dopamine in 5 % dextrose.....	78
DEPEN TITRATABS .....	110	dextrose 70 % in water (d70w)		DOPTelet .....	66
DEPO-PROVERA .....	116	.....	70	dorzolamide.....	131
DESCOVY .....	59	dextrose with sodium chloride		dorzolamide-timolol.....	131
desipramine .....	39	.....	132	doxazosin .....	71
desmopressin .....	114	DIASTAT .....	12	doxepin.....	39
desog-e.estradiol/e.estradiol...88		DIASTAT ACUDIAL .....	12	doxercalciferol .....	127
desogestrel-ethinyl estradiol...88		diazepam.....	12	doxorubicin .....	26
desonide.....	96, 97	diazepam intensol .....	12	doxorubicin, peg-liposomal ...	26
desoximetasone .....	97	diclofenac potassium .....	8	doxy-100 .....	22
desvenlafaxine succinate .....	39	diclofenac sodium.....	8, 94, 104	doxycycline hyclate .....	22, 23
dexamethasone .....	112	diclofenac-misoprostol .....	8	doxycycline monohydrate.....	23
dexamethasone sodium phos		dicloxacillin .....	21	dronabinol .....	51
(pf).....	113	dicyclomine .....	106	droperidol.....	129
dexamethasone sodium		didanosine.....	59	drosiprenone-ethinyl estradiol	88
phosphate.....	104, 113	DIFICID.....	19	DROXIA .....	26
DEXILANT.....	105	diflorasone .....	97	DUAVEE .....	111
dexmethylphenidate .....	84	diflunisal .....	8	DUEXIS .....	8
dextrazoxane hcl.....	129	digitek .....	77	DULERA .....	136
dextroamphetamine .....	84	digox .....	77	duloxetine.....	39
		digoxin.....	77	DUPIXENT.....	94

DUREZOL .....	104	endocet.....	4	erythromycin-benzoyl peroxide	
dutasteride .....	110	ENGERIX-B (PF).....	122	.....	95
dutasteride-tamsulosin.....	110	ENGERIX-B PEDIATRIC (PF)		ESBRIET .....	139
DYRENIUM .....	80	.....	122, 123	escitalopram oxalate.....	40
<b>E</b>		enoxaparin .....	65	esmolol.....	75
e.e.s. 400.....	19	enpresse .....	88	esomeprazole sodium.....	105
E.E.S. GRANULES .....	19	enskyce .....	88	estarylla.....	88
econazole.....	47	entacapone .....	54	estazolam.....	12
EDARBI.....	72	entecavir.....	64	estradiol.....	111
EDARBYCLOR.....	72	ENTRESTO.....	72	estradiol valerate .....	111
EDURANT.....	59	enulose .....	107	estradiol-norethindrone acet. 111	
efavirenz.....	59	ENVARBUS XR.....	118	ESTRING.....	111
ELAPRASE.....	99	EPANED .....	73	estropipate .....	111
electrolyte-48 in d5w.....	132	EPCLUSA .....	63	eszopiclone.....	140
ELIDEL.....	97	epinastine.....	101	ethambutol.....	50
ELIGARD .....	26	epinephrine .....	78	ethosuximide.....	35
ELIGARD (3 MONTH).....	26	EIPEN.....	78	ethynodiol diac-eth estradiol.. 88	
ELIGARD (4 MONTH).....	26	EIPEN 2-PAK .....	78	etidronate disodium.....	127
ELIGARD (6 MONTH).....	26	EIPEN JR 2-PAK .....	78	etodolac .....	8
elonest .....	88	epitol .....	35	ETOPOPHOS .....	26
eliphos .....	109	EPIVIR HBV .....	60	etoposide .....	26
ELIQUIS .....	65	eplerenone.....	82	EUCRISA .....	97
ELITEK.....	99	EPOGEN .....	66	EVOTAZ.....	60
elixophyllin.....	137	epoprostenol (glycine).....	141	EXELDERM.....	47
ELLA.....	88	eprosartan.....	72	exemestane .....	26
ELMIRON.....	129	ergoloid.....	129	EXJADE .....	110
EMBEDA .....	4	ERGOMAR .....	49	EXONDYS 51 .....	129
EMCYT .....	26	ERIVEDGE .....	26	EXTAVIA.....	84
EMEND.....	51	ERLEADA.....	26	ezetimibe.....	81
EMEND (FOSAPREPITANT)		errin.....	88	ezetimibe-simvastatin .....	81
.....	51	ertapenem.....	19	<b>F</b>	
EMFLAZA .....	113	ery pads.....	95	FABRAZYME.....	99
emoquette .....	88	ERYPED 200.....	19	falmina (28).....	88
EMPLICITI .....	26	ERYPED 400.....	19	famciclovir .....	64
EMSAM .....	39	ery-tab.....	19	famotidine .....	105, 106
EMTRIVA.....	59	ERY-TAB.....	19	famotidine (pf) .....	105
enalapril maleate .....	73	ERYTHROCIN .....	19	famotidine (pf)-nacl (iso-os)105	
enalaprilat.....	73	ERYTHROCIN .....	19	FANAPT .....	56
enalapril-hydrochlorothiazide 73		erythrocin (as stearate).....	19	FARESTON.....	26
ENBREL .....	118	erythromycin.....	19, 102	FARYDAK .....	26
ENBREL SURECLICK .....	118	erythromycin ethylsuccinate.. 19		FASENRA .....	139
ENDARI.....	129	erythromycin with ethanol.....	95	FASLODEX.....	26



felbamate .....	35	fluphenazine hcl.....	56	GAUZE PAD .....	99
felodipine.....	79	flurazepam .....	12, 13	gavilyte-c.....	108
FEMRING.....	112	flurbiprofen.....	8	gavilyte-g .....	108
femynor .....	88	flurbiprofen sodium .....	104	gavilyte-n .....	108
fenofibrate .....	81	flutamide.....	26	GAZYVA.....	27
fenofibrate micronized .....	81	fluticasone.....	97, 104	gemcitabine.....	27
fenofibrate nanocrystallized .....	81	fluvastatin .....	81	gemfibrozil.....	81
fenofibric acid .....	81	fluvoxamine .....	40	generlac .....	107
fenofibric acid (choline).....	81	fomepizole .....	129	gengraf .....	118, 119
fenopropfen .....	8	fondaparinux.....	65	GENOTROPIN .....	114
fentanyl.....	4	FORTEO.....	127	GENOTROPIN MINIQUICK	
fentanyl citrate.....	4	fosamprenavir .....	60	.....	114
FERRIPROX.....	110	foscarnet.....	62	gentak .....	102
FETZIMA.....	40	fosinopril.....	73	gentamicin.....	14, 95, 102
FIASP FLEXTOUCH U-100		fosinopril-hydrochlorothiazide		gentamicin in nacl (iso-osm)..	14
INSULIN.....	44	.....	73	gentamicin sulfate (ped) (pf)..	14
FIASP U-100 INSULIN.....	44	fosphenytoin .....	35	gentamicin sulfate (pf) .....	14
finasteride .....	110	FOSRENOL.....	109	GENVOYA.....	60
FIRAZYR.....	78	FREAMINE HBC 6.9 % .....	70	GEODON.....	56
flavoxate.....	109	FREAMINE III 10 % .....	70	gianvi (28).....	88
FLEBOGAMMA DIF .....	118	FULPHILA.....	66	gildagia.....	88
flecainide .....	74	furosemide .....	80	GILENYA.....	84
FLECTOR .....	94	FUZEON .....	60	GILOTRIF .....	27
FLOVENT DISKUS .....	136	fyavolv.....	112	glatiramer .....	84
FLOVENT HFA.....	136	FYCOMPA.....	35	glatopa.....	84
floxuridine .....	26	<b>G</b>		GLEOSTINE.....	27
fluconazole .....	47	gabapentin.....	35	glimepiride .....	46
fluconazole in nacl (iso-osm).....	47	GALAFOLD.....	100	glipizide.....	46
flucytosine .....	47	galantamine.....	38	glipizide-metformin .....	46
fludrocortisone .....	113	GAMASTAN S/D .....	118	GLUCAGEN HYPOKIT .....	42
flumazenil.....	84	GAMMAGARD LIQUID ...	118	GLUCAGON EMERGENCY	
flunisolide.....	104	GAMMAGARD S-D (IGA < 1		KIT (HUMAN) .....	42
fluocinolone.....	97	MCG/ML).....	118	glyburide .....	46
fluocinolone acetonide oil ....	104	GAMMAPLEX .....	118	glyburide micronized .....	46
fluocinonide.....	97	GAMMAPLEX (WITH		glyburide-metformin.....	46
fluocinonide-e.....	97	SORBITOL) .....	118	glycopyrrolate .....	107
fluoride (sodium).....	142, 2	GAMUNEX-C.....	118	glydo .....	10
fluorometholone .....	104	ganciclovir sodium .....	64	GLYXAMBI.....	42
fluorouracil.....	26, 94	GARDASIL (PF).....	123	GOCOVRI .....	54
fluoxetine.....	40	GARDASIL 9 (PF).....	123	GRALISE.....	35
FLUOXETINE.....	40	gatifloxacin .....	102	GRALISE 30-DAY STARTER	
fluphenazine decanoate .....	56	GATTEX 30-VIAL .....	107	PACK.....	35

granisetron (pf).....	51
granisetron hcl.....	51
GRANIX.....	66
griseofulvin microsize.....	47
griseofulvin ultramicrosize.....	47
guanfacine.....	71, 85
guanidine.....	129
<b>H</b>	
HAEGARDA.....	66
halobetasol propionate.....	97
haloperidol.....	56
haloperidol decanoate.....	56
haloperidol lactate.....	56
HARVONI.....	63
HAVRIX (PF).....	123
heather.....	88
heparin (porcine).....	65
heparin (porcine) in 5 % dex..	65
heparin(porcine) in 0.45% nacl	
.....	65
heparin, porcine (pf).....	65
HEPATAMINE 8%.....	70
HERCEPTIN.....	27
HETLIOZ.....	140
HEXALEN.....	27
HIBERIX (PF).....	123
HUMALOG JUNIOR	
KWIKPEN U-100.....	44
HUMALOG KWIKPEN	
INSULIN.....	44
HUMALOG MIX 50-50	
INSULN U-100.....	44
HUMALOG MIX 50-50	
KWIKPEN.....	44
HUMALOG MIX 75-25	
KWIKPEN.....	44
HUMALOG MIX 75-25(U-	
100)INSULN.....	44
HUMALOG U-100 INSULIN	44
HUMATROPE.....	114
HUMIRA.....	119

HUMIRA PEDIATRIC	
CROHN'S START.....	119
HUMIRA PEN.....	119
HUMIRA PEN CROHN'S-UC-	
HS START.....	119
HUMIRA PEN PSORIASIS-	
UVEITIS.....	119
HUMULIN 70/30 U-100	
INSULIN.....	44
HUMULIN 70/30 U-100	
KWIKPEN.....	44
HUMULIN N NPH INSULIN	
KWIKPEN.....	44
HUMULIN N NPH U-100	
INSULIN.....	45
HUMULIN R REGULAR U-	
100 INSULN.....	45
HUMULIN R U-500 (CONC)	
INSULIN.....	45
HUMULIN R U-500 (CONC)	
KWIKPEN.....	45
hydralazine.....	78
hydrochlorothiazide.....	80
hydrocodone-acetaminophen4, 5	
hydrocodone-ibuprofen.....	5
hydrocortisone.....	97, 113, 126
hydrocortisone butyrate.....	97
hydrocortisone valerate.....	97
hydrocortisone-acetic acid..	103
hydromorphone.....	5
hydromorphone (pf).....	5
hydroxychloroquine.....	53
hydroxyprogesterone caproate	
.....	116
hydroxyurea.....	27
hydroxyzine hcl.....	49
hydroxyzine pamoate.....	129
HYPERRAB (PF).....	119
HYPERRAB S/D (PF).....	119
HYQVIA.....	119
HYSINGLA ER.....	5

<b>I</b>	
ibandronate.....	127
IBRANCE.....	27
ibu.....	8
ibuprofen.....	8
ICLUSIG.....	27
IDHIFA.....	27
ifosfamide.....	27
ifosfamide-mesna.....	27
ILARIS (PF).....	119
ILEVRO.....	105
ILUMYA.....	119
imatinib.....	27
IMBRUVICA.....	27
IMFINZI.....	27
imipenem-cilastatin.....	19, 20
imipramine hcl.....	40
imipramine pamoate.....	40
imiquimod.....	94
IMLYGIC.....	28
IMOGAM RABIES-HT (PF)	
.....	119
IMOVAX RABIES VACCINE	
(PF).....	123
IMPAVIDO.....	53
incassia.....	88
INCRELEX.....	114
INCRUSE ELLIPTA.....	137
indapamide.....	80
indomethacin.....	8
indomethacin sodium.....	9
INFANRIX (DTAP) (PF)....	123
INFLECTRA.....	119
INGREZZA.....	85
INLYTA.....	28
INSULIN SYRINGE-NEEDLE	
U-100.....	99
INTELENCE.....	60
INTRALIPID.....	70
INTRON A.....	63
introvale.....	88
INVANZ.....	20

INVEGA SUSTENNA.....	56, 57	jinteli.....	112	kurvelo.....	89
INVEGA TRINZA.....	57	jolessa.....	88	KUVAN.....	100
INVIRASE.....	60	jolivette.....	88	KYNAMRO.....	81
INVOKAMET.....	42	juleber.....	88	KYPROLIS.....	28
INVOKAMET XR.....	42	JULUCA.....	60	<b>L</b>	
INVOKANA.....	42	junel 1.5/30 (21).....	88	l norgest/e.estradiol-e.estrad ..	89
IONOSOL-B IN D5W.....	132	junel 1/20 (21).....	88	labetalol.....	75
IONOSOL-MB IN D5W.....	132	junel fe 1.5/30 (28).....	89	LACRISERT.....	101
IPOL.....	123	junel fe 1/20 (28).....	89	LACTATED RINGERS.....	126
ipratropium bromide.....	101, 137	junel fe 24.....	89	lactulose.....	107
IPRIVASK.....	65	JUXTAPID.....	81	lamivudine.....	60
irbesartan.....	72	JYNARQUE.....	80	lamivudine-zidovudine.....	60
irbesartan-hydrochlorothiazide		<b>K</b>		lamotrigine.....	36
.....	72	KABIVEN.....	70	LANOXIN.....	78
IRESSA.....	28	KALETRA.....	60	lansoprazole.....	106
irinotecan.....	28	KALYDECO.....	139	lanthanum.....	109
ISENTRESS.....	60	KANUMA.....	100	LANTUS SOLOSTAR U-100	
ISENTRESS HD.....	60	kariva (28).....	89	INSULIN.....	45
isibloom.....	88	KAZANO.....	42	LANTUS U-100 INSULIN...	45
ISOLYTE-P IN 5 %		KEDRAB (PF).....	120	larin 1.5/30 (21).....	89
DEXTROSE.....	132	kelnor 1/35 (28).....	89	larin 1/20 (21).....	89
ISOLYTE-S.....	133	kelnor 1-50.....	89	larin 24 fe.....	89
isoniazid.....	50	KENALOG.....	113	larin fe 1.5/30 (28).....	89
isosorbide dinitrate.....	82	ketoconazole.....	47	larin fe 1/20 (28).....	89
isosorbide mononitrate.....	82, 83	ketoprofen.....	9	larissia.....	89
isradipine.....	79	ketorolac.....	9, 105	LARTRUVO.....	28
itraconazole.....	47	KEVEYIS.....	129	latanoprost.....	131
ivermectin.....	53	KEVZARA.....	120	LATUDA.....	57
IXEMPRA.....	28	KEYTRUDA.....	28	LAZANDA.....	5
IXIARO (PF).....	123	kimidess (28).....	89	leena 28.....	89
<b>J</b>		KINERET.....	120	leflunomide.....	120
JADENU.....	110	KINRIX (PF).....	123	LEMTRADA.....	85
JADENU SPRINKLE.....	110	kionex (with sorbitol).....	107	LENVIMA.....	29
JAKAFI.....	28	KISQALI.....	28	lessina.....	89
jantoven.....	66	KISQALI FEMARA CO-PACK		LETAIRIS.....	141
JANUMET.....	42	.....	28	letrozole.....	29
JANUMET XR.....	42	klor-con m10.....	133	leucovorin calcium.....	129
JANUVIA.....	42	klor-con m15.....	133	LEUKERAN.....	29
JARDIANCE.....	42	klor-con m20.....	133	LEUKINE.....	66
jencycla.....	88	klor-con sprinkle.....	133	leuprolide.....	29
JENTADUETO.....	42	KORLYM.....	42	levulbuterol tartrate.....	137
JENTADUETO XR.....	42	KRYSTEXXA.....	100	levetiracetam.....	36

levetiracetam in nacl (iso-os) .36	lorcet (hydrocodone)..... 5	mefloquine ..... 53
levobunolol..... 131	lorcet hd ..... 5	megestrol..... 29, 116
levocarnitine ..... 130	lorcet plus ..... 5	MEKINIST ..... 29
levocarnitine (with sugar)..... 130	loryna (28) ..... 90	MEKTOVI ..... 29
levocetirizine ..... 49	losartan..... 72	meloxicam..... 9
levofloxacin..... 22, 103	losartan-hydrochlorothiazide . 72	melphalan hcl..... 30
levofloxacin in d5w ..... 22	LOTEMAX..... 105	memantine..... 38
levoleucovorin..... 130	lovastatin..... 81	MENACTRA (PF)..... 123
LEVOLEUCOVORIN ..... 130	low-ogestrel (28)..... 90	MENEST..... 112
levonest (28)..... 89	loxapine succinate..... 57	MENHIBRIX (PF)..... 123
levonorgestrel-ethinyl estrad .89	LUCEMYRA..... 11	MENOMUNE - A/C/Y/W-135 ..... 124
levonorg-eth estrad triphasic .90	LUMIGAN ..... 131	MENOMUNE - A/C/Y/W-135 (PF) ..... 124
levora-28..... 90	LUPRON DEPOT ..... 29	MENVEO A-C-Y-W-135-DIP (PF) ..... 124
levothyroxine..... 117	LUPRON DEPOT (3 MONTH) ..... 29	mercaptapurine ..... 30
LEXIVA ..... 60	LUPRON DEPOT (4 MONTH) ..... 29	meropenem..... 20
LIALDA ..... 126	LUPRON DEPOT (6 MONTH) ..... 29	mesalamine ..... 126
lidocaine ..... 10	LUPRON DEPOT-PED ..... 114	mesna ..... 130
lidocaine (pf) ..... 10, 74	LUPRON DEPOT-PED (3 MONTH) ..... 114	MESNEX ..... 130
lidocaine hcl ..... 10	lutera (28) ..... 90	MESTINON ..... 130
lidocaine in 5 % dextrose (pf) 74	LYNPARZA ..... 29	metaproterenol ..... 137, 138
lidocaine viscous ..... 10	LYRICA ..... 36	metformin..... 42, 43
lidocaine-prilocaine ..... 10	LYSODREN..... 29	methadone ..... 5
lillow..... 90	lyza..... 90	methadose ..... 5
linezolid..... 15	<b>M</b>	methazolamide ..... 131
linezolid in dextrose 5% ..... 15	magnesium sulfate ..... 133	methenamine hippurate..... 15
linezolid-0.9% sodium chloride ..... 15	magnesium sulfate in d5w ... 133	methimazole..... 117
LINZESS..... 107	magnesium sulfate in water . 133	methocarbamol..... 140
liothyronine ..... 117	malathion ..... 98	methotrexate sodium..... 30
lisinopril ..... 73	maprotiline..... 40	methotrexate sodium (pf)..... 30
lisinopril-hydrochlorothiazide 73	marlissa..... 90	methoxsalen ..... 94
lithium carbonate..... 85	MARPLAN..... 40	methscopolamine ..... 107
lithium citrate ..... 85	MARQIBO ..... 29	methylclothiazide ..... 80
LIVALO ..... 81	MATULANE..... 29	methylergonovine ..... 130
lomedina 24 fe..... 90	matzim la ..... 76	methylphenidate hcl ..... 85, 86
LONHALA MAGNAIR STARTER ..... 137	MAVYRET ..... 63	methylprednisolone..... 113
LONSURF..... 29	meclizine..... 51	methylprednisolone acetate.. 113
loperamide..... 107	medroxyprogesterone ..... 116	methylprednisolone sodium succ ..... 113
lopinavir-ritonavir ..... 60	mefenamic acid..... 9	metipranolol ..... 131
lopreeza ..... 112		
lorazepam ..... 13		

metoclopramide hcl .....	107	morphine .....	5, 6	neomycin-bacitracin-polymyxin	
metolazone .....	80	MORPHINE .....	6	.....	103
metoprolol succinate .....	75	morphine concentrate .....	5	neomycin-polymyxin b gu .....	95
metoprolol ta-hydrochlorothiaz		MOVANTIK .....	107	neomycin-polymyxin b-	
.....	75	MOVIPREP .....	108	dexameth .....	103
metoprolol tartrate .....	75	MOXEZA .....	103	neomycin-polymyxin-	
metronidazole .....	15, 49, 95	moxifloxacin .....	22, 103	gramicidin .....	103
metronidazole in nacl (iso-os)	15	MOZOBIL .....	66	neomycin-polymyxin-hc .....	103
mexiletine .....	74	MULPLETA .....	66	neo-polycin .....	103
MIACALCIN .....	127	MULTAQ .....	74	neo-polycin hc .....	103
miconazole-3 .....	47	mupirocin .....	95	NEPHRAMINE 5.4 % .....	70
microgestin 1.5/30 (21) .....	90	mupirocin calcium .....	95	NERLYNX .....	30
microgestin 1/20 (21) .....	90	mycophenolate mofetil .....	120	NESINA .....	43
microgestin fe 1.5/30 (28) .....	90	mycophenolate mofetil hcl ..	120	neuac .....	95
microgestin fe 1/20 (28) .....	90	mycophenolate sodium .....	120	NEULASTA .....	66
midazolam .....	13	MYLOTARG .....	30	NEUPOGEN .....	66
midodrine .....	71	MYOBLOC .....	130	NEUPRO .....	54
miglitol .....	43	MYRBETRIQ .....	109	nevirapine .....	60
miglustat .....	100	myzilra .....	90	NEXAVAR .....	30
mili .....	90	<b>N</b>		niacin .....	81
milrinone .....	78	nabumetone .....	9	niacor .....	81
milrinone in 5 % dextrose .....	78	nadolol .....	75	nicardipine .....	79
mimvey .....	112	nafcillin .....	21	NICOTROL .....	11
mimvey lo .....	112	NAGLAZYME .....	100	nifedipine .....	79
minitran .....	83	naloxone .....	11	nikki (28) .....	90
MINOCIN .....	23	naltrexone .....	11	nilutamide .....	30
minocycline .....	23	NAMENDA XR .....	38	NINLARO .....	30
minoxidil .....	83	NAMZARIC .....	38	NITRO-BID .....	83
MIRCERA .....	66	naproxen .....	9	nitrofurantoin .....	16
mirtazapine .....	40	naratriptan .....	50	nitrofurantoin macrocrystal .....	16
misoprostol .....	106	NARCAN .....	11	nitrofurantoin monohyd/m-cryst	
mitoxantrone .....	30	NATACYN .....	103	.....	16
M-M-R II (PF) .....	124	nateglinide .....	43	nitroglycerin .....	83
moexipril .....	73	NATPARA .....	127	nitroglycerin in 5 % dextrose ..	83
moexipril-hydrochlorothiazide		NEBUPENT .....	53	NIVESTYM .....	67
.....	73	necon 0.5/35 (28) .....	90	nizatidine .....	106
molindone .....	57	necon 1/50 (28) .....	90	nora-be .....	90
mometasone .....	97, 98	necon 10/11 (28) .....	90	NORDITROPIN FLEXPRO .....	115
mondoxyne nl .....	23	necon 7/7/7 (28) .....	90	norepinephrine bitartrate .....	78
mono-linyah .....	90	nefazodone .....	40	noreth-ethinyl estradiol-iron ..	90
mononessa (28) .....	90	neomycin .....	14	norethindrone (contraceptive) ..	90
montelukast .....	137	neomycin-bacitracin-poly-hc	103	norethindrone acetate .....	116

norethindrone ac-eth estradiol		NUTROPIN AQ NUSPIN...	115	ORENCIA (WITH MALTOSE)	
.....	91, 112	NUVARING.....	91	.....	120
norethindrone-e.estradiol-iron	91	nyamyc.....	48	ORENCIA CLICKJECT.....	120
norgestimate-ethinyl estradiol	91	nyata.....	48	ORENITRAM.....	142
norlyda.....	91	nystatin.....	48	ORFADIN.....	100
norlyroc .....	91	nystatin-triamcinolone .....	48	ORLISSA.....	115
NORMOSOL-M IN 5 %		nystop.....	48	ORKAMBI.....	139
DEXTROSE.....	133	<b>O</b>		orsythia.....	91
NORMOSOL-R PH 7.4 .....	133	OCALIVA .....	107	oseltamivir.....	62
NORTHERA .....	71	ocella.....	91	OSENI.....	43
nortrel 0.5/35 (28) .....	91	OCREVUS.....	86	OSMOLEX ER .....	54
nortrel 1/35 (21) .....	91	OCTAGAM.....	120	OTEZLA .....	120
nortrel 1/35 (28) .....	91	octreotide acetate .....	115	OTEZLA STARTER .....	120
nortrel 7/7/7 (28) .....	91	ODEFSEY .....	61	OTOVEL.....	102
nortriptyline.....	40	ODOMZO.....	30	OTREXUP (PF).....	121
NORVIR.....	60	OFEV.....	139	oxacillin.....	21
NOVOLIN 70/30 U-100		ofloxacin .....	22, 103	oxacillin in dextrose(iso-osm)	21
INSULIN.....	45	ogestrel (28).....	91	oxaliplatin .....	30
NOVOLIN N NPH U-100		okebo .....	23	oxandrolone.....	111
INSULIN.....	45	olanzapine.....	57	oxazepam .....	13
NOVOLIN R REGULAR U-		olmesartan.....	72	oxcarbazepine .....	36
100 INSULN .....	45	olmesartan-amlodipin-hcthiamid		OXTELLAR XR.....	36
NOVOLOG FLEXPEN U-100		.....	72	oxybutynin chloride .....	109
INSULIN.....	45	olmesartan-hydrochlorothiazide		oxycodone .....	6
NOVOLOG MIX 70-30 U-100		.....	72	oxycodone-acetaminophen .....	6
INSULN .....	45	olopatadine.....	101, 102	oxycodone-aspirin.....	6
NOVOLOG MIX 70-		OLUMIANT .....	120	OXYCONTIN.....	7
30FLEXPEN U-100 .....	45	OLYSIO.....	63	oxymorphone .....	7
NOVOLOG PENFILL U-100		omega-3 acid ethyl esters .....	81	OZEMPIC .....	43
INSULIN.....	45	omeprazole.....	106	<b>P</b>	
NOVOLOG U-100 INSULIN		OMNITROPE.....	115	pacerone .....	74
ASPART.....	45	ONCASPASR.....	30	paclitaxel .....	30
NOXAFIL .....	47	ondansetron.....	52	paliperidone.....	57
NPLATE.....	130	ondansetron hcl.....	51, 52	PALYNZIQ.....	100
NUCALA .....	139	ondansetron hcl (pf).....	51	pamidronate.....	127
NUCYNTA .....	6	ONFI.....	13	PANRETIN.....	94
NUCYNTA ER .....	6	ONIVYDE.....	30	pantoprazole.....	106
NUEDEXTA .....	86	OPDIVO .....	30	paricalcitol.....	127, 128
NULOJIX.....	120	OPSUMIT.....	142	PARICALCITOL.....	127, 128
NUPLAZID.....	57	oralone .....	93	paroex oral rinse.....	93
NUTRESTORE.....	107	ORENCIA .....	120	paromomycin .....	53
NUTRILIPID .....	70			paroxetine hcl.....	40, 41

PASER .....	50	pilocarpine hcl .....	93, 131	potassium chloride-d5-0.9% nacl	134
PAXIL .....	41	pimozide .....	57	.....	134, 135
PEDIARIX (PF) .....	124	pimtree (28) .....	91	potassium citrate .....	134, 135
PEDVAX HIB (PF).....	124	pindolol.....	75	potassium citrate-citric acid .	135
peg 3350-electrolytes .....	108	pioglitazone .....	43	POTELIGEO.....	31
PEGANONE .....	36	pioglitazone-glimepiride.....	43	POTIGA .....	37
PEGASYS .....	64	pioglitazone-metformin .....	43	PRADAXA .....	66
PEGASYS PROCLICK .....	63	piperacillin-tazobactam .....	21	PRALUENT PEN .....	81
peg-electrolyte soln .....	108	pirmella.....	91	pramipexole.....	54
PEGINTRON .....	64	piroxicam .....	9	prasugrel.....	67
PEN NEEDLE, DIABETIC ...	99	PLASMA-LYTE 148 .....	133	pravastatin .....	82
penicillin g pot in dextrose.....	21	PLASMA-LYTE A.....	133	prazosin .....	71
penicillin g potassium.....	21	PLASMA-LYTE-56 IN 5 %		prednicarbate.....	98
penicillin g procaine .....	21	DEXTROSE .....	133	prednisolone.....	113
penicillin v potassium.....	21	PLEGRIDY .....	86	prednisolone acetate.....	105
PENNSAID .....	94	PLENAMINE .....	70	prednisolone sodium phosphate	
PENTACEL (PF) .....	124	podofilox.....	94	.....	105, 113
PENTACEL DTAP-IPV		polycin .....	103	prednisone .....	113
COMPNT (PF) .....	124	polyethylene glycol 3350.....	108	PREMARIN.....	112
PENTAM .....	53	polymyxin b sulfate .....	16	PREMASOL 10 % .....	71
pentoxifylline .....	67	polymyxin b sulf-trimethoprim		PREMASOL 6 % .....	71
PERIKABIVEN .....	70	.....	103	PREMPHASE.....	112
perindopril erbumine .....	73	POMALYST.....	30	PREMPRO.....	112
periogard.....	93	portia.....	91	prenatal plus (calcium carb). 142	
PERJETA .....	30	PORTRAZZA.....	31	.....	142
permethrin .....	98	potassium acetate.....	133	PREPOPIK.....	108
perphenazine.....	57	potassium chlorid-d5-0.45% nacl		prevalite.....	82
perphenazine-amitriptyline.....	41	.....	133	previfem .....	91
PERTZYE .....	100	potassium chloride.....	134	PREVYMIS .....	62
pfizerpen-g .....	21	potassium chloride in 0.9% nacl		PREZCOBIX .....	61
phenadoz.....	52	.....	134	PREZISTA .....	61
phenelzine.....	41	potassium chloride in 5 % dex		PRIFTIN .....	50
phenobarbital.....	36, 37	.....	134	PRIMAQUINE .....	53
phenylephrine hcl .....	71, 102	potassium chloride in lr-d5 ..	134	primidone .....	37
phenytoin.....	37	potassium chloride in water. 134		PRIVIGEN.....	121
phenytoin sodium .....	37	potassium chloride-0.45 % nacl		PROAIR HFA.....	138
phenytoin sodium extended....	37	.....	134	PROAIR RESPICLICK.....	138
philith .....	91	potassium chloride-d5-0.2% nacl		probenecid.....	48
PHOSLYRA.....	109	.....	134	probenecid-colchicine .....	48
PHOSPHOLINE IODIDE.....	131	potassium chloride-d5-0.3% nacl		procainamide.....	74
PICATO .....	94	.....	134	PROCALAMINE 3% .....	71
PIFELTRO .....	61				

prochlorperazine.....	52	quinapril-hydrochlorothiazide	73	revonto .....	140
prochlorperazine edisylate.....	52	quinidine gluconate.....	74	REXULTI .....	58
prochlorperazine maleate .....	52	quinidine sulfate .....	74	REYATAZ.....	61
PROCRIT .....	67	quinine sulfate.....	53	RHOPRESSA .....	131
procto-med hc.....	98	QVAR.....	136	ribasphere.....	64
procto-pak.....	98	QVAR REDIHALER .....	136	ribasphere ribapak.....	64
proctosol hc .....	98	<b>R</b>		ribavirin.....	64
proctozone-hc .....	98	RABAVERT (PF) .....	124	RIDAURA .....	121
PROCYSBI .....	100	rabeprazole.....	106	rifabutin.....	50
progesterone in oil.....	117	RADICAVA .....	86	rifampin.....	50
progesterone micronized .....	117	raloxifene .....	112	RIFATER.....	50
PROGLYCEM .....	130	ramipril .....	73	riluzole .....	86
PROGRAF .....	121	RANEXA.....	78	rimantadine .....	63
PROLASTIN-C.....	139	ranitidine hcl.....	106	ringer's.....	126, 135
PROLENSA .....	105	RAPAMUNE.....	121	risedronate.....	128
PROLEUKIN .....	31	rasagiline.....	54	RISPERDAL CONSTA.....	58
PROLIA .....	128	RASUVO (PF).....	121	risperidone.....	58
PROMACTA.....	67	RAVICTI.....	107	ritonavir.....	61
promethazine .....	49, 52	RAYALDEE.....	128	RITUXAN.....	31
promethazine vc .....	49	REBIF (WITH ALBUMIN) ..	86	RITUXAN HYCELA .....	31
promethegan .....	52	REBIF REBIDOSE .....	86	rivastigmine.....	39
propafenone .....	74	REBIF TITRATION PACK..	86	rivastigmine tartrate .....	38
propantheline.....	34	reclipsen (28).....	91	rizatriptan .....	50
proparacaine .....	102	RECOMBIVAX HB (PF)....	124	ropinirole.....	54
propranolol .....	75	REGANEX .....	94	rosadan .....	95
propranolol-hydrochlorothiazid		RELENZA DISKHALER .....	63	rosuvastatin .....	82
.....	75	RELISTOR .....	107	ROTARIX.....	124
propylthiouracil .....	117	REMICADE .....	121	ROTATEQ VACCINE.....	124
PROQUAD (PF) .....	124	REMODULIN .....	142	ROWEEPRA.....	37
PROSOL 20 % .....	71	RENAGEL.....	109	RUBRACA .....	31
protamine.....	67	RENFLEXIS.....	130	RYDAPT.....	31
protriptyline.....	41	repaglinide .....	43	<b>S</b>	
PULMOZYME.....	100	repaglinide-metformin .....	43	SABRIL .....	37
PURIXAN .....	31	REPATHA PUSHTRONEX .	82	SAIZEN .....	115
pyrazinamide .....	50	REPATHA SURECLICK.....	82	SAIZEN SAIZENPREP.....	115
pyridostigmine bromide .....	130	REPATHA SYRINGE .....	82	SANDOSTATIN LAR DEPOT	
<b>Q</b>		reprexain .....	7	.....	115
QBRELIS .....	73	RESCRIPTOR.....	61	SANTYL.....	94
QUADRACEL (PF) .....	124	RESTASIS.....	105	SAPHRIS .....	58
quasense .....	91	RETACRIT.....	67	SAVAYSA.....	66
quetiapine .....	57, 58	RETROVIR .....	61	SAVELLA .....	86
quinapril .....	73	REVLIMID.....	31	scopolamine base .....	52



selegiline hcl.....	54	sorine .....	75	sumatriptan succinate.....	50
selenium sulfide.....	95	sotalol.....	75	SUPPRELIN LA.....	116
SELZENTRY .....	61	sotalol af .....	75	SUPRAX.....	18
SENSIPAR.....	128	SOVALDI.....	63	SUPREP BOWEL PREP KIT	
SEREVENT DISKUS .....	138	spinosad .....	98	.....	108
SEROSTIM .....	116	SPIRIVA RESPIMAT.....	138	SURMONTIL .....	41
sertraline .....	41	SPIRIVA WITH		SUTENT .....	31
setlakin .....	91	HANDIHALER.....	138	syeda .....	91
sevelamer carbonate .....	109	spironolactone.....	80	SYLATRON .....	64
sharobel .....	91	spironolacton-hydrochlorothiaz		SYLVANT.....	31
SHINGRIX (PF).....	125	.....	80	SYMBICORT .....	137
SIGNIFOR .....	116	SPORANOX.....	48	SYMDEKO.....	139
sildenafil (antihypertensive) .	142	sprintec (28).....	91	SYMFI .....	61
SILENOR.....	140	SPRITAM.....	37	SYMFI LO.....	61
SILIQ.....	94	SPRYCEL.....	31	SYMLINPEN 120.....	43
silver sulfadiazine.....	95	sps (with sorbitol).....	108	SYMLINPEN 60.....	43
SIMBRINZA.....	131	sronyx .....	91	SYMTUZA .....	61
SIMPONI .....	121	ssd .....	95	SYNAGIS .....	63
SIMPONI ARIA.....	121	stavudine.....	61	SYNAREL .....	116
simvastatin.....	82	STELARA .....	121	SYNDROS.....	52
sirolimus .....	121	STERILE PADS.....	99	SYNERCID.....	16
SIRTURO.....	50	STIMATE.....	116	SYNJARDY.....	43
smoflipid.....	71	STIOLTO RESPIMAT.....	138	SYNJARDY XR.....	43
sodium acetate .....	135	STIVARGA .....	31	SYNRIBO.....	31
sodium chloride.....	126, 135	STRENSIQ .....	100	<b>T</b>	
sodium chloride 0.45 %.....	135	streptomycin .....	14	TABLOID.....	31
sodium chloride 0.9 %.....	135	STRIBILD .....	61	tacrolimus.....	98, 121
sodium lactate.....	135	STRIVERDI RESPIMAT...	138	tadalafil (antihypertensive) ..	142
sodium phenylbutyrate .....	107	SUBLOCADE .....	7	TAFINLAR.....	31
sodium phosphate.....	135	SUBOXONE .....	11	TAGRISSE.....	31
sodium polystyrene (sorb free)		subvenite.....	37	TAKHZYRO.....	130
.....	107	sucalfate.....	106	TALTZ AUTOINJECTOR...	94
sodium polystyrene sulfonate		sulfacetamide sodium .....	104	TALTZ SYRINGE.....	94
.....	108	sulfacetamide sodium (acne) .	95	tamoxifen .....	31
SOLQUA 100/33 .....	45	sulfacetamide-prednisolone .	104	tamsulosin .....	110
soloxide .....	23	sulfadiazine.....	22	TARCEVA.....	32
SOLTAMOX.....	31	sulfamethoxazole-trimethoprim		TARGRETIN.....	32
SOLU-CORTEF (PF).....	114	.....	22	tarina fe 1/20 (28).....	92
SOMATULINE DEPOT .....	116	sulfasalazine.....	126	TASIGNA .....	32
SOMAVERT.....	116	sulfatrim.....	22	TAVALISSE.....	67
sorbitol.....	126	sulindac.....	9	tazarotene .....	98
sorbitol-mannitol .....	126	sumatriptan .....	50	tazicef.....	18

TAZORAC.....	98	tigecycline.....	23	trazodone.....	41
taztia xt.....	76	tilia fe.....	92	TREANDA.....	32
TECENTRIQ.....	32	timolol maleate.....	75, 131, 132	TRECTOR.....	50
TECFIDERA.....	86	tinidazole.....	53	TRELEGY ELLIPTA.....	138
TECHNIVIE.....	63	TIVICAY.....	61	TRELSTAR.....	32
TEFLARO.....	18	tizanidine.....	140	TREMFYA.....	94
TEKAMLO.....	82	TOBI PODHALER.....	14	tretinoin.....	98
TEKURNA.....	82	TOBRADEX.....	104	tretinoin (chemotherapy).....	33
TEKURNA HCT.....	82	TOBRADEX ST.....	104	TREXALL.....	33
telmisartan.....	72	tobramycin.....	104	tri femynor.....	92
telmisartan-amlodipine.....	72	tobramycin in 0.225 % nacl... 14		triamcinolone acetonide .. 93, 98,	
telmisartan-hydrochlorothiazid.....	72	tobramycin in 0.9 % nacl..... 15		114	
temazepam.....	13	tobramycin sulfate.....	15	triamterene-hydrochlorothiazid.....	80
TEMODAR.....	32	tobramycin-dexamethasone . 104		triazolam.....	14
temsirolimus.....	32	TOLAK.....	94	tridesilon.....	98
tencon.....	7	tolazamide.....	46	trientine.....	110
TENIVAC (PF).....	125	tolbutamide.....	46	tri-estarylla.....	92
tenofovir disoproxil fumarate.61		tolmetin.....	9	trifluoperazine.....	58
terazosin.....	110	tolterodine.....	109	trifluridine.....	104
terbinafine hcl.....	48	topiramate.....	37	trihexyphenidyl.....	54
terbutaline.....	138	toposar.....	32	tri-legest fe.....	92
terconazole.....	49	topotecan.....	32	tri-linyah.....	92
testosterone.....	111	TORISEL.....	32	tri-lo-estarylla.....	92
testosterone cypionate.....	111	torsemide.....	80	tri-lo-marzia.....	92
testosterone enanthate.....	111	TOTECT.....	130	tri-lo-sprintec.....	92
TETANUS,DIPHThERIA TOX PED(PF).....	125	TOUJEO MAX U-300 SOLOSTAR.....	46	trilyte with flavor packets ... 108	
TETANUS-DIPHThERIA TOXOIDS-TD.....	125	TOUJEO SOLOSTAR U-300 INSULIN.....	46	trimethoprim.....	16
tetrabenazine.....	86	TOVIAZ.....	109	tri-mili.....	92
tetracycline.....	23	TPN ELECTROLYTES.....	135	trimipramine.....	41
THALOMID.....	130	TPN ELECTROLYTES II.. 135		trinessa (28).....	92
theophylline.....	138	TRACLEER.....	142	TRINTELLIX.....	41
theophylline in dextrose 5 % 138		TRADJENTA.....	43	tri-previfem (28).....	92
THIOLA.....	130	tramadol.....	7	TRIPTODUR.....	116
thioridazine.....	58	tramadol-acetaminophen.....	7	tri-sprintec (28).....	92
thiotepa.....	32	trandolapril.....	73	TRIUMEQ.....	61
thiothixene.....	58	tranexamic acid.....	67	trivora (28).....	92
tiagabine.....	37	TRANSDERM-SCOP.....	52	tri-vylibra.....	92
TIBSOVO.....	32	tranylcypromine.....	41	TROGARZO.....	62
TICE BCG.....	125	TRAVASOL 10 %.....	71	TROKENDI XR.....	37
		TRAVATAN Z.....	132	TROPHAMINE 10 %.....	71
				TROPHAMINE 6%.....	71

trospium.....	109	VENCLEXTA STARTING		VOTRIENT.....	33
TRULICITY.....	43	PACK.....	33	VPRIV.....	100
TRUMENBA .....	125	venlafaxine.....	41	VRAYLAR .....	58
TRUVADA .....	62	VENTOLIN HFA .....	138	vyfemla (28).....	92
tulana .....	92	verapamil .....	76	vylibra .....	92
TWINRIX (PF) .....	125	VEREGEN.....	94	VYXEOS .....	33
TYBOST .....	130	VERSACLOZ.....	58	<b>W</b>	
TYKERB.....	33	VERZENIO .....	33	warfarin .....	66
TYMLOS .....	128	VESICARE.....	109	water for irrigation, sterile ...	126
TYPHIM VI .....	125	vestura (28).....	92	WELCHOL.....	82
TYSABRI.....	121	VGO 40.....	99	wera (28).....	92
TYVASO.....	142	VIBERZI .....	108	wymzya fe.....	92
TYZINE .....	102	vicodin .....	7	<b>X</b>	
<b>U</b>		vicodin es.....	7	XADAGO .....	54
UCERIS.....	126	vicodin hp .....	7	XALKORI.....	33
ULORIC.....	48	VICTOZA.....	44	XARELTO.....	66
UNITUXIN .....	33	VIDEX 2 GRAM PEDIATRIC		XARTEMIS XR.....	7
UPTRAVI.....	142	.....	62	XATMEP .....	33
ursodiol.....	108	VIDEX 4 GRAM PEDIATRIC		XELJANZ.....	121, 122
<b>V</b>		.....	62	XELJANZ XR .....	122
valacyclovir .....	64	VIDEX EC.....	62	XERMELO .....	108
VALCHLOR .....	94	VIEKIRA PAK.....	63	XGEVA.....	128
valganciclovir .....	64	VIEKIRA XR .....	63	XIFAXAN.....	16
valproate sodium .....	38	vienna.....	92	XIIDRA.....	105
valproic acid .....	38	vigabatrin.....	38	XOLAIR .....	139
valproic acid (as sodium salt).....	38	vigadrone .....	38	XTAMPZA ER.....	7
valsartan .....	72	VIIBRYD.....	41	XTANDI .....	34
valsartan-hydrochlorothiazide.....	72	VIMIZIM.....	100	xulane.....	93
VALSTAR .....	33	VIMOVO.....	9	XULTOPHY 100/3.6.....	46
vancomycin .....	16	VIMPAT.....	38	XURIDEN.....	130
vancomycin in dextrose 5 % ..	16	vinblastine.....	33	xylon 10 .....	7
VAQTA (PF).....	125	vincasar pfs.....	33	XYREM .....	140
VARIVAX (PF) .....	125	vincristine .....	33	<b>Y</b>	
VASCEPA.....	82	vinorelbine .....	33	YERVOY .....	34
VECTIBIX .....	33	viorele (28) .....	92	YF-VAX (PF) .....	125
VELCADE .....	33	VIRACEPT.....	62	YONDELIS.....	34
velivet triphasic regimen (28).....	92	VIRAMUNE.....	62	YONSA.....	34
VELPHORO.....	109	VIREAD .....	62	yuvafem.....	112
VELTASSA .....	108	VISTOGARD .....	130	<b>Z</b>	
VEMLIDY .....	62	VOLTAREN.....	95	zafirlukast.....	137
VENCLEXTA.....	33	voriconazole.....	48	zaleplon .....	141
		VOSEVI.....	63	ZALTRAP.....	34

zarah .....	93	ZIRGAN .....	104	ZORBTIVE.....	116
ZARXIO.....	67	ZOHYDRO ER .....	8	ZORTRESS.....	122
zebutal .....	7	ZOLADEx .....	34	ZOSTAVAX (PF).....	126
ZEJULA .....	34	zoledronic acid.....	128	zovia 1/35e (28) .....	93
ZELBORAF .....	34	zoledronic acid-mannitol-water		zovia 1/50e (28) .....	93
zenatane.....	95	.....	128	ZOVIRAX.....	95
zenchent (28).....	93	zoledronic ac-mannitol-0.9nacl		ZUBSOLV .....	11
zenchent fe.....	93	.....	128	ZURAMPIC.....	48
ZENPEP .....	101	ZOLINZA .....	34	ZYDELIG .....	34
ZEPATIER.....	63	zolmitriptan.....	50	ZYKADIA .....	34
ZERIT.....	62	zolpidem .....	141	ZYLET .....	104
zidovudine .....	62	ZOMACTON.....	116	ZYPREXA RELPREVV .	58, 59
ZIOPTAN (PF).....	132	ZOMETA.....	128	ZYTIGA.....	34
ziprasidone hcl.....	58	zonisamide .....	38		

Este formulario fue actualizado el 11/01/2018. Para obtener información actualizada o si tiene preguntas, contacte a ATRIO Health Plans llamando al 1-877-672-8620 o para usuarios de TTY/TDD, al 1-800-735-2900, todos los días de 8:00 a.m. a 8:00 p.m., o visite el sitio web [atriohp.com](http://atriohp.com).