



**ATRIO Special Needs Plan (HMO SNP)
ATRIO Special Needs Plan (Willamette) (HMO SNP)**

**Formulario 2019
(Lista de medicamentos cubiertos)**

**POR FAVOR LEER: ESTE DOCUMENTO CONTIENE INFORMACIÓN
SOBRE LOS MEDICAMENTOS QUE CUBRIMOS EN ESTE PLAN**

Archivo 19101 del Formulario aprobado del HPMS, versión número 8

Este formulario fue actualizado el 10/09/2018. Para obtener información actualizada o si tiene preguntas, contacte a ATRIO Health Plans llamando al 1-877-672-8620 o para usuarios de TTY, al 1-800-735-2900, todos los días de 8:00 a.m. a 8:00 p.m., o visite el sitio web www.atriohp.com.

Los Planes de salud ATRIO poseen planes PPO y HMO D-SNP con un contrato Medicare. La inscripción en los Planes de salud ATRIO depende de la renovación del contrato.

ATENCIÓN: Si usted habla a español, servicios de asistencia de idioma, de forma gratuita, están disponibles para usted. Llamar al 1-877-672-8620 (TTY: 1-800-735-2900)

Aviso para los miembros existentes: Este formulario ha cambiado desde el año pasado. Por favor revise este documento para asegurarse de que todavía contiene los medicamentos que usted toma.

Cuando en esta lista de medicamentos (Formulario) se mencione "nosotros" o "nuestro", estos términos hacen referencia a los planes de salud de ATRIO Health Plans. Cuando se mencione "nosotros" o "nuestro", estos términos hacen referencia a ATRIO Special Needs Plan (HMO SNP) y ATRIO Special Needs Plan (Willamette) (HMO SNP).

Este documento incluye una lista de los medicamentos (formulario) de nuestro plan que está en vigencia desde el 10/09/2018. Contáctenos si desea solicitar un formulario actualizado. Nuestra información de contacto, así como la fecha en que se actualizó el formulario por última vez, figura en la portada y en la contratapa.

Para tener acceso al beneficio de medicamentos recetados, en general, debe utilizar las farmacias de la red. Los beneficios, formulario, red de farmacias y/o copagos/coseguros pueden cambiar el 1º de enero de 2020, y de vez en cuando durante el año.

¿Qué es el Formulario de ATRIO Health Plans?

Un formulario es una lista de medicamentos cubiertos seleccionados por ATRIO Health Plans en consulta con un equipo de proveedores de atención médica, el cual representa las terapias prescritas que se creen son una parte necesaria de un programa de tratamiento de calidad. ATRIO Health Plans generalmente cubrirá los medicamentos que se listan en nuestro formulario siempre que el medicamento sea necesario a nivel médico, la receta sea surtida en una farmacia de la red ATRIO Health Plans y se sigan otras reglas del plan. Para más información sobre cómo surtir sus recetas, por favor revise la Evidencia de cobertura.

¿Puede modificarse este Formulario (Lista de medicamentos)?

Generalmente, si usted está tomando un medicamento de nuestro formulario 2018 que fue cubierto al comienzo del año, no discontinuaremos ni reduciremos la cobertura de este medicamento durante el año de cobertura 2019, excepto si un medicamento genérico nuevo y más económico se encuentra disponible o si existe información nueva adversa sobre la seguridad o eficacia de un medicamento, o el medicamento ha sido retirado del mercado. (Consulte las viñetas a continuación para obtener más información sobre los cambios que afectan a los miembros que actualmente toman el medicamento). Otro tipo de cambios en el formulario, tales como la eliminación de un medicamento del formulario, no afectarán a los miembros que actualmente se encuentran tomando el medicamento. Permanecerá disponible al mismo costo compartido para aquellos miembros que estén tomando el medicamento durante el resto del año de cobertura. A continuación se encuentran los cambios a la lista de medicamentos que también afectan a los miembros que actualmente están tomando un medicamento:

- **Nuevos medicamentos genéricos.** Es posible que quitemos inmediatamente un medicamento de marca de nuestra Lista de medicamentos si lo reemplazamos con un medicamento genérico que aparecerá por el mismo costo o por un menor costo de medicamento compartido y con las mismas restricciones o menos. Además, al agregar el nuevo medicamento genérico, es posible que decidamos conservar el medicamento de marca en nuestra Lista de medicamentos, pero inmediatamente lo pasaremos a un nivel de costo compartido diferente o agregaremos nuevas restricciones. Si actualmente toma un medicamento de marca, es posible que no le avisemos anticipadamente antes de realizar ese cambio, pero posteriormente le brindaremos la información sobre el cambio específico que hemos realizado.
 - Si realizamos ese cambio, usted o su proveedor pueden pedirnos que hagamos una excepción y continuemos cubriendo el medicamento de marca para usted. En el aviso también incluiremos información sobre los pasos que puede seguir para solicitar una excepción, y también puede encontrar información en la sección con el título “¿Cómo puedo solicitar una excepción al Formulario de ATRIO Health Plans?”.

- Medicamentos sacados del mercado. Si la Administración de Alimentos y Medicamentos (FDA) de los EE.UU. determina que un medicamento de nuestro formulario no es seguro o si el fabricante del medicamento lo retira del mercado, eliminaremos inmediatamente el medicamento de nuestro formulario y se lo notificaremos a los miembros que toman el medicamento.
- **Otros cambios.** Es posible que realicemos otros cambios que pueden afectar a los miembros que actualmente están tomando un medicamento. Por ejemplo, podemos agregar un nuevo medicamento genérico para reemplazar un medicamento de marca que actualmente está en el formulario o podemos agregar nuevas restricciones al medicamento de marca o incluso colocarlo en un nivel de costo compartido diferente. O podemos hacer cambios en función de los nuevos lineamientos clínicos. Si quitamos medicamentos de nuestro formulario, o si agregamos requisitos de autorización previa, límites de cantidad o restricciones de terapia escalonada para un medicamento, debemos notificar el cambio a los miembros afectados por lo menos 30 días antes de la fecha en que el cambio entre en vigencia, o en el momento en que el miembro haga una solicitud para volver a surtir la receta del medicamento (en este último caso, recibirá un suministro del medicamento para 30 días).

El formulario adjunto está en vigencia desde el 10/18/2018. Contáctenos para obtener información actualizada sobre los medicamentos cubiertos por ATRIO Health Plans. Nuestra información de contacto figura en la portada y en la contratapa.

ATRIO Health Plans actualizará los formularios mensualmente y brindará un documento que enumere los cambios en el formulario. La lista se publicará en atriohp.com/medicare o puede solicitarla al 1-877-672-8620, todos los días, de 8:00 a. m. a 8:00 p. m. Los usuarios de TTY/TDD deben llamar al 1-800-735-2900.

¿Cómo utilizo el formulario?

Existen dos formas de encontrar su medicamento en el formulario:

Enfermedad

El formulario comienza en la página 1. En este formulario, los medicamentos están agrupados en categorías según el tipo de enfermedades para las que se utilizan. Por ejemplo, los medicamentos utilizados para tratar una enfermedad cardíaca se enumeran bajo la categoría "Agentes cardiovasculares". Si sabe para qué se utiliza su medicamento, busque el nombre de la categoría en la lista que comienza en la página 1. Luego, busque el medicamento dentro de esa categoría.

Lista en orden alfabético

Si no sabe en qué categoría buscar, busque el medicamento en el Índice que comienza en la página I-1. El Índice proporciona una lista en orden alfabético de todos los medicamentos incluidos en este documento. En el Índice se enumeran tanto los medicamentos de marca como los genéricos. Busque en el Índice para encontrar su medicamento. Junto al nombre del medicamento, verá el número de página en la que podrá encontrar información sobre la cobertura. Diríjase a la página que se indica en el Índice y busque el nombre de su medicamento en la primera columna de la lista.

¿Qué son los medicamentos genéricos?

ATRIO Health Plans cubre tanto medicamentos de marca como genéricos. Un medicamento genérico está aprobado por el FDA por tener los mismos ingredientes activos que un medicamento de marca. En general, los medicamentos genéricos cuestan menos que los medicamentos de marca.

¿Existen restricciones en mi cobertura?

Es posible que algunos medicamentos cubiertos posean requisitos adicionales o límites en la cobertura. Estos requisitos y límites pueden incluir:

- **Autorización previa (PA):** ATRIO Health Plans requiere que usted o su médico obtengan autorización previa para ciertos medicamentos. Esto significa que deberá obtener aprobación de ATRIO Health Plans antes de poder surtir sus recetas. Si no obtiene aprobación, ATRIO Health Plans podría no cubrir el medicamento.
- **Límites de cantidad (QL):** Para ciertos medicamentos ATRIO Health Plans limita la cantidad de ese medicamento que el plan cubrirá. Por ejemplo, ATRIO Health Plans provee 30 comprimidos por receta para simvastatina. Esto además del suministro estándar de uno o tres meses.
- **Terapia escalonada (ST):** En algunos casos, ATRIO Health Plans requiere que pruebe utilizar primero ciertos medicamentos para tratar su enfermedad antes de cubrir otro medicamento para dicha enfermedad. Por ejemplo, si tanto el Medicamento A como el Medicamento B se utilizan para tratar su enfermedad, ATRIO Health Plans podría no cubrir el Medicamento B a menos que pruebe primero con el Medicamento A. Si el Medicamento A no funciona para usted, entonces ATRIO Health Plans cubrirá el Medicamento B.

Para saber si su medicamento tiene algún requisito o límite adicional, consulte el Formulario que comienza en la página 1. También puede obtener más información sobre las restricciones aplicadas a determinados medicamentos cubiertos visitando nuestro sitio web. Hemos publicado documentos en línea que explican nuestra autorización previa y las restricciones de la terapia escalonada. También puede solicitar que le enviemos una copia. Nuestra información de contacto, así como la fecha en que se actualizó el formulario por última vez, figura en la portada y en la contratapa.

Puede solicitarle a ATRIO Health Plans que haga una excepción a estas restricciones o a los límites o solicitar un lista de otros medicamentos similares que pueden utilizarse en el tratamiento de su afección. Consulte la sección, “¿Cómo solicito una excepción al formulario de ATRIO Health Plans?” en la página iv para obtener información sobre cómo solicitar una excepción.

¿Qué son los medicamentos de venta libre (OTC)?

Los medicamentos de venta libre (OTC, por sus siglas en inglés) son medicamentos sin receta que normalmente no están cubiertos en un plan de medicamentos recetados de Medicare. Los planes de salud ATRIO pagan por determinados medicamentos de venta libre. ATRIO Health Plans le proporcionarán estos medicamentos de venta libre sin costo. El costo para ATRIO Health Plans de estos medicamentos de venta libre no se tendrá en cuenta para sus costos totales de los medicamentos de la Parte D (esto es, el importe que usted paga no se tiene en cuenta para la brecha de cobertura).

MEDICAMENTOS DE VENTA LIBRE CUBIERTOS

Nombre del genérico	(Marca de referencia)	Presentación
clorhidrato de cetirizina	(Zyrtec)	Comprimidos masticables, solución, comprimidos
Clorhidrato de cetirizina/pseudoefedrina hidrocloreuro	(Zyrtec-D)	Comprimidos de 12 horas
loratadina	(Claritin)	Solución, comprimidos

Nombre del genérico	(Marca de referencia)	Presentación
loratadina/pseudoefedrina sulfato	(Claritin-D)	Comprimidos de 12 horas Comprimidos de 24 horas
ketotifeno fumarato	(Zaditor)	Gotas

¿Qué sucede si mi medicamento no se encuentra en el formulario?

Si su medicamento no se encuentra en este formulario (lista de medicamentos cubiertos), primero debe contactarse con el Servicio de atención al cliente y preguntar si su medicamento está cubierto.

En caso de que ATRIO Health Plans no cubra su medicamento, tiene dos opciones:

- Puede solicitar al Servicio de atención al cliente que le envíen una lista de medicamentos similares que cubre ATRIO Health Plans. Cuando reciba la lista, muéstresela a su médico y pídale que le recete un medicamento similar cubierto por ATRIO Health Plans.
- También puede solicitarle a ATRIO Health Plans que haga una excepción y cubra su medicamento. Vea a continuación la información sobre cómo solicitar una excepción.

¿Cómo solicito una excepción al formulario de ATRIO Health Plans?

Puede solicitarle a ATRIO Health Plans que haga una excepción con respecto a nuestras reglas de cobertura. Hay varios tipos de excepciones que puede pedirnos que hagamos.

- Puede solicitarnos que cubramos un medicamento, aunque no esté incluido en nuestro formulario. Si se aprueba, este medicamento estará cubierto en un nivel de costo compartido predeterminado y usted no podrá pedirnos que le suministremos el medicamento en un nivel de costo compartido menor.
- Puede solicitarnos que no apliquemos las restricciones o los límites de cobertura a su medicamento. Por ejemplo, para ciertos medicamentos ATRIO Health Plans limita la cantidad de ese medicamento que cubriremos. Si su medicamento tiene un límite de cantidad, puede solicitarnos que no apliquemos ese límite y cubramos una cantidad mayor.

Generalmente, ATRIO Health Plans aprobará su solicitud de una excepción únicamente si los medicamentos alternativos figuran en el Formulario del plan, el medicamento de nivel de costo compartido inferior o las restricciones adicionales de uso no son tan efectivas para tratar su enfermedad y/o si le provocan efectos médicos adversos.

Debe contactarnos para solicitarnos una decisión de cobertura inicial de formulario o de excepción. **Cuando solicita una excepción de formulario, deberá enviar una declaración de su médico o persona que le prescribe que justifique su solicitud.** Generalmente, tomamos una decisión dentro de las 72 horas de haber recibido la justificación médica. Puede solicitar una excepción acelerada (rápida) si usted o su médico consideran que su salud podría verse seriamente afectada si debe esperar por la decisión hasta 72 horas. Si se decide tomar una decisión acelerada, debemos informarle la decisión dentro de las 24 horas de haber recibido la justificación médica.

¿Qué hago antes de hablar con mi médico sobre el cambio de medicamento o la solicitud de excepción?

Como miembro nuevo o ya existente de nuestro plan, es posible que esté tomando medicamentos que no estén en nuestro formulario, o puede estar tomando un medicamento que esté en nuestro formulario pero su posibilidad de adquirirlo esté limitada. Por ejemplo, es posible que necesite nuestra autorización previa antes de surtir su receta. Debe hablar con su médico para decidir si debe cambiar a un medicamento que sí cubramos o solicitar una excepción al formulario para poder obtener cobertura para el medicamento. Mientras habla con su médico para determinar qué acción tomar, es posible que cubramos el medicamento en ciertos casos durante sus primeros 90 días como miembro de nuestro plan.

Para cada uno de sus medicamentos que no se encuentre en el formulario o si posee un límite para obtenerlos, cubriremos un suministro provisorio de 30 días (a menos que tenga una receta para un período de tiempo menor) cuando vaya a una farmacia de la red. Luego del primer suministro de 30 días, no cubriremos más estos medicamentos, aún si ha sido miembro del plan por menos de 90 días.

Si usted es residente de un centro de atención prolongada, y necesita un medicamento que no se encuentra en nuestro formulario o si posee un límite para obtenerlos y ya han pasado los primeros 90 días desde que se hizo miembro de nuestro plan, cubriremos un suministro de emergencia de 31 días (a menos que posea una receta para un período de tiempo menor) mientras solicita una excepción del formulario.

Si lo admiten o le dan de alta de un centro, cubriremos los “primeros reabastecimientos” de los medicamentos cubiertos anteriormente según sea necesario al momento de la admisión o el alta del centro.

Para más información

Para obtener información detallada sobre la cobertura de medicamentos recetados de ATRIO Health Plans, por favor revise la Evidencia de cobertura y otros documentos del plan.

Contáctenos si tiene preguntas sobre ATRIO Health Plans. Nuestra información de contacto, así como la fecha en que se actualizó el formulario por última vez, figura en la portada y en la contratapa.

Si tiene consultas generales sobre la cobertura de medicamentos de Medicare, por favor comuníquese con Medicare en el 1-800-MEDICARE (1-800-633-4227) durante las 24 horas, los 7 días de la semana. Los usuarios de TTY deben llamar al 1-877-486-2048. O, visitar <http://www.medicare.gov>.

Formulario de ATRIO Health Plans

El formulario de abajo brinda información de cobertura sobre algunos de los medicamentos cubiertos por ATRIO Health Plans. Si tiene inconvenientes para encontrar su medicamento, consulte el Índice que comienza en la página I-1.

La primera columna muestra el nombre del medicamento. Los medicamentos de marca aparecen en mayúscula (por ejemplo: CRESTOR) y los medicamentos genéricos se enumeran en minúscula (por ejemplo: rosuvastatina).

Los datos en la columna Requisitos/Límites le informan si ATRIO Health Plans posee algún requerimiento especial para la cobertura del medicamento.

NIVELES DE COSTO COMPARTIDO

Plan	Copago por venta minorista (suministro por 1 mes)	Copago por pedidos por correo (suministro por 3 mes)
ATRIO Special Needs Plan (HMO SNP) ATRIO Special Needs Plan (Willamette) (HMO SNP)	\$0 / \$1.25 / \$3.40 o \$0 / 3.80 / \$8.50 o 25 % Según el tipo de medicamento y el nivel de subsidio por bajos ingresos	\$0 / \$1.25 / \$3.40 o \$0 / 3.80 / \$8.50 o 25 % Según el tipo de medicamento y el nivel de subsidio por bajos ingresos

Las siguientes abreviaturas de las Restricciones en la Administración de Uso pueden encontrarse en el cuerpo de este documento.

ABREVIATURAS DE COMENTARIOS DE COBERTURA

ABREVIATURA	DESCRIPCIÓN	EXPLICACIÓN
PA	Restricción de autorización previa	Usted (o su médico) debe solicitar autorización previa de ATRIO Health Plans antes de surtir su receta para este medicamento. Sin la aprobación, es posible que ATRIO Health Plans no cubra este medicamento.
PA BvD	Restricción de autorización previa para la Determinación de la Parte D vs Parte B	Este medicamento puede ser elegible para pago dentro de Medicare Parte B o Parte D. Usted (o su médico) debe solicitar autorización previa de ATRIO Health Plans para determinar si este medicamento está cubierto por Medicare Parte D antes de surtir su receta para este medicamento. Sin la aprobación, es posible que ATRIO Health Plans no cubra este medicamento.
PA-HRM	Restricción de autorización previa para Medicamentos de alto riesgo	Este medicamento es considerado potencialmente riesgoso por los CMS y por lo tanto, un Medicamento de alto riesgo para los beneficiarios de 65 años de edad en adelante. Los beneficiarios de 65 años o más deben solicitar autorización previa de ATRIO Health Plans antes de surtir su receta para este medicamento. Sin la aprobación, es posible que ATRIO Health Plans no cubra este medicamento.
PA NSO	Restricción de autorización previa para Nuevas tomas solamente	Si es un miembro nuevo o si no ha tomado este medicamento previamente, usted (o su médico) debe obtener autorización previa de ATRIO Health Plans antes de surtir su receta por este medicamento. Sin la aprobación, es posible que ATRIO Health Plans no cubra este medicamento.
QL	Restricción de Límite de Cantidad	ATRIO Health Plans limita la cantidad de este medicamento que está cubierto por receta, o dentro de un plazo de tiempo específico.
ST	Restricción de terapia escalonada	Antes que ATRIO Health Plans le brinde cobertura por este medicamento, debe primero probar otro(s) medicamento(s) para tratar su afección médica. Este medicamento puede estar únicamente cubierto si otro(s) medicamento(s) no funcionan en su caso.

OTROS REQUISITOS ESPECIALES PARA LA COBERTURA

ABREVIATURA	DESCRIPCIÓN	EXPLICACIÓN
LA	Medicamento de Acceso Limitado	Esta receta puede estar disponible solo en algunas farmacias. Para más información, consulte el Directorio de farmacias o llame al Servicio de atención al cliente al 1-877-672-8620, todos los días, de 8:00 a.m. a 8:00 p.m. Los usuarios de TTY/TDD deben llamar al 1-800-735-2900.
NDS	Días de suministro no extendido	Este medicamento no está disponible para un suministro de 90 días.
NM	Sin pedido por correo	Este medicamento no está disponible en farmacias para pedidos por correo

Table of Contents

Analgesics	3
Anesthetics	7
Anti-Addiction/Substance Abuse Treatment Agents	7
Antianxiety Agents	8
Antibacterials	9
Anticancer Agents	16
Anticholinergic Agents	25
Anticonvulsants	25
Antidementia Agents	28
Antidepressants	29
Antidiabetic Agents	31
Antifungals	35
Antigout Agents	36
Antihistamines	36
Anti-Infectives (Skin And Mucous Membrane)	36
Antimigraine Agents	37
Antimycobacterials	37
Antinausea Agents	38
Antiparasite Agents	39
Antiparkinsonian Agents	40
Antipsychotic Agents	41
Antivirals (Systemic)	45
Blood Products/Modifiers/Volume Expanders	51
Caloric Agents	53
Cardiovascular Agents	56
Central Nervous System Agents	65
Contraceptives	68

Dental And Oral Agents	74
Dermatological Agents	74
Devices	78
Enzyme Replacement/Modifiers	78
Eye, Ear, Nose, Throat Agents	80
Gastrointestinal Agents	83
Genitourinary Agents	86
Heavy Metal Antagonists	87
Hormonal Agents, Stimulant/Replacement/Modifying	87
Immunological Agents	93
Inflammatory Bowel Disease Agents	100
Irrigating Solutions	101
Metabolic Bone Disease Agents	101
Miscellaneous Therapeutic Agents	103
Ophthalmic Agents	104
Replacement Preparations	105
Respiratory Tract Agents	108
Skeletal Muscle Relaxants	112
Sleep Disorder Agents	112
Vasodilating Agents	113
Vitamins And Minerals	114

Drug Name	Drug Tier	Requirements/Limits
Analgesics		
Analgesics, Miscellaneous		
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	1	QL (2700 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg</i>	1	QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-30 mg</i> (Tylenol-Codeine #3)	1	QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i> (Tylenol-Codeine #4)	1	QL (180 per 30 days)
<i>buprenorphine hcl injection solution 0.3 mg/ml</i> (Buprenex)	1	
<i>buprenorphine hcl injection syringe 0.3 mg/ml</i>	1	
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i> (Esgic)	1	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i> (Fiorinal)	1	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>	1	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>codeine sulfate oral tablet 15 mg, 30 mg, 60 mg</i>	1	QL (180 per 30 days)
<i>endocet oral tablet 10-325 mg</i>	1	QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	1	QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	1	QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i> (Actiq)	1	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> (Duragesic)	1	QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i> (Hycet)	1	QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg</i> (Lorcet HD)	1	QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg</i> (Verdrocet)	1	QL (240 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-325 mg</i> (Lorcet (hydrocodone))	1	QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydrocodone-acetaminophen oral tablet 7.5-325 mg</i> (Lorcet Plus)	1	QL (180 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	1	QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	1	
<i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)	1	QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	1	QL (180 per 30 days)
HYSINGLA ER ORAL TABLET, ORAL ONLY, EXT. REL. 24 HR 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	1	QL (30 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	1	PA; NM; NDS; QL (30 per 30 days)
<i>lorcet (hydrocodone) oral tablet 5-325 mg</i>	1	QL (240 per 30 days)
<i>lorcet hd oral tablet 10-325 mg</i>	1	QL (180 per 30 days)
<i>lorcet plus oral tablet 7.5-325 mg</i>	1	QL (180 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	1	
<i>methadone oral solution 10 mg/5 ml</i>	1	QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	1	QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i> (Dolophine)	1	QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i> (Dolophine)	1	QL (180 per 30 days)
<i>methadose oral tablet, soluble 40 mg</i>	1	QL (30 per 30 days)
<i>morphine 10 mg/ml isecure syrg l/f, p/f, suv, inner 10 mg/ml</i>	1	
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	1	QL (180 per 30 days)
<i>morphine injection syringe 10 mg/ml</i>	1	
<i>morphine intravenous solution 10 mg/ml</i>	1	
<i>morphine oral solution 10 mg/5 ml</i>	1	QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	1	QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	1	QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin)	1	QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	1	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 150 MG, 200 MG, 250 MG, 50 MG	1	QL (60 per 30 days)
NUCYNTA ORAL TABLET 100 MG, 50 MG, 75 MG	1	QL (181 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	1	QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>	1	QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	1	QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	1	QL (120 per 30 days)
<i>oxycodone oral tablet 5 mg</i> (Roxicodone)	1	QL (180 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12</i> (OxyContin) <i>hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60</i> <i>mg, 80 mg</i>	1	QL (60 per 30 days)
<i>oxycodone-acetaminophen oral solution 5-</i> <i>325 mg/5 ml</i>	1	QL (1800 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-</i> (Endocet) <i>325 mg</i>	1	QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-</i> (Endocet) <i>325 mg, 5-325 mg</i>	1	QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-</i> (Endocet) <i>325 mg</i>	1	QL (240 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325</i> <i>mg</i>	1	QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	1	QL (60 per 30 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML, 300 MG/1.5 ML	1	NM; NDS
<i>tramadol oral tablet 50 mg</i> (Ultram)	1	QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-</i> (Ultracet) <i>325 mg</i>	1	QL (240 per 30 days)
XTAMPZA ER ORAL CAPSULE,SPRINKLE,ER 12HR TMPRR 13.5 MG, 18 MG, 9 MG	1	QL (60 per 30 days)
XTAMPZA ER ORAL CAPSULE,SPRINKLE,ER 12HR TMPRR 27 MG	1	QL (120 per 30 days)
XTAMPZA ER ORAL CAPSULE,SPRINKLE,ER 12HR TMPRR 36 MG	1	QL (240 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CALDOLOR INTRAVENOUS RECON SOLN 800 MG/8 ML (100 MG/ML)	1	
<i>celecoxib oral capsule 100 mg, 200 mg, 50 mg</i> (Celebrex)	1	QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	1	
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> (Voltaren-XR)	1	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg, 50 mg, 75 mg</i>	1	
<i>diclofenac sodium topical drops 1.5 %</i>	1	QL (300 per 30 days)
<i>diclofenac sodium topical gel 3 %</i> (Solaraze)	1	PA; QL (100 per 28 days)
<i>etodolac oral capsule 200 mg, 300 mg</i>	1	
<i>etodolac oral tablet 400 mg</i> (Lodine)	1	
<i>etodolac oral tablet 500 mg</i>	1	
FLECTOR TRANSDERMAL PATCH 12 HOUR 1.3 %	1	PA
<i>flurbiprofen oral tablet 100 mg, 50 mg</i>	1	
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Child Ibuprofen)	1	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	
<i>indomethacin oral capsule 25 mg</i>	1	PA-HRM; QL (240 per 30 days); AGE (Max 64 Years)
<i>indomethacin oral capsule 50 mg</i>	1	PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>indomethacin sodium intravenous recon soln 1 mg</i>	1	
<i>ketorolac oral tablet 10 mg</i>	1	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>mefenamic acid oral capsule 250 mg</i>	1	
<i>meloxicam oral suspension 7.5 mg/5 ml</i>	1	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i> (Mobic)	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i>	1	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	
<i>naproxen oral tablet, delayed release (dr/ec) 375 mg, 500 mg</i> (EC-Naprosyn)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PENNSAID TOPICAL SOLUTION IN METERED-DOSE PUMP 20 MG/GRAM /ACTUATION(2 %)	1	PA; NM; NDS; QL (224 per 28 days)
<i>sulindac oral tablet 150 mg, 200 mg</i>	1	
VOLTAREN TOPICAL GEL 1 %	1	
Anesthetics		
Local Anesthetics		
<i>glydo mucous membrane jelly in applicator 2 %</i>	1	QL (30 per 30 days)
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine-MPF)	1	
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine)	1	
<i>lidocaine hcl mucous membrane jelly 2 %</i>	1	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	1	
<i>lidocaine topical adhesive patch,medicated 5 %</i> (Lidoderm)	1	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	1	PA; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	1	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	1	PA; QL (30 per 30 days)
Anti-Addiction/Substance Abuse		
Treatment Agents		
Anti-Addiction/Substance Abuse		
Treatment Agents		
<i>acamprosate oral tablet,delayed release (dr/ec) 333 mg</i>	1	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	1	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	1	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i> (Zyban)	1	
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	1	QL (336 per 365 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG	1	QL (336 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CHANTIX STARTING MONTH BOX ORAL TABLETS,DOSE PACK 0.5 MG (11)- 1 MG (42)	1	QL (106 per 365 days)
<i>disulfiram oral tablet 250 mg, 500 mg</i> (Antabuse)	1	
LUCEMYRA ORAL TABLET 0.18 MG	1	NM; NDS; QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	1	
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	1	
<i>naltrexone oral tablet 50 mg</i>	1	
NARCAN NASAL SPRAY, NON- AEROSOL 4 MG/ACTUATION	1	QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	1	QL (1008 per 90 days)
SUBOXONE SUBLINGUAL FILM 12-3 MG, 8-2 MG	1	QL (60 per 30 days)
SUBOXONE SUBLINGUAL FILM 2-0.5 MG, 4-1 MG	1	QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 0.7- 0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9- 0.71 MG, 5.7-1.4 MG	1	QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 8.6- 2.1 MG	1	QL (60 per 30 days)
Antianxiety Agents		
Benzodiazepines		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	QL (150 per 30 days)
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	1	
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	1	QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	1	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	1	QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab)	1	QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG	1	
DIASTAT RECTAL KIT 2.5 MG	1	
<i>diazepam injection solution 5 mg/ml</i>	1	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	1	QL (10 per 28 days)
<i>diazepam intensol oral concentrate 5 mg/ml</i>	1	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	1	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	QL (120 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> (Diastat AcuDial)	1	
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	1	
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i> (Ativan)	1	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	1	QL (2 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	QL (150 per 30 days)
ONFI ORAL SUSPENSION 2.5 MG/ML	1	PA NSO; NM; NDS; QL (480 per 30 days)
ONFI ORAL TABLET 10 MG, 20 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	PA-HRM; (High Risk Med. QL applies to all members; PA required for 65 years and older with over 90 days cumulative use with any benzodiazepine hypnotic drug); QL (30 per 30 days); AGE (Max 64 Years)
Antibacterials		
Aminoglycosides		
BETHKIS INHALATION SOLUTION FOR NEBULIZATION 300 MG/4 ML	1	PA BvD; NM; NDS
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml</i>	1	
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	1	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	1	
<i>neomycin oral tablet 500 mg</i>	1	
<i>streptomycin intramuscular recon soln 1 gram</i>	1	
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	1	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	1	PA BvD; NM; NDS
<i>tobramycin in 0.9 % nacl intravenous piggyback 60 mg/50 ml</i>	1	
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	1	
Antibacterials, Miscellaneous		
<i>bacitracin intramuscular recon soln 50,000 unit</i> (BACiiM)	1	
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	1	
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	1	
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i> (Cleocin in 5 % dextrose)	1	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	1	
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	1	
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i> (Cleocin)	1	
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	1	PA BvD; NM; NDS
<i>daptomycin intravenous recon soln 350 mg</i>	1	NM; NDS
<i>daptomycin intravenous recon soln 500 mg</i> (Cubicin)	1	NM; NDS
FIRVANQ ORAL RECON SOLN 25 MG/ML, 50 MG/ML	1	
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	1	NM; NDS
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	1	NM; NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	1	
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	1	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	1	
<i>metronidazole oral tablet 250 mg, 500 mg</i> (Flagyl)	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> (Macrochantin)	1	PA-HRM; (High Risk Med. QL applies to all members; PA required for 65 years and older with over 90 days cumulative use of nitrofurantoin drugs); QL (120 per 30 days); AGE (Max 64 Years)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid)	1	PA-HRM; (High Risk Med. QL applies to all members; PA required for 65 years and older with over 90 days cumulative use of nitrofurantoin drugs); QL (60 per 30 days); AGE (Max 64 Years)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	1	
SYNERCID INTRAVENOUS RECON SOLN 500 MG	1	NM; NDS
<i>trimethoprim oral tablet 100 mg</i>	1	
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 250 mg, 5 gram, 500 mg, 750 mg</i>	1	PA BvD
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	1	
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	1	NM; NDS
XIFAXAN ORAL TABLET 200 MG	1	PA; NM; NDS; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	1	PA; NM; NDS
Cephalosporins		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	1	
<i>cefadroxil oral capsule 500 mg</i>	1	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	1	
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i>	1	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	1	
<i>cefdinir oral capsule 300 mg</i>	1	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>cefditoren pivoxil oral tablet 200 mg</i>	1	
<i>cefditoren pivoxil oral tablet 400 mg</i> (Spectracef)	1	
<i>cefepime injection recon soln 1 gram, 2 gram</i> (Maxipime)	1	
<i>cefotaxime injection recon soln 1 gram, 500 mg</i>	1	
<i>cefotaxime injection recon soln 10 gram, 2 gram</i> (Claforan)	1	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	1	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	1	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	1	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	1	
<i>ceftazidime injection recon soln 1 gram</i> (Fortaz)	1	
<i>ceftazidime injection recon soln 2 gram, 6 gram</i> (TAZICEF)	1	
<i>ceftibuten oral capsule 400 mg</i>	1	
<i>ceftibuten oral suspension for reconstitution 180 mg/5 ml</i>	1	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	1	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	1	
<i>cefuroxime sodium injection recon soln 750 mg</i>	1	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cephalexin oral capsule 250 mg, 500 mg</i> (Keflex)	1	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
SUPRAX ORAL CAPSULE 400 MG	1	
<i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i>	1	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	1	NM; NDS
Macrolides		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	1	
<i>azithromycin oral packet 1 gram</i> (Zithromax)	1	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	1	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg, 600 mg</i> (Zithromax)	1	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	1	
DIFICID ORAL TABLET 200 MG	1	ST; NM; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	1	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	1	
Miscellaneous B-Lactam Antibiotics		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	1	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	1	NM; LA; NDS
<i>ertapenem injection recon soln 1 gram</i> (Invanz)	1	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	1	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	1	
INVANZ INJECTION RECON SOLN 1 GRAM	1	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i> (Merrem)	1	
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	1	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	1	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i> (Augmentin)	1	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	1	
<i>ampicillin oral capsule 250 mg, 500 mg</i>	1	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	1	
<i>ampicillin sodium intravenous recon soln 2 gram</i>	1	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	1	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	1	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	1	
<i>nafcillin 2 gm vial sterile, latex-free 2 gram</i>	1	
<i>nafcillin injection recon soln 1 gram</i>	1	
<i>nafcillin injection recon soln 10 gram</i>	1	NM; NDS
<i>nafcillin intravenous recon soln 2 gram</i>	1	NM; NDS
<i>oxacillin 1 gm add-vantage vl add-vantage, inner 1 gram</i>	1	
<i>oxacillin injection recon soln 1 gram, 10 gram, 2 gram</i>	1	
<i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)	1	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	
<i>pfizerpen-g injection recon soln 20 million unit</i>	1	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i> (Zosyn)	1	PA BvD
Quinolones		
BAXDELA ORAL TABLET 450 MG	1	PA; NM; NDS; QL (28 per 14 days)
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml</i>	1	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 400 mg/200 ml</i> (Cipro in D5W)	1	
<i>ciprofloxacin lactate intravenous solution 200 mg/20 ml, 400 mg/40 ml</i>	1	
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	1	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	1	
<i>levofloxacin intravenous solution 25 mg/ml</i>	1	
<i>levofloxacin oral solution 250 mg/10 ml</i>	1	
<i>levofloxacin oral tablet 250 mg</i>	1	
<i>levofloxacin oral tablet 500 mg, 750 mg</i> (Levaquin)	1	
<i>moxifloxacin oral tablet 400 mg</i> (Avelox)	1	
<i>ofloxacin oral tablet 300 mg, 400 mg</i>	1	
Sulfonamides		
<i>sulfadiazine oral tablet 500 mg</i>	1	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	1	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	
<i>sulfatrim oral suspension 200-40 mg/5 ml</i>	1	
Tetracyclines		
<i>doxy-100 intravenous recon soln 100 mg</i>	1	
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	1	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	1	
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	1	
<i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i> (Mondoxyne NL)	1	
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> (Vibramycin)	1	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	1	
<i>doxycycline monohydrate oral tablet 50 mg</i>	1	
<i>minocycline oral capsule 100 mg, 75 mg</i>	1	
<i>minocycline oral capsule 50 mg</i> (Minocin)	1	
<i>mondoxyne nl oral capsule 100 mg, 50 mg</i>	1	
<i>okebo oral capsule 100 mg</i>	1	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	1	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	1	NM; NDS
Anticancer Agents		
Anticancer Agents		
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	1	NM; NDS
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	1	PA BvD
<i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>	1	PA BvD
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	1	PA NSO; NM; NDS; QL (112 per 28 days)
AFINITOR ORAL TABLET 10 MG	1	PA NSO; NM; NDS; QL (56 per 28 days)
AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG	1	PA NSO; NM; NDS; QL (28 per 28 days)
ALECENSA ORAL CAPSULE 150 MG	1	PA NSO; NM; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	1	NM; NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	1	PA NSO; NM; NDS; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	1	PA NSO; NM; NDS; QL (30 per 30 days)
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	1	PA NSO; NM; NDS
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	1	NM; NDS
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	1	PA NSO; NM; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	1	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	1	PA NSO; NM; NDS
BESPONSIA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	1	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	1	PA NSO; NM; NDS; QL (420 per 30 days)
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	1	
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	1	PA BvD
BLINCYTO INTRAVENOUS KIT 35 MCG	1	PA NSO; NM; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	1	PA NSO; NM; NDS
BOSULIF ORAL TABLET 100 MG	1	PA NSO; NM; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 50 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	1	PA NSO; NM; NDS; QL (180 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CALQUENCE ORAL CAPSULE 100 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
<i>clofarabine intravenous solution 20 mg/20 ml</i> (Clolar)	1	NM; NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	1	PA NSO; NM; NDS; QL (112 per 28 days)
COTELLIC ORAL TABLET 20 MG	1	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	1	PA BvD; NM; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	1	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	1	PA NSO; NM; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	1	PA NSO; NM; LA; NDS
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	1	NM; NDS
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> (Adriamycin)	1	PA BvD
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	1	PA BvD; NM; NDS
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	1	
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	1	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	1	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	1	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	1	
EMCYT ORAL CAPSULE 140 MG	1	NM; NDS
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	1	PA NSO; NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ERLEADA ORAL TABLET 60 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	1	
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	1	
<i>exemestane oral tablet 25 mg</i> (Aromasin)	1	
FARESTON ORAL TABLET 60 MG	1	NM; NDS
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	1	PA NSO; NM; NDS
FASLODEX INTRAMUSCULAR SYRINGE 250 MG/5 ML	1	NM; NDS
<i>floxuridine injection recon soln 0.5 gram</i>	1	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml</i>	1	PA BvD
<i>fluorouracil intravenous solution 5 gram/100 ml, 500 mg/10 ml</i> (Aducril)	1	PA BvD
<i>flutamide oral capsule 125 mg</i>	1	
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	1	PA NSO; NM; NDS
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 40 MG, 5 MG	1	
GLEOSTINE ORAL CAPSULE 100 MG	1	NM; NDS
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG, 440 MG	1	PA NSO; NM; NDS
HEXALEN ORAL CAPSULE 50 MG	1	NM; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	1	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	1	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 15 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	1	PA BvD
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	1	PA BvD
<i>ifosfamide-mesna intravenous kit 1-1 gram, 3,000-1,000 mg</i>	1	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>imatinib oral tablet 100 mg</i> (Gleevec)	1	PA NSO; NM; NDS; QL (90 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	1	PA NSO; NM; NDS; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG, 70 MG	1	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	1	PA NSO; NM; NDS; QL (28 per 28 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	1	PA NSO; NM; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	1	PA NSO; NM; NDS; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	1	PA NSO; NM; NDS; QL (8 per 28 days)
INLYTA ORAL TABLET 1 MG	1	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
IRESSA ORAL TABLET 250 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	1	NM; NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	1	PA NSO; NM; NDS; QL (8 per 21 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	1	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	1	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	1	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	1	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	1	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	1	PA NSO; NM; NDS; QL (63 per 28 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	1	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LARTRUVO INTRAVENOUS SOLUTION 10 MG/ML	1	PA NSO; NM; LA; NDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	1	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	
LEUKERAN ORAL TABLET 2 MG	1	NM; NDS
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	1	
LONSURF ORAL TABLET 15-6.14 MG	1	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	1	PA NSO; NM; NDS; QL (80 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 22.5 MG	1	NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	1	NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	1	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	1	NM; NDS
LYNPARZA ORAL CAPSULE 50 MG	1	PA NSO; NM; NDS; QL (448 per 28 days)
LYNPARZA ORAL TABLET 100 MG, 150 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	1	NM; NDS
MATULANE ORAL CAPSULE 50 MG	1	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	1	PA NSO-HRM; AGE (Max 64 Years)
MEKINIST ORAL TABLET 0.5 MG	1	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	1	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	1	PA BvD
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	1	PA BvD
<i>methotrexate sodium injection solution 25 mg/ml</i>	1	PA BvD
<i>methotrexate sodium oral tablet 2.5 mg</i>	1	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	1	
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	1	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	1	PA NSO; NM; NDS; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	1	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	1	PA NSO; NM; NDS; QL (3 per 28 days)
ODOMZO ORAL CAPSULE 200 MG	1	PA NSO; NM; LA; NDS
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	1	PA NSO; NM; NDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	1	PA BvD; NM; NDS
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	1	PA NSO; NM; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	1	PA NSO; NM; NDS; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	1	PA NSO; NM; NDS; QL (100 per 21 days)
POTELIGEO INTRAVENOUS SOLUTION 4 MG/ML	1	PA NSO; NM; NDS
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	1	NM; NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	1	NM; NDS
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	1	PA NSO; NM; LA; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	1	PA NSO; NM; NDS
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	1	PA NSO; NM; NDS
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
RYDAPT ORAL CAPSULE 25 MG	1	PA NSO; NM; NDS; QL (224 per 28 days)
SOLTAMOX ORAL SOLUTION 10 MG/5 ML	1	
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
STIVARGA ORAL TABLET 40 MG	1	PA NSO; NM; NDS; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	1	PA NSO; NM; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	1	PA NSO; NM; NDS; QL (28 per 28 days)
TABLOID ORAL TABLET 40 MG	1	NM; NDS
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
TAGRISSE ORAL TABLET 40 MG, 80 MG	1	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	1	
TARCEVA ORAL TABLET 100 MG, 25 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
TARCEVA ORAL TABLET 150 MG	1	PA NSO; NM; NDS; QL (90 per 30 days)
TARGRETIN TOPICAL GEL 1 %	1	PA NSO; NM; NDS; QL (60 per 28 days)
TASIGNA ORAL CAPSULE 150 MG, 200 MG	1	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML)	1	PA NSO; NM; NDS; QL (20 per 21 days)
TEMODAR INTRAVENOUS RECON SOLN 100 MG	1	PA NSO; NM; NDS
<i>thiotepa injection recon soln 15 mg</i> (Tepadina)	1	NM; NDS
TIBSOVO ORAL TABLET 250 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
<i>toposar intravenous solution 20 mg/ml</i>	1	
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	1	NM; NDS
TRELSTAR 3.75 MG VIAL INNER, SDV 3.75 MG	1	NM; NDS
TRELSTAR INTRAMUSCULAR SYRINGE 11.25 MG/2 ML	1	NM; NDS; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SYRINGE 22.5 MG/2 ML	1	NM; NDS; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SYRINGE 3.75 MG/2 ML	1	NM; NDS
<i>tretinoin (chemotherapy) oral capsule 10 mg</i>	1	NM; NDS
TYKERB ORAL TABLET 250 MG	1	NM; NDS
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	1	PA NSO; NM; NDS
VALSTAR INTRAVESICAL SOLUTION 40 MG/ML	1	NM; NDS
VELCADE INJECTION RECON SOLN 3.5 MG	1	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	1	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	1	PA NSO; NM; LA; NDS; QL (120 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	1	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG-100 MG	1	PA NSO; NM; LA; NDS; QL (42 per 28 days)
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	1	PA NSO; NM; NDS; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VOTRIENT ORAL TABLET 200 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	1	PA BvD; NM; NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	1	PA BvD; ST
XTANDI ORAL CAPSULE 40 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	1	PA NSO; NM; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	1	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	1	PA NSO; NM; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	1	PA NSO; NM; NDS; QL (240 per 30 days)
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	1	QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	1	QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	1	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL CAPSULE 150 MG	1	PA NSO; NM; NDS; QL (90 per 30 days)
ZYTIGA ORAL TABLET 250 MG, 500 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
Anticholinergic Agents		
Antimuscarinics/Antispasmodics		
<i>atropine injection syringe 0.05 mg/ml, 0.1 mg/ml</i>	1	
<i>propantheline oral tablet 15 mg</i>	1	
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG, 600 MG, 800 MG	1	ST; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BANZEL ORAL SUSPENSION 40 MG/ML	1	ST; NM; NDS
BANZEL ORAL TABLET 200 MG, 400 MG	1	ST; NM; NDS
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	1	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	1	NM; NDS; QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	1	NM; NDS; QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	1	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	1	
<i>carbamazepine oral tablet 200 mg</i> (Epilex)	1	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	1	
<i>carbamazepine oral tablet, chewable 100 mg</i>	1	
CELONTIN ORAL CAPSULE 300 MG	1	
DILANTIN ORAL CAPSULE 30 MG	1	
<i>divalproex oral capsule, delayed release 125 mg</i> (Depakote Sprinkles)	1	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	1	
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote)	1	
<i>epilex oral tablet 200 mg</i>	1	
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	1	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	1	
<i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)	1	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	1	
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	1	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	1	ST
FYCOMPA ORAL TABLET 10 MG, 12 MG, 4 MG, 6 MG, 8 MG	1	ST; NM; NDS
FYCOMPA ORAL TABLET 2 MG	1	ST
<i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i> (Neurontin)	1	
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>gabapentin oral tablet 600 mg, 800 mg</i> (Neurontin)	1	
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Lamictal)	1	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	1	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	1	
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	1	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	1	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	1	
LYRICA ORAL CAPSULE 100 MG, 150 MG, 200 MG, 225 MG, 25 MG, 300 MG, 50 MG, 75 MG	1	QL (90 per 30 days)
LYRICA ORAL SOLUTION 20 MG/ML	1	QL (900 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	1	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	1	
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG	1	ST
PEGANONE ORAL TABLET 250 MG	1	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	1	PA NSO-HRM; AGE (Max 64 Years)
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	1	PA NSO-HRM; AGE (Max 64 Years)
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	1	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	1	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	1	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	1	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	1	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	1	
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	1	
ROWEEPRA ORAL TABLET 1,000 MG, 500 MG, 750 MG	1	
SABRIL ORAL TABLET 500 MG	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	1	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	1	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril)	1	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	1	
<i>topiramate oral capsule, sprinkle, er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg</i> (Qudexy XR)	1	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	
TROKENDI XR ORAL CAPSULE, EXTENDED RELEASE 24HR 200 MG	1	ST; NM; NDS; QL (60 per 30 days)
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i> (Depacon)	1	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i> (Depakene)	1	
<i>valproic acid oral capsule 250 mg</i> (Depakene)	1	
<i>vigabatrin oral powder in packet 500 mg</i> (Sabril)	1	NM; NDS
<i>vigadrone oral powder in packet 500 mg</i>	1	NM; NDS
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	1	ST; QL (200 per 5 days)
VIMPAT ORAL SOLUTION 10 MG/ML	1	ST; QL (1200 per 30 days)
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	1	ST; QL (60 per 30 days)
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	1	
<i>zonisamide oral capsule 50 mg</i>	1	
Antidementia Agents		
Antidementia Agents		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	1	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	1	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i> (Razadyne)	1	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>memantine oral capsule, sprinkle, er 24hr</i> (Namenda XR) 14 mg, 21 mg, 28 mg, 7 mg	1	QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	1	QL (360 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	1	QL (60 per 30 days)
NAMZARIC ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	1	QL (56 per 365 days)
NAMZARIC ORAL CAPSULE, SPRINKLE, ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	1	QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg,</i> <i>3 mg, 4.5 mg, 6 mg</i>	1	QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour</i> (Exelon) <i>13.3 mg/24 hour, 4.6 mg/24 hr, 9.5 mg/24</i> <i>hr</i>	1	QL (30 per 30 days)
Antidepressants		
Antidepressants		
<i>amitriptyline oral tablet 10 mg, 100 mg,</i> <i>150 mg, 25 mg, 50 mg, 75 mg</i>	1	PA NSO-HRM; AGE (Max 64 Years)
<i>amoxapine oral tablet 100 mg, 150 mg, 25</i> <i>mg, 50 mg</i>	1	PA NSO-HRM; AGE (Max 64 Years)
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	1	
<i>bupropion hcl oral tablet extended release</i> (Wellbutrin XL) <i>24 hr 150 mg, 300 mg</i>	1	
<i>bupropion hcl oral tablet sustained-</i> <i>release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	1	
<i>citalopram oral solution 10 mg/5 ml</i>	1	QL (600 per 30 days)
<i>citalopram oral tablet 10 mg, 20 mg, 40</i> <i>mg</i> (Celexa)	1	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg,</i> <i>75 mg</i> (Anafranil)	1	PA NSO-HRM; AGE (Max 64 Years)
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	1	PA NSO-HRM; AGE (Max 64 Years)
<i>desipramine oral tablet 100 mg, 150 mg,</i> <i>50 mg, 75 mg</i>	1	PA NSO-HRM; AGE (Max 64 Years)
<i>desvenlafaxine succinate oral tablet</i> (Pristiq) <i>extended release 24 hr 100 mg, 25 mg, 50</i> <i>mg</i>	1	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150</i> <i>mg, 25 mg, 50 mg, 75 mg</i>	1	PA NSO-HRM; AGE (Max 64 Years)
<i>doxepin oral concentrate 10 mg/ml</i>	1	PA NSO-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 60 mg</i> (Cymbalta)	1	QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 30 mg</i> (Cymbalta)	1	QL (30 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	1	NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	1	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	1	QL (56 per 365 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	1	QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	1	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i> (Tofranil)	1	PA NSO-HRM; AGE (Max 64 Years)
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	1	
MARPLAN ORAL TABLET 10 MG	1	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	1	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	1	
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	1	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	1	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	PA NSO-HRM; AGE (Max 64 Years)
<i>nortriptyline oral solution 10 mg/5 ml</i>	1	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	PA NSO-HRM; AGE (Max 64 Years)
PAXIL ORAL SUSPENSION 10 MG/5 ML	1	PA NSO-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	1	PA NSO-HRM; AGE (Max 64 Years)
<i>phenelzine oral tablet 15 mg</i> (Nardil)	1	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	1	PA NSO-HRM; AGE (Max 64 Years)
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	1	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	
<i>tranlycypromine oral tablet 10 mg</i> (Parnate)	1	
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i> (Surmontil)	1	PA NSO-HRM; AGE (Max 64 Years)
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	1	ST; QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	1	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	1	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	1	
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG	1	ST; QL (30 per 30 days)
VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)	1	ST; QL (30 per 180 days)
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	1	QL (90 per 30 days)
GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG	1	
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	1	ST; QL (30 per 30 days)
INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50-1,000 MG	1	ST; QL (60 per 30 days)
INVOKAMET ORAL TABLET 50-500 MG	1	ST; QL (120 per 30 days)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG	1	ST; QL (60 per 30 days)
INVOKANA ORAL TABLET 100 MG	1	ST; QL (60 per 30 days)
INVOKANA ORAL TABLET 300 MG	1	ST; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	1	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	1	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	1	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	1	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	1	ST; QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	1	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	1	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	1	QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	1	PA; NM; NDS; QL (112 per 28 days)
<i>metformin oral tablet 1,000 mg</i> (Glucophage)	1	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i> (Glucophage)	1	QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i> (Glucophage)	1	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i> (Glucophage XR)	1	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i> (Glucophage XR)	1	QL (60 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/0.75 ML (2 MG/1.5 ML)	1	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg</i>	1	QL (240 per 30 days)
<i>repaglinide oral tablet 1 mg, 2 mg</i> (Prandin)	1	QL (240 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	1	PA; NM; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	1	PA; NM; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	1	ST; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	1	ST; QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	1	ST; QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	1	QL (30 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML	1	QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	1	QL (9 per 30 days)
Insulins		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	1	QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	1	QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	1	QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	1	QL (24 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	1	QL (30 per 28 days)
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	1	QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	1	QL (40 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	1	QL (40 per 28 days)
NOVOLIN R REGULAR U-100 INSULIN INJECTION SOLUTION 100 UNIT/ML	1	QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	1	QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NOVOLOG MIX 70-30 U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	1	QL (40 per 28 days)
NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	1	QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	1	QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	1	QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	1	ST; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	1	QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	1	QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	1	ST; QL (15 per 28 days)
Sulfonylureas		
<i>glimepiride oral tablet 1 mg, 2 mg</i> (Amaryl)	1	QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i> (Amaryl)	1	QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i> (Glucotrol)	1	QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i> (Glucotrol)	1	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	1	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i> (Glucotrol XL)	1	QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	1	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	1	QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i> (Glynase)	1	PA-HRM; AGE (Max 64 Years)
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>tolazamide oral tablet 250 mg</i>	1	QL (120 per 30 days)
<i>tolazamide oral tablet 500 mg</i>	1	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Antifungals		
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	1	PA BvD; NM; NDS
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	1	PA BvD; NM; NDS
<i>amphotericin b injection recon soln 50 mg</i>	1	PA BvD
<i>casprofungin intravenous recon soln 50 mg, 70 mg</i> (Cancidas)	1	NM; NDS
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	1	
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	1	
<i>clotrimazole mucous membrane troche 10 mg</i>	1	
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	1	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i> (Lotrisone)	1	
<i>econazole topical cream 1 %</i>	1	
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	1	PA BvD
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> (Diflucan)	1	
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Diflucan)	1	
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	1	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	1	
<i>griseofulvin microsize oral tablet 500 mg</i>	1	
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	1	
<i>ketoconazole oral tablet 200 mg</i>	1	
<i>ketoconazole topical cream 2 %</i>	1	
<i>ketoconazole topical shampoo 2 %</i> (Nizoral)	1	
<i>miconazole-3 vaginal suppository 200 mg</i>	1	
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)	1	NM; NDS
NOXAFIL ORAL TABLET, DELAYED RELEASE (DR/EC) 100 MG	1	NM; NDS
<i>nyamyc topical powder 100,000 unit/gram</i>	1	
<i>nystatin oral suspension 100,000 unit/ml</i>	1	
<i>nystatin oral tablet 500,000 unit</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nystatin topical cream 100,000 unit/gram</i>	1	
<i>nystatin topical ointment 100,000 unit/gram</i>	1	
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	1	
<i>nystop topical powder 100,000 unit/gram</i>	1	
<i>terbinafine hcl oral tablet 250 mg</i>	1	
<i>voriconazole intravenous solution 200 mg</i> (Vfend IV)	1	PA BvD; NM; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	1	NM; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	1	NM; NDS
Antigout Agents		
Antigout Agents, Other		
<i>allopurinol oral tablet 100 mg, 300 mg</i> (Zyloprim)	1	
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	1	
<i>probenecid oral tablet 500 mg</i>	1	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	1	
ULORIC ORAL TABLET 40 MG, 80 MG	1	QL (30 per 30 days)
Antihistamines		
Antihistamines		
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	1	PA-HRM; AGE (Max 64 Years)
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	1	
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	1	
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i> (Children's Allergy (diphenhyd))	1	PA-HRM; AGE (Max 64 Years)
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	1	PA-HRM; AGE (Max 64 Years)
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	1	PA-HRM; AGE (Max 64 Years)
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>levocetirizine oral solution 2.5 mg/5 ml</i> (Xyzal)	1	
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	
<i>promethazine oral syrup 6.25 mg/5 ml</i>	1	PA-HRM; AGE (Max 64 Years)
<i>promethazine vc oral syrup 6.25-5 mg/5 ml</i>	1	PA-HRM; AGE (Max 64 Years)
Anti-Infectives (Skin And Mucous Membrane)		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Anti-Infectives (Skin And Mucous Membrane)		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	1	
<i>metronidazole vaginal gel 0.75 %</i> (Metrogel Vaginal)	1	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	1	
<i>terconazole vaginal suppository 80 mg</i>	1	
Antimigraine Agents		
Antimigraine Agents		
<i>dihydroergotamine injection solution 1 mg/ml</i> (D.H.E.45)	1	NM; NDS; QL (24 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	1	NM; NDS; QL (8 per 28 days)
ERGOMAR SUBLINGUAL TABLET 2 MG	1	QL (40 per 28 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	1	QL (18 per 28 days)
<i>rizatriptan oral tablet 5 mg</i>	1	QL (18 per 28 days)
<i>rizatriptan oral tablet, disintegrating 10 mg, 5 mg</i> (Maxalt-MLT)	1	QL (18 per 28 days)
<i>sumatriptan nasal spray, non-aerosol 20 mg/actuation, 5 mg/actuation</i> (Imitrex)	1	QL (12 per 28 days)
<i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i> (Imitrex)	1	QL (18 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Kit Refill)	1	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	1	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	1	QL (4 per 28 days)
Antimycobacterials		
Antimycobacterials		
CAPASTAT INJECTION RECON SOLN 1 GRAM	1	
<i>dapsone oral tablet 100 mg, 25 mg</i>	1	
<i>ethambutol oral tablet 100 mg</i>	1	
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	1	
<i>isoniazid oral solution 50 mg/5 ml</i>	1	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	
PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM	1	
PRIFTIN ORAL TABLET 150 MG	1	
<i>pyrazinamide oral tablet 500 mg</i>	1	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	1	
<i>rifampin oral capsule 150 mg, 300 mg</i> (Rifadin)	1	
SIRTURO ORAL TABLET 100 MG	1	PA; NM; NDS; QL (188 per 168 days)
TRECTOR ORAL TABLET 250 MG	1	
Antinausea Agents		
Antinausea Agents		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	1	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	1	PA BvD
<i>aprepitant oral capsule 125 mg</i> (Emend)	1	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i> (Emend)	1	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	1	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	1	PA BvD; QL (6 per 28 days)
CINVANTI INTRAVENOUS EMULSION 7.2 MG/ML	1	QL (36 per 28 days)
<i>compro rectal suppository 25 mg</i>	1	
<i>dimenhydrinate injection solution 50 mg/ml</i>	1	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	1	PA
EMEND (FOSAPREPITANT) INTRAVENOUS RECON SOLN 150 MG	1	QL (2 per 28 days)
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ML FINAL CONC.)	1	PA BvD; QL (6 per 28 days)
<i>granisetron (pf) intravenous solution 100 mcg/ml</i>	1	
<i>granisetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>	1	
<i>granisetron hcl oral tablet 1 mg</i>	1	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>meclizine oral tablet 25 mg</i> (Dramamine Less Drowsy)	1	PA-HRM; AGE (Max 64 Years)
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	1	
<i>ondansetron hcl oral tablet 24 mg</i>	1	PA BvD
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i> (Zofran)	1	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i> (Zofran ODT)	1	PA BvD
<i>phenadoz rectal suppository 12.5 mg, 25 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	1	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	1	
<i>prochlorperazine rectal suppository 25 mg</i> (Compazine)	1	
<i>promethazine injection solution 25 mg/ml, 50 mg/ml</i> (Phenergan)	1	PA-HRM; AGE (Max 64 Years)
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository 12.5 mg, 25 mg</i> (Phenadoz)	1	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository 50 mg</i> (Phenergan)	1	PA-HRM; AGE (Max 64 Years)
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	1	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)
Antiparasite Agents		
Antiparasite Agents		
ALBENZA ORAL TABLET 200 MG	1	NM; NDS
ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML	1	NM; NDS
ALINIA ORAL TABLET 500 MG	1	NM; NDS
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	1	NM; NDS
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	1	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	1	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	1	
COARTEM ORAL TABLET 20-120 MG	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DARAPRIM ORAL TABLET 25 MG	1	PA; NM; NDS
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	1	
IMPAVIDO ORAL CAPSULE 50 MG	1	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	1	
<i>mefloquine oral tablet 250 mg</i>	1	
NEBUPENT INHALATION RECON SOLN 300 MG	1	PA BvD
<i>paromomycin oral capsule 250 mg</i>	1	
PENTAM INJECTION RECON SOLN 300 MG	1	
PRIMAQUINE ORAL TABLET 26.3 MG	1	
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule 100 mg</i>	1	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML	1	NM; NDS; QL (60 per 30 days)
<i>benztropine injection solution 2 mg/2 ml</i> (Cogentin)	1	PA-HRM; NM; NDS; AGE (Max 64 Years)
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	1	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	1	
<i>cabergoline oral tablet 0.5 mg</i>	1	
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i> (Sinemet)	1	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i> (Sinemet CR)	1	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	1	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	1	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	1	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	1	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	1	
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	1	
<i>entacapone oral tablet 200 mg</i> (Comtan)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 137 MG	1	PA; NM; NDS; QL (60 per 30 days)
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 68.5 MG	1	PA; NM; NDS; QL (30 per 30 days)
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	1	QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	1	ST; QL (30 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> (Mirapex)	1	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	1	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i> (Requip)	1	
<i>selegiline hcl oral capsule 5 mg</i>	1	
<i>selegiline hcl oral tablet 5 mg</i>	1	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	1	PA-HRM; AGE (Max 64 Years)
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
XADAGO ORAL TABLET 100 MG, 50 MG	1	PA; NM; NDS; QL (30 per 30 days)
Antipsychotic Agents		
Antipsychotic Agents		
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	1	NM; NDS; QL (1 per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	1	NM; NDS; QL (1 per 28 days)
<i>aripiprazole oral solution 1 mg/ml</i>	1	QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	1	QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i> (Abilify)	1	QL (60 per 30 days)
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	1	ST; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	1	ST; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	1	NM; NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	1	NM; NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	1	NM; NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	1	NM; NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	1	NM; NDS; QL (3.2 per 28 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	1	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	1	
<i>clozapine oral tablet 100 mg</i> (Clozaril)	1	QL (270 per 30 days)
<i>clozapine oral tablet 200 mg</i>	1	QL (135 per 30 days)
<i>clozapine oral tablet 25 mg</i> (Clozaril)	1	QL (90 per 30 days)
<i>clozapine oral tablet 50 mg</i>	1	QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i> (FazaClo)	1	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 150 mg</i> (FazaClo)	1	ST; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating 200 mg</i> (FazaClo)	1	ST; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 2 MG, 4 MG	1	ST; QL (60 per 30 days)
FANAPT ORAL TABLET 10 MG, 12 MG, 6 MG, 8 MG	1	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	1	ST; QL (8 per 28 days)
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	1	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	1	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	1	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	1	
GEODON INTRAMUSCULAR RECON SOLN 20 MG/ML (FINAL CONC.)	1	QL (6 per 28 days)
<i>haloperidol dec 50 mg/ml vial mdv 50 mg/ml</i> (Haldol Decanoate)	1	
<i>haloperidol decanoate intramuscular solution 100 mg/ml</i> (Haldol Decanoate)	1	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>	1	
<i>haloperidol decanoate intramuscular solution 50 mg/ml</i> (Haldol Decanoate)	1	
<i>haloperidol lactate injection solution 5 mg/ml</i> (Haldol)	1	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	1	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	1	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	1	
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	1	NM; NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	1	NM; NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	1	NM; NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	1	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	1	NM; NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	1	NM; NDS; QL (0.875 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	1	NM; NDS; QL (1.315 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	1	NM; NDS; QL (1.75 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	1	NM; NDS; QL (2.625 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG, 80 MG	1	QL (30 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	1	
NUPLAZID ORAL CAPSULE 34 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 17 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)	1	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	1	QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	1	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> (Invega)	1	NM; NDS; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	1	NM; NDS; QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	1	
<i>pimozide oral tablet 1 mg, 2 mg</i> (Orap)	1	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)	1	QL (90 per 30 days)
REXULTI ORAL TABLET 0.25 MG	1	ST; NM; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	1	ST; NM; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	1	ST; NM; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML, 25 MG/2 ML	1	QL (4 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 37.5 MG/2 ML, 50 MG/2 ML	1	NM; NDS; QL (4 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	1	QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	1	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>risperidone oral tablet, disintegrating</i> 0.25 mg, 0.5 mg, 1 mg, 2 mg	1	QL (60 per 30 days)
<i>risperidone oral tablet, disintegrating</i> 3 mg, 4 mg	1	QL (120 per 30 days)
SAPHRIS (BLACK CHERRY) SUBLINGUAL TABLET 10 MG, 5 MG	1	ST; NM; NDS; QL (60 per 30 days)
SAPHRIS 10 MG TAB SUBLINGUAL OUTER 10 MG	1	ST; NM; NDS; QL (60 per 30 days)
SAPHRIS 5 MG TAB SUBLINGUAL OUTER 5 MG	1	ST; NM; NDS; QL (60 per 30 days)
SAPHRIS SUBLINGUAL TABLET 2.5 MG	1	ST; NM; NDS; QL (60 per 30 days)
<i>thioridazine oral tablet</i> 10 mg, 100 mg, 25 mg, 50 mg	1	
<i>thiothixene oral capsule</i> 1 mg, 10 mg, 2 mg, 5 mg	1	
<i>trifluoperazine oral tablet</i> 1 mg, 10 mg, 2 mg, 5 mg	1	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	1	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	1	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE, DOSE PACK 1.5 MG (1)- 3 MG (6)	1	ST; QL (14 per 365 days)
<i>ziprasidone hcl oral capsule</i> 20 mg, 40 mg, 60 mg, 80 mg (Geodon)	1	QL (60 per 30 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	1	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	1	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	1	NM; NDS; QL (1 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
<i>abacavir oral solution</i> 20 mg/ml (Ziagen)	1	
<i>abacavir oral tablet</i> 300 mg (Ziagen)	1	
<i>abacavir-lamivudine oral tablet</i> 600-300 mg (Epzicom)	1	
<i>abacavir-lamivudine-zidovudine oral tablet</i> 300-150-300 mg (Trizivir)	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
APTIVUS ORAL CAPSULE 250 MG	1	NM; NDS
APTIVUS ORAL SOLUTION 100 MG/ML	1	NM; NDS
<i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i> (Reyataz)	1	NM; NDS
ATRIPLA ORAL TABLET 600-200-300 MG	1	NM; NDS
BIKTARVY ORAL TABLET 50-200-25 MG	1	NM; NDS
CIMDUO ORAL TABLET 300-300 MG	1	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG	1	NM; NDS
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	1	
DESCOVY ORAL TABLET 200-25 MG	1	NM; NDS
<i>didanosine oral capsule, delayed release(dr/ec) 125 mg, 200 mg, 250 mg, 400 mg</i> (Videx EC)	1	
EDURANT ORAL TABLET 25 MG	1	NM; NDS
<i>efavirenz oral capsule 200 mg</i> (Sustiva)	1	NM; NDS
<i>efavirenz oral capsule 50 mg</i> (Sustiva)	1	
<i>efavirenz oral tablet 600 mg</i> (Sustiva)	1	NM; NDS
EMTRIVA ORAL CAPSULE 200 MG	1	
EMTRIVA ORAL SOLUTION 10 MG/ML	1	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	1	
EVOTAZ ORAL TABLET 300-150 MG	1	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	1	NM; NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	1	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	1	NM; NDS
INTELENCE ORAL TABLET 100 MG, 200 MG	1	NM; NDS
INTELENCE ORAL TABLET 25 MG	1	
INVIRASE ORAL CAPSULE 200 MG	1	NM; NDS
INVIRASE ORAL TABLET 500 MG	1	NM; NDS
ISENTRESS HD ORAL TABLET 600 MG	1	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ISENTRESS ORAL TABLET 400 MG	1	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	1	
JULUCA ORAL TABLET 50-25 MG	1	NM; NDS
KALETRA ORAL TABLET 100-25 MG	1	
KALETRA ORAL TABLET 200-50 MG	1	NM; NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	1	
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	1	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	1	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	1	
LEXIVA ORAL SUSPENSION 50 MG/ML	1	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	1	NM; NDS
<i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune)	1	
<i>nevirapine oral tablet 200 mg</i> (Viramune)	1	
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i> (Viramune XR)	1	
NORVIR ORAL CAPSULE 100 MG	1	
NORVIR ORAL POWDER IN PACKET 100 MG	1	
NORVIR ORAL SOLUTION 80 MG/ML	1	
ODEFSEY ORAL TABLET 200-25-25 MG	1	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	1	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	1	NM; NDS
PREZISTA ORAL TABLET 150 MG, 600 MG, 75 MG, 800 MG	1	NM; NDS
RESCRIPTOR ORAL TABLET 200 MG	1	
RESCRIPTOR ORAL TABLET, DISPERSIBLE 100 MG	1	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	1	
REYATAZ ORAL POWDER IN PACKET 50 MG	1	NM; NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	1	
SELZENTRY ORAL SOLUTION 20 MG/ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG	1	NM; NDS
SELZENTRY ORAL TABLET 25 MG	1	
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i> (Zerit)	1	
<i>stavudine oral recon soln 1 mg/ml</i> (Zerit)	1	
STRIBILD ORAL TABLET 150-150-200-300 MG	1	NM; NDS
SYMFI LO ORAL TABLET 400-300-300 MG	1	NM; NDS
SYMFI ORAL TABLET 600-300-300 MG	1	NM; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	1	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	1	NM; NDS
TIVICAY ORAL TABLET 10 MG	1	
TIVICAY ORAL TABLET 25 MG, 50 MG	1	NM; NDS
TRIUMEQ ORAL TABLET 600-50-300 MG	1	NM; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	1	NM; NDS
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG	1	NM; NDS
VEMLIDY ORAL TABLET 25 MG	1	NM; NDS; QL (30 per 30 days)
VIDEX 2 GM PEDIATRIC SOLN 10 MG/ML (FINAL)	1	
VIDEX 4 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	1	
VIDEX EC ORAL CAPSULE, DELAYED RELEASE (DR/EC) 125 MG	1	
VIRACEPT ORAL TABLET 250 MG, 625 MG	1	NM; NDS
VIRAMUNE ORAL SUSPENSION 50 MG/5 ML	1	
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	1	NM; NDS
ZERIT ORAL RECON SOLN 1 MG/ML	1	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	1	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	1	
<i>zidovudine oral tablet 300 mg</i>	1	
Antivirals, Miscellaneous		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	1	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	1	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	1	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	1	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	1	QL (540 per 180 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	1	PA; NM; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	1	PA; NM; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	1	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	1	
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	1	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	1	PA; NM; NDS
Hcv Antivirals		
DAKLINZA ORAL TABLET 30 MG, 60 MG, 90 MG	1	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 MG	1	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG	1	PA; NM; NDS; QL (30 per 30 days)
MAVYRET ORAL TABLET 100-40 MG	1	PA; NM; NDS; QL (84 per 28 days)
SOVALDI ORAL TABLET 400 MG	1	PA; NM; NDS; QL (28 per 28 days)
TECHNIVIE ORAL TABLET 12.5-75-50 MG	1	PA; NM; NDS; QL (56 per 28 days)
VIEKIRA PAK ORAL TABLETS,DOSE PACK 12.5 MG-75 MG -50 MG/250 MG	1	PA; NM; NDS; QL (112 per 28 days)
VIEKIRA XR ORAL TABLET, IR - ER, BIPHASIC 24HR 8.33 MG-50 MG- 33.33 MG-200 MG	1	PA; NM; NDS; QL (84 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VOSEVI ORAL TABLET 400-100-100 MG	1	PA; NM; NDS; QL (28 per 28 days)
ZEPATIER ORAL TABLET 50-100 MG	1	PA; NM; NDS; QL (30 per 30 days)
Interferons		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	1	PA NSO; NM; NDS
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	1	PA NSO; NM; NDS
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 135 MCG/0.5 ML, 180 MCG/0.5 ML	1	NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	1	NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	1	NM; NDS
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	1	NM; NDS
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG	1	PA NSO; NM; NDS; QL (4 per 28 days)
Nucleosides And Nucleotides		
<i>acyclovir oral capsule 200 mg</i> (Zovirax)	1	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	1	
<i>acyclovir oral tablet 400 mg, 800 mg</i> (Zovirax)	1	
<i>acyclovir sodium intravenous recon soln 500 mg</i>	1	PA BvD; NM; NDS
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	1	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	1	NM; NDS
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	1	NM; NDS
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	1	
<i>ganciclovir sodium intravenous recon soln 500 mg</i> (Cytovene)	1	PA BvD
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	1	PA BvD
<i>ribasphere oral capsule 200 mg</i>	1	
<i>ribasphere oral tablet 200 mg</i>	1	
<i>ribasphere oral tablet 400 mg, 600 mg</i>	1	NM; NDS
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	1	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ribavirin oral capsule 200 mg</i> (Ribasphere)	1	
<i>ribavirin oral tablet 200 mg</i> (Moderiba)	1	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	1	
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	1	NM; NDS
Blood Products/Modifiers/Volume Expanders		
Anticoagulants		
BEVYXXA ORAL CAPSULE 40 MG, 80 MG	1	QL (43 per 42 days)
CEPROTIN (BLUE BAR) INTRAVENOUS RECON SOLN 500 UNIT	1	NM; NDS
ELIQUIS ORAL TABLET 2.5 MG, 5 MG	1	
ELIQUIS ORAL TABLETS, DOSE PACK 5 MG (74 TABS)	1	
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	1	
<i>enoxaparin subcutaneous syringe 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml</i> (Lovenox)	1	
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i> (Arixtra)	1	NM; NDS
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	1	
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	1	
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	1	
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	1	
<i>heparin, porcine (pf) injection solution 1,000 unit/ml</i>	1	
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	1	
IPRIVASK SUBCUTANEOUS RECON SOLN 15 MG	1	PA; NM; NDS; QL (24 per 28 days)
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	1	ST; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (Coumadin)	1	
XARELTO ORAL TABLET 10 MG, 15 MG, 20 MG	1	
XARELTO ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	1	
Blood Formation Modifiers		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	1	PA; NM; NDS
DOPTELET ORAL TABLET 20 MG, 20 MG (15 PACK)	1	PA; NM; NDS
EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	1	PA; QL (12 per 28 days)
EPOGEN INJECTION SOLUTION 20,000 UNIT/ML	1	PA; NM; NDS; QL (12 per 28 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	1	NM; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	1	PA; NM; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT, 3,000 UNIT	1	PA; NM; NDS
LEUKINE INJECTION RECON SOLN 250 MCG	1	NM; NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	1	NM; NDS
MULPLETA ORAL TABLET 3 MG	1	PA; NM; NDS
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6ML	1	NM; NDS
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	1	PA; NM; NDS
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	1	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	1	PA; NM; NDS
PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	1	PA; QL (12 per 28 days)
PROCRIT INJECTION SOLUTION 20,000 UNIT/ML	1	PA; NM; NDS; QL (12 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROCRIT INJECTION SOLUTION 40,000 UNIT/ML	1	PA; NM; NDS; QL (6 per 28 days)
PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG	1	PA; NM; NDS; QL (30 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	1	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	1	PA; QL (6 per 28 days)
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	1	NM; NDS
Hematologic Agents, Miscellaneous		
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	1	
<i>anagrelide oral capsule 1 mg</i>	1	
<i>protamine intravenous solution 10 mg/ml</i>	1	
TAVALISSE ORAL TABLET 100 MG, 150 MG	1	PA; NM; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution</i> (Cyklokapron) <i>1,000 mg/10 ml (100 mg/ml)</i>	1	
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	1	QL (30 per 30 days)
Platelet-Aggregation Inhibitors		
<i>aspirin-dipyridamole oral capsule, er</i> (Aggrenox) <i>multiphase 12 hr 25-200 mg</i>	1	
BRILINTA ORAL TABLET 60 MG, 90 MG	1	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	1	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>pentoxifylline oral tablet extended release 400 mg</i>	1	
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	1	QL (30 per 30 days)
Caloric Agents		
Caloric Agents		
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	1	PA BvD
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AMINOSYN 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	1	PA BvD
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	1	PA BvD
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	1	PA BvD
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	1	PA BvD
AMINOSYN II 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	1	PA BvD
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	1	PA BvD
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	1	PA BvD
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	1	PA BvD
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	1	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	1	PA BvD
CLINIMIX 5%/D25W SULFITE-FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	1	PA BvD
CLINIMIX 2.75%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	1	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	1	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	1	PA BvD
CLINIMIX 4.25%-D20W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX 4.25%-D25W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	1	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	1	PA BvD
CLINIMIX E 2.75%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	1	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	1	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	1	PA BvD
CLINIMIX E 4.25%/D25W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	1	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	1	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	1	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	1	PA BvD
CLINIMIX E 5%/D25W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	1	PA BvD
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	1	PA BvD
<i>dextrose 20 % in water (d20w) intravenous parenteral solution 20 %</i>	1	PA BvD
<i>dextrose 25 % in water (d25w) intravenous syringe</i>	1	PA BvD
<i>dextrose 30 % in water (d30w) intravenous parenteral solution</i>	1	PA BvD
<i>dextrose 40 % in water (d40w) intravenous parenteral solution 40 %</i>	1	PA BvD
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i>	1	
<i>dextrose 50 % in water (d50w) intravenous parenteral solution</i>	1	PA BvD
<i>dextrose 50 % in water (d50w) intravenous syringe</i>	1	PA BvD
<i>dextrose 70 % in water (d70w) intravenous parenteral solution</i>	1	PA BvD
FREAMINE HBC 6.9 % INTRAVENOUS PARENTERAL SOLUTION 6.9 %	1	PA BvD
FREAMINE III 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	1	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	1	PA BvD
KABIVEN INTRAVENOUS EMULSION 3.31-9.8-3.9 %	1	PA BvD
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	1	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	1	PA BvD
PERIKABIVEN INTRAVENOUS EMULSION 2.36-6.8-3.5 %	1	PA BvD
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	1	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	1	PA BvD
<i>smoflipid intravenous emulsion 20 %</i>	1	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD
TROPHAMINE 6% INTRAVENOUS PARENTERAL SOLUTION 6 %	1	PA BvD
Cardiovascular Agents		
Alpha-Adrenergic Agents		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i> (Catapres)	1	
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	1	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	1	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	1	QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	1	
<i>guanfacine oral tablet 1 mg, 2 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	
NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG	1	PA; NM; NDS; QL (180 per 30 days)
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	1	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	1	
Angiotensin II Receptor Antagonists		
EDARBI ORAL TABLET 40 MG, 80 MG	1	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	1	
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	1	QL (60 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	1	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	1	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	1	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	1	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	1	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	1	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	1	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	1	
Angiotensin-Converting Enzyme Inhibitors		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	
<i>benazepril oral tablet 5 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	1	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	1	
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	1	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	1	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	
<i>lisinopril oral tablet 10 mg, 20 mg, 5 mg</i> (Prinivil)	1	
<i>lisinopril oral tablet 2.5 mg, 30 mg, 40 mg</i> (Zestril)	1	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	1	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	1	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	1	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	1	
Antiarrhythmic Agents		
<i>amiodarone oral tablet 200 mg, 400 mg</i> (Pacerone)	1	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	1	PA-HRM; AGE (Max 64 Years)
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	1	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	1	
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i>	1	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	1	
MULTAQ ORAL TABLET 400 MG	1	
<i>pacerone oral tablet 200 mg, 400 mg</i>	1	
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	1	
<i>procainamide intravenous syringe 100 mg/ml</i>	1	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	1	
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	1	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	1	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	1	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	1	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	1	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> (Ziac)	1	
BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG	1	
BYVALSON ORAL TABLET 5-80 MG	1	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	
<i>esmolol intravenous solution 100 mg/10 ml (10 mg/ml)</i> (Brevibloc)	1	PA BvD; NM; NDS
<i>labetalol intravenous solution 5 mg/ml</i>	1	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	1	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	1	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i> (Lopressor HCT)	1	
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i> (Lopressor)	1	
<i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>	1	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	
<i>propranolol intravenous solution 1 mg/ml</i>	1	
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	1	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	1	
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	1	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	1	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	1	
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Betapace)	1	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	1	
Calcium-Channel Blocking Agents		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	1	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	1	
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	1	
<i>diltiazem hcl oral capsule,extended release 24 hr 420 mg</i> (Tiazac)	1	
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cardizem CD)	1	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	1	
<i>diltiazem hcl oral tablet 90 mg</i>	1	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i>	1	
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	1	
<i>verapamil intravenous syringe 2.5 mg/ml</i>	1	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	1	
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg, 360 mg</i> (Verelan)	1	
<i>verapamil oral tablet 120 mg, 80 mg</i> (Calan)	1	
<i>verapamil oral tablet 40 mg</i>	1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR)	1	
Cardiovascular Agents, Miscellaneous		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CORLANOR ORAL TABLET 5 MG, 7.5 MG	1	PA; QL (60 per 30 days)
DEMSER ORAL CAPSULE 250 MG	1	NM; NDS
<i>digitek oral tablet 125 mcg</i>	1	PA-HRM; High Risk Med. PA Required for ages 65 and older and dose is greater than 125mcg per day; QL (30 per 30 days); AGE (Max 64 Years)
<i>digitek oral tablet 250 mcg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>digox oral tablet 125 mcg</i>	1	PA-HRM; High Risk Med. PA Required for ages 65 and older and dose is greater than 125mcg per day; QL (30 per 30 days); AGE (Max 64 Years)
<i>digox oral tablet 250 mcg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>digoxin injection syringe 250 mcg/ml</i>	1	PA-HRM; AGE (Max 64 Years)
DIGOXIN ORAL SOLUTION 50 MCG/ML	1	PA-HRM; AGE (Max 64 Years)
<i>digoxin oral tablet 125 mcg</i> (Digitek)	1	PA-HRM; High Risk Med. PA Required for ages 65 and older and dose is greater than 125mcg per day; QL (30 per 30 days); AGE (Max 64 Years)
<i>digoxin oral tablet 250 mcg</i> (Digitek)	1	PA-HRM; AGE (Max 64 Years)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	1	Mylan generic preferred; QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	1	Mylan generic preferred; QL (4 per 30 days)
FIRAZYR SUBCUTANEOUS SYRINGE 30 MG/3 ML	1	NM; NDS; QL (18 per 30 days)
<i>hydralazine injection solution 20 mg/ml</i>	1	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>milrinone in 5 % dextrose intravenous piggyback 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml)</i>	1	PA BvD; NM; NDS
<i>milrinone intravenous solution 1 mg/ml</i>	1	PA BvD; NM; NDS
<i>norepinephrine bitartrate intravenous solution 1 mg/ml</i> (Levophed (bitartrate))	1	PA BvD
RANEXA ORAL TABLET EXTENDED RELEASE 12 HR 1,000 MG, 500 MG	1	
Dihydropyridines		
<i>afeditab cr oral tablet extended release 30 mg, 60 mg</i>	1	
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg, 5-40 mg</i> (Lotrel)	1	
<i>amlodipine-benazepril oral capsule 2.5-10 mg</i>	1	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	1	
<i>nicardipine oral capsule 20 mg, 30 mg</i>	1	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	1	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i> (Adalat CC)	1	
Diuretics		
<i>amiloride oral tablet 5 mg</i>	1	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	1	
<i>bumetanide injection solution 0.25 mg/ml</i>	1	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	
<i>chlorothiazide oral tablet 250 mg, 500 mg</i>	1	
<i>chlorothiazide sodium intravenous recon soln 500 mg</i> (Diuril IV)	1	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	1	
<i>furosemide injection solution 10 mg/ml</i>	1	
<i>furosemide injection syringe 10 mg/ml</i>	1	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	
<i>hydrochlorothiazide oral capsule 12.5 mg</i> (Microzide)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	
JYNARQUE ORAL TABLETS, SEQUENTIAL 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	1	PA; NM; NDS; QL (56 per 28 days)
<i>methyclothiazide oral tablet 5 mg</i>	1	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	
<i>toremide oral tablet 10 mg, 20 mg</i> (Demadex)	1	
<i>toremide oral tablet 100 mg, 5 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> (Dyazide)	1	
<i>triamterene-hydrochlorothiazid oral capsule 50-25 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	
Dyslipidemics		
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	1	
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	1	
<i>cholestyramine light oral powder 4 gram</i>	1	
<i>cholestyramine light packet 4 gram</i>	1	
<i>colestipol oral packet 5 gram</i> (Colestid)	1	
<i>colestipol oral tablet 1 gram</i> (Colestid)	1	
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	1	
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i>	1	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	1	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	1	
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	
JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG	1	PA; NM; NDS; QL (30 per 30 days)
JUXTAPID ORAL CAPSULE 20 MG	1	PA; NM; NDS; QL (90 per 30 days)
JUXTAPID ORAL CAPSULE 5 MG	1	PA; NM; NDS; QL (45 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KYNAMRO SUBCUTANEOUS SYRINGE 200 MG/ML	1	PA; NM; NDS; QL (4 per 28 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	1	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> (Niaspan Extended-Release)	1	
<i>niacor oral tablet 500 mg</i>	1	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	1	QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	1	PA; NM; NDS; QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg</i>	1	
<i>pravastatin oral tablet 20 mg, 40 mg, 80 mg</i> (Pravachol)	1	
<i>prevalite oral powder in packet 4 gram</i>	1	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	1	PA; NM; NDS; QL (3.5 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	1	PA; NM; NDS; QL (3 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	1	PA; NM; NDS; QL (3 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	1	
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	1	
<i>simvastatin oral tablet 5 mg</i>	1	
<i>simvastatin oral tablet 80 mg</i> (Zocor)	1	QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	1	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	1	QL (120 per 30 days)
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM	1	
WELCHOL ORAL TABLET 625 MG	1	
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	1	
TEKTURNA HCT ORAL TABLET 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG	1	ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TEKTURNA ORAL TABLET 150 MG, 300 MG	1	ST
Vasodilators		
BIDIL ORAL TABLET 20-37.5 MG	1	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	1	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)	1	
<i>isosorbide dinitrate oral tablet extended release 40 mg</i> (ISOCHRON)	1	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	1	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.6 mg/hr</i>	1	QL (30 per 30 days)
<i>minitran transdermal patch 24 hour 0.4 mg/hr</i>	1	QL (60 per 30 days)
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	1	
NITRO-BID TRANSDERMAL OINTMENT 2 %	1	
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	1	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	1	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.6 mg/hr</i> (Minitran)	1	QL (30 per 30 days)
<i>nitroglycerin transdermal patch 24 hour 0.4 mg/hr</i> (Minitran)	1	QL (60 per 30 days)
Central Nervous System Agents		
Central Nervous System Agents		
AMPYRA ORAL TABLET EXTENDED RELEASE 12 HR 10 MG	1	PA; NM; NDS; QL (60 per 30 days)
<i>atomoxetine oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg</i> (Strattera)	1	
AUBAGIO ORAL TABLET 14 MG, 7 MG	1	PA; NM; NDS; QL (28 per 28 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	1	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	1	PA; NM; NDS; QL (60 per 30 days)
AVONEX (WITH ALBUMIN) INTRAMUSCULAR KIT 30 MCG	1	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	1	PA; NM; NDS
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	1	PA; NM; NDS
BETASERON SUBCUTANEOUS KIT 0.3 MG	1	PA; NM; NDS
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i> (Cafcit)	1	PA BvD
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	1	
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	1	PA; NM; NDS; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	1	QL (60 per 30 days)
<i>dextroamphetamine oral tablet 10 mg, 5 mg</i> (Zenzedi)	1	QL (180 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	1	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)	1	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	1	QL (60 per 30 days)
EXTAVIA SUBCUTANEOUS KIT 0.3 MG	1	PA; NM; NDS
<i>flumazenil intravenous solution 0.1 mg/ml</i>	1	
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG	1	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone)	1	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone)	1	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	1	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	1	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	1	
INGREZZA ORAL CAPSULE 40 MG, 80 MG	1	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2 ML	1	PA; NM; NDS
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	
<i>lithium carbonate oral tablet 300 mg</i>	1	
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	1	
<i>lithium carbonate oral tablet extended release 450 mg</i>	1	
<i>lithium citrate oral solution 8 meq/5 ml</i>	1	
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	1	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	1	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	1	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 30 mg</i> (Ritalin LA)	1	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 60 mg</i>	1	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	1	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	1	QL (90 per 30 days)
NUEDEXTA ORAL CAPSULE 20-10 MG	1	PA; QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	1	PA; NM; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML	1	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML	1	PA; NM; NDS
RADICAVA INTRAVENOUS PIGGYBACK 30 MG/100 ML	1	PA; NM; NDS; QL (2800 per 28 days)
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML	1	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML, 8.8MCG/0.2ML-22 MCG/0.5ML (6)	1	PA; NM; NDS
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	1	PA; NM; NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	1	
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	1	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	1	QL (60 per 30 days)
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG	1	PA; NM; NDS; QL (14 per 30 days)
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (14)- 240 MG (46), 240 MG	1	PA; NM; NDS; QL (60 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	1	PA; NM; NDS; QL (112 per 28 days)

Contraceptives

Contraceptives		
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	1	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
<i>amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	1	QL (91 per 84 days)
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	1	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	1	
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	
<i>aubra oral tablet 0.1-20 mg-mcg</i>	1	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	1	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	1	
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	1	
<i>camila oral tablet 0.35 mg</i>	1	
<i>caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	1	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	1	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
<i>cyred oral tablet 0.15-0.03 mg</i>	1	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	1	
<i>delyla (28) oral tablet 0.1-20 mg-mcg</i>	1	
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 (Azurette (28))</i>	1	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg (Apri)</i>	1	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg (Gianvi (28))</i>	1	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg (Ocella)</i>	1	
<i>elinest oral tablet 0.3-30 mg-mcg</i>	1	
ELLA ORAL TABLET 30 MG	1	QL (6 per 365 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	1	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	
<i>enskyce oral tablet 0.15-0.03 mg</i>	1	
<i>errin oral tablet 0.35 mg</i>	1	
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	1	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg (Kelnor 1/35 (28))</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i> (Kelnor 1-50)	1	
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	1	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	1	
<i>gildagia oral tablet 0.4-35 mg-mcg</i>	1	
<i>heather oral tablet 0.35 mg</i>	1	
<i>incassia oral tablet 0.35 mg</i>	1	
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	1	QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	1	
<i>jencycla oral tablet 0.35 mg</i>	1	
<i>jolivette oral tablet 0.35 mg</i>	1	
<i>juleber oral tablet 0.15-0.03 mg</i>	1	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>kelnor 1-50 oral tablet 1-50 mg-mcg</i>	1	
<i>kimidess (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>kurvelo oral tablet 0.15-0.03 mg</i>	1	
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i> (Amethia Lo)	1	QL (91 per 84 days)
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i> (Fayosim)	1	QL (91 per 84 days)
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (Amethia)	1	QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>larissia oral tablet 0.1-20 mg-mcg</i>	1	
<i>leena 28 oral tablet 0.5/1/0.5-35 mg-mcg</i>	1	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	1	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg (Aubra)</i>	1	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg (Altavera (28))</i>	1	QL (91 per 84 days)
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (Introvale)</i>	1	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10) (Enpresse)</i>	1	
<i>levora-28 oral tablet 0.15-0.03 mg</i>	1	
<i>lillow oral tablet 0.15-0.03 mg</i>	1	
<i>loryna (28) oral tablet 3-0.02 mg</i>	1	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	1	
<i>lutra (28) oral tablet 0.1-20 mg-mcg</i>	1	
<i>lyza oral tablet 0.35 mg</i>	1	
<i>marlissa oral tablet 0.15-0.03 mg</i>	1	
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	
<i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>mili oral tablet 0.25-35 mg-mcg</i>	1	
<i>mono-lynyah oral tablet 0.25-35 mg-mcg</i>	1	
<i>mononessa (28) oral tablet 0.25-35 mg-mcg</i>	1	
<i>myzilra oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	1	
<i>nikki (28) oral tablet 3-0.02 mg</i>	1	
<i>nora-be oral tablet 0.35 mg</i>	1	
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i> (Camila)	1	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> (Junel 1/20 (21))	1	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (Blisovi Fe 1/20 (28))	1	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (Blisovi 24 Fe)	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i> (Ortho Tri-Cyclen LO (28))	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (Ortho Tri-Cyclen (28))	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i> (Estarylla)	1	
<i>norlyda oral tablet 0.35 mg</i>	1	
<i>norlyroc oral tablet 0.35 mg</i>	1	
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	1	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg</i>	1	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
NUVARING VAGINAL RING 0.12-0.015 MG/24 HR	1	QL (1 per 28 days)
<i>ogestrel (28) oral tablet 0.5-50 mg-mcg</i>	1	
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	1	
<i>philith oral tablet 0.4-35 mg-mcg</i>	1	
<i>pimtrex (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg</i>	1	
<i>portia oral tablet 0.15-0.03 mg</i>	1	
<i>previfem oral tablet 0.25-35 mg-mcg</i>	1	
<i>quasense oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	1	QL (91 per 84 days)
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	1	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	1	QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sharobel oral tablet 0.35 mg</i>	1	
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	1	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	1	
<i>syeda oral tablet 3-0.03 mg</i>	1	
<i>tarina fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	1	
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	1	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>trinessa (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tulana oral tablet 0.35 mg</i>	1	
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	1	
<i>vestura (28) oral tablet 3-0.02 mg</i>	1	
<i>vienva oral tablet 0.1-20 mg-mcg</i>	1	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	1	
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	1	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	1	QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	1	
<i>zenchent (28) oral tablet 0.4-35 mg-mcg</i>	1	
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	1	
<i>zovia 1/50e (28) oral tablet 1-50 mg-mcg</i>	1	
Dental And Oral Agents		
Dental And Oral Agents		
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> (Paroex Oral Rinse)	1	
<i>oralone dental paste 0.1 %</i>	1	
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	1	
<i>periogard mucous membrane mouthwash 0.12 %</i>	1	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine))	1	
<i>triamcinolone acetonide dental paste 0.1 %</i> (Oralone)	1	
Dermatological Agents		
Dermatological Agents, Other		
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i> (Soriatane)	1	
<i>acyclovir topical ointment 5 %</i> (Zovirax)	1	QL (30 per 30 days)
ALCOHOL PADS TOPICAL PADS, MEDICATED	1	
<i>ammonium lactate topical cream 12 %</i> (Geri-Hydrolac)	1	
<i>ammonium lactate topical lotion 12 %</i> (AmLactin)	1	
<i>calcipotriene scalp solution 0.005 %</i>	1	
<i>calcipotriene topical cream 0.005 %</i> (Dovonex)	1	
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	1	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	1	PA; NM; NDS
DUPIXENT SUBCUTANEOUS SYRINGE 300 MG/2 ML	1	PA; NM; NDS
<i>fluorouracil topical cream 0.5 %</i> (Carac)	1	NM; NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	1	
<i>fluorouracil topical solution 2 %, 5 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>imiquimod topical cream in packet 5 %</i> (Aldara)	1	PA NSO; QL (24 per 30 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i> (Oxsoralen Ultra)	1	NM; NDS
PANRETIN TOPICAL GEL 0.1 %	1	NM; NDS
PICATO TOPICAL GEL 0.015 %	1	QL (3 per 56 days)
PICATO TOPICAL GEL 0.05 %	1	QL (2 per 56 days)
<i>podofilox topical solution 0.5 %</i>	1	
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	1	
SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML	1	PA; NM; NDS
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	1	PA; NM; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	1	PA; NM; NDS
TOLAK TOPICAL CREAM 4 %	1	
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	1	PA; NM; NDS
VALCHLOR TOPICAL GEL 0.016 %	1	NM; NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	1	
Dermatological Antibacterials		
<i>clindamycin phosphate topical solution 1 %</i> (Cleocin T)	1	
<i>clindamycin phosphate topical swab 1 %</i> (Cleocin T)	1	
<i>ery pads topical swab 2 %</i>	1	
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	1	
<i>erythromycin with ethanol topical solution 2 %</i>	1	
<i>erythromycin with ethanol topical swab 2 %</i> (Ery Pads)	1	
<i>gentamicin topical cream 0.1 %</i>	1	
<i>gentamicin topical ointment 0.1 %</i>	1	
<i>metronidazole topical cream 0.75 %</i> (MetroCream)	1	
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	1	
<i>metronidazole topical gel 1 %</i> (Metrogel)	1	
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	1	
<i>mupirocin topical ointment 2 %</i> (Centany)	1	
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>rosadan topical cream 0.75 %</i>	1	
<i>selenium sulfide topical lotion 2.5 %</i>	1	
<i>silver sulfadiazine topical cream 1 %</i> (Silvadene)	1	
<i>ssd topical cream 1 %</i>	1	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	1	
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %, 2.5 %</i>	1	
<i>alclometasone topical cream 0.05 %</i>	1	
<i>alclometasone topical ointment 0.05 %</i>	1	
<i>betamethasone dipropionate topical cream 0.05 %</i>	1	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	1	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	1	
<i>betamethasone valerate topical cream 0.1 %</i>	1	
<i>betamethasone valerate topical lotion 0.1 %</i>	1	
<i>betamethasone valerate topical ointment 0.1 %</i>	1	
<i>betamethasone, augmented topical cream 0.05 %</i>	1	
<i>betamethasone, augmented topical gel 0.05 %</i>	1	
<i>betamethasone, augmented topical lotion 0.05 %</i>	1	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene)	1	
<i>clobetasol scalp solution 0.05 %</i> (Cormax)	1	
<i>clobetasol topical cream 0.05 %</i> (Temovate)	1	
<i>clobetasol-emollient topical cream 0.05 %</i>	1	
<i>clocortolone pivalate topical cream 0.1 %</i> (Cloderm)	1	
<i>cormax scalp solution 0.05 %</i>	1	
<i>desoximetasone topical cream 0.25 %</i> (Topicort)	1	
ELIDEL TOPICAL CREAM 1 %	1	
EUCRISA TOPICAL OINTMENT 2 %	1	
<i>fluocinolone topical cream 0.01 %</i>	1	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	1	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fluocinonide topical cream 0.05 %</i>	1	
<i>fluocinonide topical gel 0.05 %</i>	1	
<i>fluocinonide topical solution 0.05 %</i>	1	
<i>fluocinonide-e topical cream 0.05 %</i>	1	
<i>fluticasone topical cream 0.05 %</i> (Cutivate)	1	
<i>fluticasone topical ointment 0.005 %</i>	1	
<i>halobetasol propionate topical cream 0.05 %</i> (Ultravate)	1	
<i>halobetasol propionate topical ointment 0.05 %</i> (Ultravate)	1	
<i>hydrocortisone topical cream 1 %, 2.5 %</i> (Ala-Cort)	1	
<i>hydrocortisone topical lotion 2.5 %</i>	1	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	
<i>hydrocortisone topical ointment 2.5 %</i>	1	
<i>mometasone topical cream 0.1 %</i> (Elocon)	1	
<i>mometasone topical ointment 0.1 %</i> (Elocon)	1	
<i>mometasone topical solution 0.1 %</i>	1	
<i>prednicarbate topical cream 0.1 %</i>	1	
<i>prednicarbate topical ointment 0.1 %</i> (Dermatop)	1	
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	1	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	1	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	1	
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	1	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	1	
Dermatological Retinoids		
<i>adapalene topical cream 0.1 %</i> (Differin)	1	
<i>adapalene topical gel 0.1 %</i> (Differin)	1	
<i>tazarotene topical cream 0.1 %</i> (Avage)	1	
TAZORAC TOPICAL CREAM 0.05 %	1	
<i>tretinoin topical cream 0.025 %</i> (Avita)	1	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	1	PA
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	1	PA
<i>tretinoin topical gel 0.025 %</i> (Avita)	1	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tretinoin topical gel 0.05 %</i> (Atralin)	1	PA
Scabicides And Pediculicides		
<i>malathion topical lotion 0.5 %</i> (Ovide)	1	
<i>permethrin topical cream 5 %</i> (Elimite)	1	
Devices		
Devices		
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	1	
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	1	
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	1	
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	1	
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	1	
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	1	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Ultilet Insulin Syringe)	1	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Advocate Syringes)	1	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Lite Touch Insulin Syringe)	1	
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" (1st Tier Unifine Pentips)	1	
VGO 40 DISPOSABLE DEVICE	1	
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
ADAGEN INTRAMUSCULAR SOLUTION 250 UNIT/ML	1	NM; NDS
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	1	NM; NDS
CERDELGA ORAL CAPSULE 84 MG	1	PA; NM; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	1	NM; NDS
CREON ORAL CAPSULE, DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	1	NM; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	1	NM; NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	1	NM; NDS
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	1	PA; NM; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	1	PA BvD; NM; NDS
KUVAN ORAL TABLET,SOLUBLE 100 MG	1	NM; NDS
<i>miglustat oral capsule 100 mg</i> (Zavesca)	1	NM; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	1	NM; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	1	PA; NM; NDS
ORFADIN ORAL CAPSULE 10 MG, 2 MG, 20 MG, 5 MG	1	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	1	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	1	PA; NM; NDS
PROCYSBI ORAL CAPSULE, DELAYED REL SPRINKLE 25 MG, 75 MG	1	NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	1	PA BvD; NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 100 MG/ML, 40 MG/ML	1	PA; NM; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	1	PA; NM; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 10,000-34,000 -55,000 UNIT, 15,000-47,000 -63,000 UNIT, 15,000-51,000 -82,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000-105,000 UNIT, 25,000-85,000- 136,000 UNIT, 3,000-10,000 -14,000-UNIT, 3,000-10,000- 16,000 UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000 - 27,000 UNIT, 5,000-17,000- 24,000 UNIT	1	
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i> (Iopidine)	1	
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	1	
<i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i>	1	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	1	
<i>cromolyn ophthalmic (eye) drops 4 %</i>	1	
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	1	
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	1	NM; NDS
<i>epinastine ophthalmic (eye) drops 0.05 %</i> (Elestat)	1	
<i>ipratropium bromide nasal spray,non-aerosol 0.03 %</i>	1	QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	1	QL (15 per 10 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Patanol)	1	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Pataday)	1	
<i>phenylephrine hcl ophthalmic (eye) drops 10 %, 2.5 %</i>	1	
<i>proparacaine ophthalmic (eye) drops 0.5 %</i>	1	
Eye, Ear, Nose, Throat Anti-Infectives Agents		
<i>acetic acid otic (ear) solution 2 %</i>	1	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	1	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (AK-Poly-Bac)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	1	
CIPRODEX OTIC (EAR) DROPS,SUSPENSION 0.3-0.1 %	1	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> (Ciloxan)	1	
<i>ciprofloxacin hcl otic (ear) dropperette 0.2 %</i> (Cetraxal)	1	
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	1	
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	1	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	1	
MOXEZA OPHTHALMIC (EYE) DROPS, VISCOUS 0.5 %	1	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	1	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	1	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	1	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	1	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	1	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)	1	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	1	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	1	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>neo-polycin hc ophthalmic (eye) ointment</i> 3.5-400-10,000 mg-unit/g-1%	1	
<i>neo-polycin ophthalmic (eye) ointment</i> 3.5-400-10,000 mg-unit-unit/g	1	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflox)	1	
<i>ofloxacin otic (ear) drops 0.3 %</i>	1	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	1	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i> (Polytrim)	1	
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i> (Bleph-10)	1	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	1	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	1	
<i>tobramycin ophthalmic (eye) drops 0.3 %</i> (Tobrex)	1	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i> (TobraDex)	1	
<i>trifluridine ophthalmic (eye) drops 1 %</i> (Viroptic)	1	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	1	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	1	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	1	ST
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	1	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	1	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	1	
DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %	1	
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	1	QL (50 per 25 days)
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	1	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fluticasone nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)	1	
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	1	
<i>ketorolac ophthalmic (eye) drops 0.4 %</i> (Acular LS)	1	
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	1	
LOTEMAX OPHTHALMIC (EYE) DROPS,GEL 0.5 %	1	
LOTEMAX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.5 %	1	
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	1	
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Omnipred)	1	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	1	
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	1	
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	1	QL (60 per 30 days)
Gastrointestinal Agents		
Antiulcer Agents And Acid Suppressants		
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	1	
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	1	
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	1	
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	1	
<i>famotidine intravenous solution 10 mg/ml</i>	1	
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	1	
<i>nizatidine oral capsule 150 mg, 300 mg</i>	1	
<i>omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>	1	
<i>pantoprazole intravenous recon soln 40 mg</i> (Protonix)	1	
<i>pantoprazole oral tablet,delayed release (dr/ec) 20 mg, 40 mg</i> (Protonix)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ranitidine hcl injection solution 25 mg/ml, 50 mg/2 ml (25 mg/ml)</i> (Zantac)	1	
<i>ranitidine hcl oral syrup 15 mg/ml</i>	1	
<i>ranitidine hcl oral tablet 150 mg</i> (Acid Control (ranitidine))	1	
<i>ranitidine hcl oral tablet 300 mg</i> (Zantac)	1	
<i>sucralfate oral tablet 1 gram</i> (Carafate)	1	
Gastrointestinal Agents, Other		
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG	1	QL (60 per 30 days)
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	1	NM; NDS
<i>constulose oral solution 10 gram/15 ml</i>	1	
<i>dicyclomine oral capsule 10 mg</i>	1	
<i>dicyclomine oral solution 10 mg/5 ml</i>	1	
<i>dicyclomine oral tablet 20 mg</i>	1	
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	1	PA-HRM; AGE (Max 64 Years)
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	1	PA-HRM; AGE (Max 64 Years)
<i>enulose oral solution 10 gram/15 ml</i>	1	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	1	PA; NM; NDS
<i>generlac oral solution 10 gram/15 ml</i>	1	
<i>glycopyrrolate injection solution 0.2 mg/ml</i>	1	
<i>glycopyrrolate oral tablet 1 mg</i> (Robinul)	1	
<i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)	1	
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>	1	
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	1	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	1	QL (30 per 30 days)
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	1	
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	1	
<i>metoclopramide hcl injection solution 5 mg/ml</i>	1	
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	1	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	1	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	1	PA; NM; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	1	PA; NM; NDS
RELISTOR ORAL TABLET 150 MG	1	PA; NM; NDS; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	1	PA; NM; NDS; QL (28 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML, 8 MG/0.4 ML	1	PA; NM; NDS; QL (28 per 28 days)
<i>sod polystyren sulf 15 g/60 ml sorbitol free 15 gram/60 ml</i>	1	
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	1	NM; NDS
<i>sodium polystyrene sulfonate oral powder</i>	1	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	1	
<i>ursodiol oral capsule 300 mg</i> (Actigall)	1	
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	1	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	1	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	1	QL (30 per 30 days)
VIBERZI ORAL TABLET 100 MG, 75 MG	1	ST; NM; NDS; QL (60 per 30 days)
XERMELO ORAL TABLET 250 MG	1	PA; NM; NDS; QL (90 per 30 days)
Laxatives		
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	1	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	1	
<i>gavilyte-n oral recon soln 420 gram</i>	1	
MOVIPREP ORAL POWDER IN PACKET 100-7.5-2.691 GRAM	1	
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> (GaviLyte-G)	1	
<i>peg 3350-electrolytes oral recon soln 240-22.72-6.72 -5.84 gram</i> (Colyte with Flavor Packs)	1	
<i>polyethylene glycol 3350 oral powder 17 gram/dose</i> (ClearLax)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>polyethylene glycol 3350 powd 17 gm packets (rx) 17 gram</i> (ClearLax)	1	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	1	
<i>trilyte with flavor packets oral recon soln 420 gram</i>	1	
Phosphate Binders		
<i>calcium acetate oral capsule 667 mg</i>	1	
<i>calcium acetate oral tablet 667 mg</i> (Calphron)	1	
<i>eliphos oral tablet 667 mg</i>	1	
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	1	
RENAGEL ORAL TABLET 400 MG, 800 MG	1	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	1	NM; NDS
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	1	
VELPHORO ORAL TABLET,CHEWABLE 500 MG	1	
Genitourinary Agents		
Antispasmodics, Urinary		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i> (Urecholine)	1	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	1	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	1	
<i>oxybutynin chloride oral tablet 5 mg</i>	1	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i> (Ditropan XL)	1	
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>	1	
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	1	
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	1	
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG	1	
Genitourinary Agents, Miscellaneous		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	1	
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
Heavy Metal Antagonists		
Heavy Metal Antagonists		
CUPRIMINE ORAL CAPSULE 250 MG	1	PA; NM; NDS
<i>deferoxamine injection recon soln 2 gram, 500 mg</i> (Desferal)	1	PA
DEPEN TITRATABS ORAL TABLET 250 MG	1	PA; NM; NDS
EXJADE ORAL TABLET, DISPERSIBLE 125 MG, 250 MG, 500 MG	1	PA; NM; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	1	PA; NM; NDS
FERRIPROX ORAL TABLET 500 MG	1	PA; NM; NDS
JADENU ORAL TABLET 180 MG, 360 MG, 90 MG	1	PA; NM; NDS
JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG	1	PA; NM; NDS
<i>trientine oral capsule 250 mg</i> (Syprine)	1	PA; NM; NDS; QL (240 per 30 days)
Hormonal Agents, Stimulant/Replacement/Modifying		
Androgens		
ANADROL-50 ORAL TABLET 50 MG	1	PA; NM; NDS
ANDROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 20.25 MG/1.25 GRAM (1.62 %)	1	PA; QL (150 per 30 days)
ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM), 1.62 % (40.5 MG/2.5 GRAM)	1	PA; QL (150 per 30 days)
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	1	
<i>testosterone cypionate intramuscular oil 100 mg/ml</i> (Depo-Testosterone)	1	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml</i> (Depo-Testosterone)	1	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	1	PA; QL (5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>testosterone transdermal gel in packet 1 % (AndroGel)</i> (25 mg/2.5gram), 1 % (50 mg/5 gram)	1	PA; QL (300 per 30 days)
Estrogens And Antiestrogens		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
DUAVEE ORAL TABLET 0.45-20 MG	1	PA-HRM; AGE (Max 64 Years)
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	PA-HRM; AGE (Max 64 Years)
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Alora)	1	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>estradiol transdermal patch semiweekly 0.0375 mg/24 hr</i> (Minivelle)	1	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	1	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	1	
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> (Delestrogen)	1	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Activella)	1	PA-HRM; AGE (Max 64 Years)
<i>estropipate oral tablet 0.75 mg, 1.5 mg, 3 mg</i>	1	PA-HRM; AGE (Max 64 Years)
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	1	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>jinteli oral tablet 1-5 mg-mcg</i>	1	PA-HRM; AGE (Max 64 Years)
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG	1	PA-HRM; AGE (Max 64 Years)
<i>mimvey lo oral tablet 0.5-0.1 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg</i> (Femhrt Low Dose)	1	PA-HRM; AGE (Max 64 Years)
<i>norethindrone ac-eth estradiol oral tablet 1-5 mg-mcg</i> (Fyavolv)	1	PA-HRM; AGE (Max 64 Years)
PREMARIN INJECTION RECON SOLN 25 MG	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	1	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	1	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	1	PA-HRM; AGE (Max 64 Years)
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	1	PA-HRM; AGE (Max 64 Years)
<i>raloxifene oral tablet 60 mg</i> (Evista)	1	
Glucocorticoids/Mineralocorticoids		
<i>a-hydrocort injection recon soln 100 mg</i>	1	
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	1	
<i>cortisone oral tablet 25 mg</i>	1	
<i>decadron oral elixir 0.5 mg/5 ml</i>	1	PA BvD
<i>dexamethasone oral elixir 0.5 mg/5 ml</i> (Decadron)	1	PA BvD
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i> (Decadron)	1	PA BvD
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>	1	PA BvD
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	1	PA; NM; NDS; QL (104 per 30 days)
EMFLAZA ORAL TABLET 18 MG	1	PA; NM; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	1	PA; NM; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	1	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	1	
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	1	
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Medrol)	1	
<i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak))	1	
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methylprednisolone sodium succ</i> (Solu-Medrol) <i>intravenous recon soln 1,000 mg</i>	1	
<i>prednisolone 15 mg/5 ml soln a/f, d/f 15</i> <i>mg/5 ml (3 mg/ml)</i>	1	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	1	PA BvD
<i>prednisolone sodium phosphate oral</i> <i>solution 25 mg/5 ml (5 mg/ml), 5 mg</i> <i>base/5 ml (6.7 mg/5 ml)</i>	1	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	1	PA BvD
<i>prednisone oral tablet 1 mg, 2.5 mg, 5 mg,</i> <i>50 mg</i>	1	PA BvD
<i>prednisone oral tablet 10 mg</i>	1	PA BvD
<i>prednisone oral tablet 20 mg</i> (Deltasone)	1	PA BvD
<i>prednisone oral tablets,dose pack 10 mg,</i> <i>10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	1	
SOLU-CORTEF (PF) INJECTION RECON SOLN 100 MG/2 ML	1	
<i>triamcinolone acetonide injection</i> (Kenalog) <i>suspension 40 mg/ml</i>	1	
Pituitary		
<i>desmopressin 10 mcg/0.1 ml spr 10</i> (DDAVP) <i>mcg/spray (0.1 ml)</i>	1	
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	1	
<i>desmopressin nasal solution 0.1 mg/ml</i> (DDAVP) <i>(refrigerate)</i>	1	
<i>desmopressin nasal spray,non-aerosol 10</i> <i>mcg/spray (0.1 ml)</i>	1	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	1	
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML	1	PA
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML	1	PA; NM; NDS
GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML)	1	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMATROPE INJECTION CARTRIDGE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT)	1	PA; NM; NDS
HUMATROPE INJECTION RECON SOLN 5 (15 UNIT) MG	1	PA; NM; NDS
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	1	NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	1	NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	1	NM; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML)	1	PA; NM; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 5 MG/1.5 ML (3.3 MG/ML)	1	PA
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML)	1	PA; NM; NDS
<i>octreotide acetate injection solution 1,000 mcg/ml, 200 mcg/ml</i>	1	
<i>octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i> (Sandostatin)	1	
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i>	1	
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	1	PA; NM; NDS
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	1	PA; NM; NDS
ORILISSA ORAL TABLET 150 MG	1	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	1	PA; NM; NDS; QL (56 per 28 days)
SAIZEN SAIZENPREP SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	1	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SAIZEN SUBCUTANEOUS RECON SOLN 5 MG, 8.8 MG	1	PA; NM; NDS
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 10 MG, 20 MG, 30 MG	1	NM; NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	1	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	1	NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML, 60 MG/0.2 ML, 90 MG/0.3 ML	1	NM; NDS; QL (1 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 15 MG, 20 MG, 25 MG, 30 MG	1	NM; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	1	NM; NDS; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	1	NM; NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	1	NM; NDS; QL (1 per 168 days)
ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG	1	PA; NM; NDS
ZOMACTON SUBCUTANEOUS RECON SOLN 5 MG	1	PA
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	1	PA; NM; NDS
Progestins		
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	1	QL (10 per 28 days)
<i>hydroxyprogesterone caproate intramuscular oil 250 mg/ml</i>	1	PA NSO; NM; NDS
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	1	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	1	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	1	PA-HRM; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg</i> (Aygestin)	1	
<i>progesterone in oil intramuscular oil 50 mg/ml</i>	1	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	1	
Thyroid And Antithyroid Agents		
<i>levothyroxine intravenous recon soln 100 mcg, 200 mcg, 500 mcg</i>	1	NM; NDS
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Levo-T)	1	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	1	
<i>methimazole oral tablet 10 mg, 5 mg</i> (Tapazole)	1	
<i>propylthiouracil oral tablet 50 mg</i>	1	
Immunological Agents		
Immunological Agents		
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	1	PA; NM; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	1	PA; NM; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	1	NM; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	1	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	1	PA BvD
CARIMUNE NF NANOFILTERED INTRAVENOUS RECON SOLN 12 GRAM, 6 GRAM	1	PA BvD; NM; NDS
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	1	PA; NM; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	1	PA; NM; NDS
<i>cyclosporine intravenous solution 250 mg/5 ml</i> (Sandimmune)	1	PA BvD
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i> (Gengraf)	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cyclosporine modified oral capsule 50 mg</i>	1	PA BvD
<i>cyclosporine modified oral solution 100 mg/ml</i> (Gengraf)	1	PA BvD
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	1	PA BvD
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	1	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5ML (0.51), 50 MG/ML (0.98 ML)	1	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (0.98 ML)	1	PA; NM; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	1	PA BvD; NM; NDS
GAMASTAN S/D INTRAMUSCULAR SOLUTION 15-18 % RANGE	1	PA BvD
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	1	PA BvD; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	1	PA BvD; NM; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	1	PA BvD; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	1	PA BvD; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg, 50 mg</i>	1	PA BvD
<i>gengraf oral solution 100 mg/ml</i>	1	PA BvD
HUMIRA PEDIATRIC CROHN'S START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML, 40 MG/0.8 ML (6 PACK), 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	1	PA; NM; NDS
HUMIRA PEN CROHN'S-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML, 80 MG/0.8 ML	1	PA; NM; NDS
HUMIRA PEN PSORIASIS-UVEITIS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	1	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML	1	PA; NM; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 10 MG/0.2 ML, 20 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.4 ML, 40 MG/0.8 ML	1	PA; NM; NDS
HYPERRAB (PF) INTRAMUSCULAR SOLUTION 300 UNIT/ML	1	
HYPERRAB S/D (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	1	
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	1	PA BvD; NM; NDS
ILARIS (PF) SUBCUTANEOUS RECON SOLN 150 MG/ML	1	PA; NM; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	1	PA; NM; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	1	PA; NM; NDS
IMOGAM RABIES-HT (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	1	
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	1	PA; NM; NDS
KEDRAB (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	1	
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	1	PA; NM; NDS; QL (2.28 per 28 days)
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	1	PA; NM; NDS; QL (2.28 per 28 days)
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	1	PA; NM; NDS; QL (18.76 per 28 days)
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	1	
<i>mycophenolate mofetil hcl intravenous recon soln 500 mg</i> (CellCept Intravenous)	1	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	1	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	1	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	1	PA BvD; NM; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	1	PA BvD; NM; NDS
OLUMIANT ORAL TABLET 2 MG	1	PA; NM; NDS; QL (30 per 30 days)
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	1	PA; NM; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	1	PA; NM; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	1	PA; NM; NDS
OTEZLA ORAL TABLET 30 MG	1	PA; NM; NDS; QL (60 per 30 days)
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	1	PA; NM; NDS; QL (60 per 30 days)
OTREXUP (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML	1	
PRIVIGEN INTRAVENOUS SOLUTION 10 %	1	PA BvD; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	1	PA BvD
RAPAMUNE ORAL SOLUTION 1 MG/ML	1	PA BvD; NM; NDS
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	1	
REMICADE INTRAVENOUS RECON SOLN 100 MG	1	PA; NM; NDS
RIDAURA ORAL CAPSULE 3 MG	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SIMPONI ARIA INTRAVENOUS SOLUTION 12.5 MG/ML	1	PA; NM; NDS
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML	1	PA; NM; NDS
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML	1	PA; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune)	1	PA BvD
<i>sirolimus oral tablet 2 mg</i> (Rapamune)	1	PA BvD; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	1	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	1	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	1	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	1	PA BvD
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	1	PA; NM; LA; NDS; QL (15 per 28 days)
XELJANZ ORAL TABLET 10 MG, 5 MG	1	PA; NM; NDS; QL (60 per 30 days)
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG	1	PA; NM; NDS; QL (30 per 30 days)
ZORTRESS ORAL TABLET 0.25 MG, 0.5 MG, 0.75 MG	1	PA BvD; NM; NDS
Vaccines		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	1	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	1	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	1	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	1	PA BvD
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	1	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	1	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	1	
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	1	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	1	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	1	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	1	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	1	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	1	
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	1	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	1	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	1	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF-MCG-LF/0.5ML	1	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	1	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	1	
IPOL INJECTION SYRINGE 40-8-32 UNIT/0.5 ML	1	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	1	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	1	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	1	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	1	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	1	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	1	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	1	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	1	
PENTACEL DTAP-IPV COMPNT (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	1	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	1	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	1	
RBAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	1	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	1	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	1	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	1	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	1	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	1	QL (2 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	1	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	1	
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	1	
TETANUS-DIPHThERIA TOXOIDS-TD INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	1	
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	1	
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	1	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	1	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	1	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	1	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	1	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	1	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	1	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	1	
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	1	QL (1 per 365 days)
Inflammatory Bowel Disease Agents		
Inflammatory Bowel Disease Agents		
<i>alosetron oral tablet 0.5 mg, 1 mg</i>	(Lotronex)	1 NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
APRISO ORAL CAPSULE,EXTENDED RELEASE 24HR 0.375 GRAM	1	
<i>balsalazide oral capsule 750 mg</i> (Colazal)	1	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i> (Entocort EC)	1	
CANASA RECTAL SUPPOSITORY 1,000 MG	1	
<i>colocort rectal enema 100 mg/60 ml</i>	1	
DELZICOL ORAL CAPSULE (WITH DEL REL TABLETS) 400 MG	1	
DIPENTUM ORAL CAPSULE 250 MG	1	ST; NM; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Colocort)	1	
LIALDA ORAL TABLET, DELAYED RELEASE (DR/EC) 1.2 GRAM	1	
<i>mesalamine oral tablet, delayed release (dr/ec) 800 mg</i> (Asacol HD)	1	
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	1	
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs)	1	
UCERIS RECTAL FOAM 2 MG/ACTUATION	1	
Irrigating Solutions		
Irrigating Solutions		
<i>acetic acid irrigation solution 0.25 %</i>	1	
LACTATED RINGERS IRRIGATION SOLUTION	1	
<i>sodium chloride irrigation solution 0.9 %</i> (Aqua Care Sodium Chloride)	1	
<i>water for irrigation, sterile irrigation solution</i> (Aqua Care Sterile Water)	1	
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	
<i>alendronate oral tablet 35 mg</i>	1	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	1	QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	1	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	1	
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	1	
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i> (Hectorol)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE - 600 MCG/2.4 ML	1	PA; QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	1	QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i> (Boniva)	1	QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i> (Boniva)	1	QL (1 per 28 days)
MIACALCIN INJECTION SOLUTION 200 UNIT/ML	1	
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	1	PA; NM; NDS; QL (2 per 28 days)
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	1	
PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCG/ML	1	
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemlar)	1	
<i>paricalcitol oral capsule 4 mcg</i>	1	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	1	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	1	QL (60 per 30 days)
SENSIPAR ORAL TABLET 30 MG, 60 MG	1	NM; NDS; QL (60 per 30 days)
SENSIPAR ORAL TABLET 90 MG	1	NM; NDS; QL (120 per 30 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	1	PA; QL (1.56 per 30 days)
<i>zoledronic acid intravenous recon soln 4 mg</i>	1	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i> (Zometa)	1	
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	1	QL (100 per 300 days)
<i>zoledronic ac-mannitol-0.9nacl intravenous piggyback 4 mg/100 ml</i>	1	
ZOMETA INTRAVENOUS PIGGYBACK 4 MG/100 ML	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	1	NM; NDS
<i>amifostine crystalline intravenous recon soln 500 mg</i> (Ethyol)	1	
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	1	PA; NM; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	1	PA; NM; NDS; QL (4 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	1	PA; NM; NDS; QL (4 per 28 days)
CETYLEV ORAL TABLET, EFFERVESCENT 2.5 GRAM, 500 MG	1	
CYSTADANE ORAL POWDER 1 GRAM/1.7 ML	1	NM; NDS
<i>droperidol injection solution 2.5 mg/ml</i>	1	
ELMIRON ORAL CAPSULE 100 MG	1	
ENDARI ORAL POWDER IN PACKET 5 GRAM	1	PA; NM; NDS; QL (180 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	1	
EXONDYS 51 INTRAVENOUS SOLUTION 50 MG/ML	1	PA; NM; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	1	NM; NDS
<i>guanidine oral tablet 125 mg</i>	1	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i> (Vistaril)	1	PA-HRM; AGE (Max 64 Years)
KEVEYIS ORAL TABLET 50 MG	1	PA; NM; NDS; QL (120 per 30 days)
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	1	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	1	
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	1	
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	1	
LEVOLEUCOVORIN INTRAVENOUS RECON SOLN 175 MG	1	
<i>levoleucovorin intravenous recon soln 50 mg</i> (Fusilev)	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>mesna intravenous solution 100 mg/ml</i> (Mesnex)	1	
MESNEX ORAL TABLET 400 MG	1	NM; NDS
MESTINON ORAL SYRUP 60 MG/5 ML	1	NM; NDS
PROGLYCEM ORAL SUSPENSION 50 MG/ML	1	NM; NDS
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	1	
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	1	PA; NM; NDS
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	1	PA; NM; NDS
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
THIOLA ORAL TABLET 100 MG	1	NM; NDS
TOTECT INTRAVENOUS RECON SOLN 500 MG	1	NM; NDS
TYBOST ORAL TABLET 150 MG	1	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	1	NM; NDS; QL (24 per 14 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	1	PA; NM; NDS; QL (120 per 30 days)
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	1	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	1	
<i>acetazolamide sodium injection recon soln 500 mg</i>	1	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	1	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	1	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	1	
<i>dorzolamide ophthalmic (eye) drops 2 %</i> (Trusopt)	1	
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)	1	
<i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)	1	
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	1	QL (2.5 per 25 days)
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	1	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %</i> (Isopto Carpine) <i>%, 2 %, 4 %</i>	1	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	1	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	1	
<i>timolol maleate ophthalmic (eye) drops 0.25 %</i> (Timoptic) <i>, 0.5 %</i>	1	
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %</i> (Timoptic-XE) <i>, 0.5 %</i>	1	
TRAVATAN Z OPHTHALMIC (EYE) DROPS 0.004 %	1	QL (2.5 per 25 days)
Replacement Preparations		
Replacement Preparations		
<i>calcium chloride intravenous solution 100 mg/ml (10 %)</i>	1	
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	1	
<i>d10 %-0.45 % sodium chloride intravenous parenteral solution</i>	1	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	1	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	1	
<i>electrolyte-48 in d5w intravenous parenteral solution</i>	1	
IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	1	
IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	1	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	1	
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	1	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	1	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	1	
<i>klor-con sprinkle oral capsule, extended release 10 meq, 8 meq</i>	1	
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	1	
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	1	PA BvD
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	1	PA BvD
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	1	PA BvD
<i>magnesium sulfate injection syringe 4 meq/ml</i>	1	PA BvD
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	1	
NORMOSOL-R IV SOLUTION L/F, SINGLE-USE	1	
NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	1	
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	1	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	1	
PLASMA-LYTE-56 IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	1	
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 30 meq/l, 40 meq/l</i>	1	PA BvD
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 20 meq/l</i>	1	PA BvD
<i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	1	PA BvD
<i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 30 meq/l, 40 meq/l</i>	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l, 40 meq/l</i>	1	
<i>potassium chloride in water intravenous piggyback 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml</i>	1	PA BvD
<i>potassium chloride intravenous solution 2 meq/ml</i>	1	PA BvD
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	1	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq</i>	1	
<i>potassium chloride oral capsule, extended release 8 meq</i> (Klor-Con Sprinkle)	1	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	1	
<i>potassium chloride oral tablet extended release 10 meq, 20 meq, 8 meq</i> (K-Tab)	1	
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i> (Klor-Con M10)	1	
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i> (Klor-Con M20)	1	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	1	
<i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l</i>	1	
<i>potassium chloride-d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>	1	
<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	1	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	1	
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	1	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	1	
<i>sodium acetate intravenous solution 2 meq/ml</i>	1	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	1	
<i>sodium chloride 100 meq/40 ml 25's, sdv 2.5 meq/ml</i>	1	
<i>sodium chloride intravenous parenteral solution 2.5 meq/ml</i>	1	
<i>sodium lactate intravenous solution 5 meq/ml</i>	1	
<i>sodium phosphate intravenous solution 3 mmol/ml</i>	1	
Respiratory Tract Agents		
Anti-Inflammatories, Inhaled		
Corticosteroids		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	1	QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	1	QL (12 per 28 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	1	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	1	QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> (Pulmicort)	1	PA BvD
DULERA INHALATION HFA AEROSOL INHALER 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION	1	QL (13 per 28 days)
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	1	QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	1	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	1	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	1	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	1	QL (12 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	1	QL (24 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	1	QL (21.2 per 28 days)
QVAR INHALATION AEROSOL 40 MCG/ACTUATION, 80 MCG/ACTUATION	1	QL (17.4 per 25 days)
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION, 80 MCG/ACTUATION	1	QL (21.2 per 30 days)
SYMBICORT 160-4.5 MCG INHALER 60 INHALATIONS 160-4.5 MCG/ACTUATION	1	QL (12 per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION	1	QL (10.2 per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 80-4.5 MCG/ACTUATION	1	QL (11 per 25 days)
Antileukotrienes		
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	1	
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	1	
Bronchodilators		
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 5 mg/ml</i>	1	PA BvD
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	1	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	1	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	1	QL (25.8 per 28 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	1	QL (8 per 30 days)
INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION	1	
<i>ipratropium bromide inhalation solution 0.02 %</i>	1	PA BvD
<i>levalbuterol tartrate inhalation hfa aerosol inhaler 45 mcg/actuation</i> (Xopenex HFA)	1	QL (30 per 30 days)
LONHALA MAGNAIR STARTER INHALATION SOLUTION FOR NEBULIZATION 25 MCG/ML	1	QL (60 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	
<i>metaproterenol oral tablet 10 mg, 20 mg</i>	1	
PROAIR HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	1	
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	1	
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	1	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION	1	
SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	1	
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	1	
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	1	QL (4 per 28 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	1	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	1	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	1	NM; NDS
<i>theophylline oral solution 80 mg/15 ml</i>	1	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg</i> (Theochron)	1	
<i>theophylline oral tablet extended release 12 hr 450 mg</i>	1	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	1	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG	1	
Respiratory Tract Agents, Other		
<i>acetylcysteine intravenous solution 200 mg/ml (20 %)</i> (Acetadote)	1	PA BvD
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	1	PA BvD
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	1	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	1	PA BvD
DALIRESP ORAL TABLET 250 MCG	1	QL (28 per 28 days)
DALIRESP ORAL TABLET 500 MCG	1	QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	1	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	1	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	1	PA; NM; NDS; QL (90 per 30 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	1	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 50 MG, 75 MG	1	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	1	PA; NM; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	1	PA; NM; LA; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	1	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	1	PA; NM; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	1	PA; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	1	PA BvD; NM; NDS
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N)	1	PA; NM; NDS; QL (56 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	1	PA; NM; NDS
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 20 mg</i>	1	
<i>carisoprodol oral tablet 350 mg</i> (Soma)	1	PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>chlorzoxazone oral tablet 500 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>dantrolene oral capsule 100 mg</i>	1	
<i>dantrolene oral capsule 25 mg, 50 mg</i> (Dantrium)	1	
<i>methocarbamol oral tablet 500 mg</i> (Robaxin)	1	PA-HRM; AGE (Max 64 Years)
<i>methocarbamol oral tablet 750 mg</i> (Robaxin-750)	1	PA-HRM; AGE (Max 64 Years)
<i>revonto intravenous recon soln 20 mg</i>	1	
<i>tizanidine oral tablet 2 mg</i>	1	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	1	
Sleep Disorder Agents		
Sleep Disorder Agents		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	1	PA
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	1	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	1	PA-HRM; (High Risk Med. QL applies to all members; PA required for 65 years and older with over 90 days cumulative use with any non-benzodiazepine hypnotic drug); QL (30 per 30 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HETLIOZ ORAL CAPSULE 20 MG	1	PA; NM; NDS; QL (30 per 30 days)
SILENOR ORAL TABLET 3 MG, 6 MG	1	QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	1	NM; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i> (Sonata)	1	PA-HRM; (High Risk Med. QL applies to all members; PA required for 65 years and older with over 90 days cumulative use with any non-benzodiazepine hypnotic drug); QL (60 per 30 days); AGE (Max 64 Years)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	PA-HRM; (High Risk Med. QL applies to all members; PA required for 65 years and older with over 90 days cumulative use with any non-benzodiazepine hypnotic drug); QL (30 per 30 days); AGE (Max 64 Years)

Vasodilating Agents

Vasodilating Agents

ADCIRCA ORAL TABLET 20 MG	1	PA; NM; NDS; QL (60 per 30 days)
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	1	PA; NM; NDS; QL (90 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg</i> (Flolan)	1	PA
<i>epoprostenol (glycine) intravenous recon soln 1.5 mg</i> (Flolan)	1	PA; NM; NDS
LETAIRIS ORAL TABLET 10 MG, 5 MG	1	PA; NM; NDS; QL (30 per 30 days)
OPSUMIT ORAL TABLET 10 MG	1	PA; NM; NDS; QL (30 per 30 days)
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG	1	PA
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.25 MG, 1 MG, 2.5 MG, 5 MG	1	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
REMODULIN INJECTION SOLUTION 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML	1	PA; NM; NDS
<i>sildenafil (antihypertensive) intravenous solution 10 mg/12.5 ml</i> (Revatio)	1	PA; NM; NDS; QL (37.5 per 1 day)
<i>sildenafil (antihypertensive) oral tablet 20 mg</i> (Revatio)	1	PA; QL (90 per 30 days)
<i>tadalafil (antihypertensive) oral tablet 20 mg</i> (Adcirca)	1	PA; NM; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	1	PA; NM; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	1	PA; NM; NDS; QL (112 per 28 days)
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	1	PA; NM; NDS
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	1	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	1	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	1	PA; NM; NDS; QL (400 per 365 days)
Vitamins And Minerals		
Vitamins And Minerals		
<i>pnv prenatal plus multivit tab s/f, gluten- free 27 mg iron- 1 mg</i>	1	ALL RX PRENATAL VITAMINS COVERABLE UNDER PART D
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	1	ALL RX PRENATAL VITAMINS COVERABLE UNDER PART D

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

INDEX

A		
abacavir	45	
abacavir-lamivudine	45	
abacavir-lamivudine-zidovudine	45	
ABELCET	35	
ABILIFY MAINTENA	41	
ABRAXANE	16	
acamprosate	7	
acarbose	31	
acebutolol	59	
acetaminophen-codeine	3	
acetazolamide	104	
acetazolamide sodium	104	
acetic acid	80, 101	
acetylcysteine	111	
acitretin	74	
ACTEMRA	93	
ACTHIB (PF)	97	
ACTIMMUNE	103	
acyclovir	50, 74	
acyclovir sodium	50	
ADACEL(TDAP ADOLESN/ADULT)(PF) ..	97	
ADAGEN	78	
adapalene	77	
ADCIRCA	113	
adefovir	50	
ADEMPAS	113	
adriamycin	16	
adrucil	16	
ADVAIR DISKUS	108	
ADVAIR HFA	108	
afeditab cr	62	
AFINITOR	16	
AFINITOR DISPERZ	16	
a-hydrocort	89	
AKYNZEO (FOSNETUPITANT)	38	
AKYNZEO (NETUPITANT)	38	
ala-cort	76	
ALBENZA	39	
albuterol sulfate	109, 110	
alclometasone	76	
ALCOHOL PADS	74	
ALDURAZYME	78	
ALECENSA	16	
alendronate	101	
alfuzosin	86	
ALIMTA	17	
ALINIA	39	
ALIQOPA	17	
allopurinol	36	
alosetron	100	
ALPHAGAN P	104	
alprazolam	8	
ALREX	82	
altavera (28)	68	
ALUNBRIG	17	
alyacen 1/35 (28)	68	
alyacen 7/7/7 (28)	68	
amabelz	88	
amantadine hcl	40	
AMBISOME	35	
amethia	68	
amethia lo	68	
amifostine crystalline	103	
amiloride	62	
amiloride-hydrochlorothiazide	62	
AMINOSYN 10 %	53	
AMINOSYN 7 % WITH ELECTROLYTES	53	
AMINOSYN 8.5 %	53	
AMINOSYN 8.5 %- ELECTROLYTES	54	
AMINOSYN II 10 %	54	
AMINOSYN II 15 %	54	
AMINOSYN II 7 %	54	
AMINOSYN II 8.5 %	54	
AMINOSYN II 8.5 %- ELECTROLYTES	54	
AMINOSYN M 3.5 %	54	
AMINOSYN-HBC 7%	54	
AMINOSYN-PF 10 %	54	
AMINOSYN-PF 7 % (SULFITE-FREE)	54	
AMINOSYN-RF 5.2 %	54	
amiodarone	58	
AMITIZA	84	
amitriptyline	29	
amlodipine	62	
amlodipine-benazepril	62	
amlodipine-valsartan	62	
ammonium lactate	74	
amoxapine	29	
amoxicillin	13, 14	
amoxicillin-pot clavulanate	14	
amphotericin b	35	
ampicillin	14	
ampicillin sodium	14	
ampicillin-sulbactam	14	
AMPYRA	65	
ANADROL-50	87	
anagrelide	53	
anastrozole	17	
ANDROGEL	87	
ANORO ELLIPTA	110	
APOKYN	40	
apraclonidine	80	
aprepitant	38	

apri.....	68	B	bleomycin.....	17
APRISO.....	101	bacitracin	bleph-10	81
APTIOM.....	25	bacitracin-polymyxin b.....	BLINCYTO	17
APTIVUS	46	baclofen	blisovi 24 fe.....	69
aranelle (28).....	68	balsalazide	blisovi fe 1.5/30 (28).....	69
ARCALYST.....	93	balziva (28).....	blisovi fe 1/20 (28).....	69
aripiprazole.....	41, 42	BANZEL	BOOSTRIX TDAP	97, 98
ARISTADA.....	42	BAVENCIO.....	BORTEZOMIB.....	17
ARISTADA INITIO	42	BAXDELA	BOSULIF.....	17
armodafinil	112	BCG VACCINE, LIVE (PF) .	BRAFTOVI.....	17
ARNUITY ELLIPTA.....	108	BD ULTRA-FINE NANO PEN	BREO ELLIPTA.....	108
ashlyna.....	68	NEEDLE.....	brillyn	69
aspirin-dipyridamole	53	BD VEO INSULIN SYR HALF	BRILINTA	53
ASSURE ID INSULIN		UNIT.....	brimonidine	104
SAFETY.....	78	BD VEO INSULIN SYRINGE	BRIVIACT.....	26
atazanavir	46	UF	bromocriptine.....	40
atenolol	59	bekyree (28).....	BROMSITE	82
atenolol-chlorthalidone.....	59	BELEODAQ.....	budesonide	101, 108
atomoxetine	65	BELSOMRA	bumetanide.....	62
atorvastatin	63	benazepril.....	buprenorphine hcl	3, 7
atovaquone	39	BENDEKA	buprenorphine-naloxone	7
atovaquone-proguanil.....	39	BENLYSTA	bupropion hcl	29
ATRIPLA	46	benztropine	bupropion hcl (smoking deter).	7
atropine.....	25, 80	BESPONSA.....	buspiron.....	8
ATROVENT HFA	110	betamethasone acet,sod phos.	butalbital-acetaminophen-caff .	3
AUBAGIO	65	betamethasone dipropionate ..	butalbital-aspirin-caffeine	3
aubra.....	68	betamethasone valerate.....	BYSTOLIC	59
AUSTEDO	65	betamethasone, augmented....	BYVALSON.....	59
AVASTIN	17	BETASERON.....	C	
aviane	68	betaxolol	cabergoline.....	40
AVONEX.....	66	bethanechol chloride.....	CABOMETYX	17
AVONEX (WITH ALBUMIN)		BETHKIS	caffeine citrate.....	66
.....	65	BEVYXXA.....	calcipotriene.....	74
azacitidine.....	17	bexarotene.....	calcitonin (salmon).....	101
azathioprine	93	BEXSERO.....	calcitriol	101
azathioprine sodium	93	bicalutamide.....	calcium acetate.....	86
azelastine	80	BICILLIN L-A	calcium chloride.....	105
azithromycin.....	13	BIDIL.....	CALDOLOR.....	6
AZOPT	104	BIKTARVY.....	CALQUENCE	18
aztreonam	13	bisoprolol fumarate.....	camila.....	69
azurette (28).....	68	bisoprolol-hydrochlorothiazide	CANASA	101
		CAPASTAT	37

CAPRELSA	18	CHANTIX STARTING		CLINIMIX 4.25%/D10W SULF	
captopril.....	58	MONTH BOX	8	FREE.....	54
CARBAGLU.....	84	chloramphenicol sod succinate		CLINIMIX 4.25%/D5W	
carbamazepine.....	26	10	SULFIT FREE	54
carbidopa-levodopa	40	chlordiazepoxide hcl.....	8	CLINIMIX 4.25%-D20W	
carbidopa-levodopa-entacapone		chlorhexidine gluconate.....	74	SULF-FREE.....	54
.....	40	chloroquine phosphate.....	39	CLINIMIX 4.25%-D25W	
CARIMUNE NF		chlorothiazide	62	SULF-FREE.....	55
NANOFILTERED	93	chlorothiazide sodium.....	62	CLINIMIX 5%-	
carisoprodol.....	112	chlorpromazine	42	D20W(SULFITE-FREE) ...	55
carteolol.....	104	chlorthalidone	62	CLINIMIX E 2.75%/D10W	
cartia xt.....	60	chlorzoxazone.....	112	SUL FREE	55
carvedilol.....	59	cholestyramine (with sugar) ..	63	CLINIMIX E 2.75%/D5W	
casprofungin	35	cholestyramine light	63	SULF FREE	55
CAYSTON.....	13	ciclopirox	35	CLINIMIX E 4.25%/D10W	
caziant (28).....	69	cilostazol.....	53	SUL FREE	55
cefaclor	11, 12	CIMDUO	46	CLINIMIX E 4.25%/D25W	
cefadroxil.....	12	cimetidine hcl	83	SUL FREE	55
cefazolin	12	CIMZIA	93	CLINIMIX E 4.25%/D5W	
cefazolin in dextrose (iso-os)	12	CIMZIA POWDER FOR		SULF FREE.....	55
cefdinir	12	RECONST	93	CLINIMIX E 5%/D15W	
cefditoren pivoxil	12	CINQAIR.....	111	SULFIT FREE	55
cefepime	12	CINRYZE.....	52	CLINIMIX E 5%/D20W	
cefotaxime	12	CINVANTI.....	38	SULFIT FREE	55
cefoxitin.....	12	CIPRODEX	81	CLINIMIX E 5%/D25W	
cefpodoxime.....	12	ciprofloxacin.....	15	SULFIT FREE	55
cefprozil.....	12	ciprofloxacin hcl.....	15, 81	clobetasol	76
ceftazidime	12	ciprofloxacin in 5 % dextrose	15	clobetasol-emollient.....	76
ceftibuten.....	12	ciprofloxacin lactate	15	clocortolone pivalate.....	76
ceftriaxone.....	12	cialopram	29	clofarabine.....	18
cefuroxime axetil.....	12	clarithromycin.....	13	clomipramine	29
cefuroxime sodium.....	12	clindamycin.....	10	clonazepam	8
celecoxib.....	6	clindamycin in 5 % dextrose .	10	clonidine.....	56, 57
CELONTIN.....	26	clindamycin phosphate ...	10, 37,	clonidine hcl.....	56
cephalexin.....	13	75		clopidogrel	53
CEPROTIN (BLUE BAR).....	51	CLINIMIX 5%/D15W		clorazepate dipotassium.....	8
CERDELGA.....	78	SULFITE FREE	54	clotrimazole.....	35
CEREZYME	78	CLINIMIX 5%/D25W		clotrimazole-betamethasone ..	35
CETYLEV.....	103	SULFITE-FREE	54	clozapine	42
CHANTIX.....	7	CLINIMIX 2.75%/D5W		COARTEM.....	39
CHANTIX CONTINUING		SULFIT FREE.....	54	codeine sulfate	3
MONTH BOX.....	7			colchicine	36

colestipol	63	DALIRESP	111	dextrose 25 % in water (d25w)	55
colistin (colistimethate na)	10	danazol	87	55
colocort	101	dantrolene	112	dextrose 30 % in water (d30w)	55
COMBIGAN	104	dapsone	37	55
COMBIVENT RESPIMAT	110	DAPTACEL (DTAP		dextrose 40 % in water (d40w)	55
COMETRIQ	18	PEDIATRIC) (PF)	98	55
COMPLERA	46	daptomycin	10	dextrose 5 % in water (d5w)	55,
compro	38	DARAPRIM	40	56	
constulose	84	DARZALEX	18	dextrose 50 % in water (d50w)	56
CORLANOR	61	dasetta 1/35 (28)	69	56
cormax	76	dasetta 7/7/7 (28)	69	dextrose 70 % in water (d70w)	56
cortisone	89	daysee	69	56
COSENTYX (2 SYRINGES)	74	deblitane	69	DIASTAT	9
COSENTYX PEN (2 PENS)	74	decadron	89	DIASTAT ACUDIAL	9
COTELLIC	18	decitabine	18	diazepam	9
CREON	78	deferroxamine	87	diazepam intensol	9
CRIXIVAN	46	delyla (28)	69	diclofenac potassium	6
cromolyn	80, 111	DELZICOL	101	diclofenac sodium	6, 82
cryselle (28)	69	DEM SER	61	dicloxacillin	14
CUPRIMINE	87	DEPEN TITRATABS	87	dicyclomine	84
cyclafem 1/35 (28)	69	DEPO-PROVERA	92	didanosine	46
cyclafem 7/7/7 (28)	69	DESCOVY	46	DIFICID	13
cyclobenzaprine	112	desipramine	29	digitek	61
cyclopentolate	80	desmopressin	90	digox	61
cyclophosphamide	18	desog-e.estradiol/e.estradiol ..	69	digoxin	61
CYCLOPHOSPHAMIDE	18	desogestrel-ethinyl estradiol ..	69	DIGOXIN	61
cyclosporine	93, 94	desoximetasone	76	dihydroergotamine	37
cyclosporine modified	93, 94	desvenlafaxine succinate	29	DILANTIN	26
cyproheptadine	36	dexamethasone	89	diltiazem hcl	60
CYRAMZA	18	dexamethasone sodium phos		dilt-xr	60
cyred	69	(pf)	89	dimenhydrinate	38
CYSTADANE	103	dexamethasone sodium		DIPENTUM	101
CYSTARAN	80	phosphate	82, 89	diphenhydramine hcl	36
D		dexmethylphenidate	66	diphenoxylate-atropine	84
d10 %-0.45 % sodium chloride		dextroamphetamine	66	dipyridamole	53
.....	105	dextroamphetamine-		disopyramide phosphate	58
d5 % and 0.9 % sodium chloride		amphetamine	66	disulfiram	8
.....	105	dextrose 10 % in water (d10w)		divalproex	26
d5 %-0.45 % sodium chloride		55	dofetilide	58
.....	105	dextrose 20 % in water (d20w)		donepezil	28
DAKLINZA	49	55	DOPTELET	52
dalfampridine	66			dorzolamide	104

dorzolamide-timolol.....	104	EMFLAZA	89	esmolol.....	59
doxazosin.....	57	emoquette.....	69	esomeprazole sodium.....	83
doxepin.....	29	EMPLICITI	18	estarylla.....	69
doxercalciferol.....	101	EMSAM.....	30	estradiol.....	88
doxorubicin.....	18	EMTRIVA.....	46	estradiol valerate	88
doxorubicin, peg-liposomal....	18	enalapril maleate.....	58	estradiol-norethindrone acet... 88	
doxy-100.....	16	enalaprilat	58	estropipate	88
doxycycline hyclate.....	16	enalapril-hydrochlorothiazide	58	eszopiclone.....	112
doxycycline monohydrate	16	ENBREL.....	94	ethambutol.....	37
dronabinol.....	38	ENBREL SURECLICK	94	ethosuximide	26
droperidol	103	ENDARI	103	ethynodiol diac-eth estradiol. 69,	70
drospirenone-ethinyl estradiol	69	endocet.....	3	etodolac	6
DROXIA	18	ENGERIX-B (PF).....	98	ETOPOPHOS	19
DUAVEE	88	ENGERIX-B PEDIATRIC (PF)	98	etoposide	19
DULERA.....	108	98	EUCRISA	76
duloxetine.....	30	enoxaparin	51	EVOTAZ.....	46
DUPIXENT	74	enpresse	69	exemestane.....	19
DUREZOL	82	enskyce	69	EXJADE	87
dutasteride	86	entacapone	40	EXONDYS 51	103
E		entecavir.....	50	EXTAVIA.....	66
econazole.....	35	ENTRESTO.....	57	ezetimibe	63
EDARBI.....	57	enulose	84	F	
EDARBYCLOR.....	57	EPCLUSA	49	FABRAZYME.....	79
EDURANT.....	46	epinastine.....	80	falmina (28).....	70
efavirenz.....	46	epinephrine	61	famciclovir	50
ELAPRASE.....	79	epitol.....	26	famotidine	83
electrolyte-48 in d5w.....	105	EPIVIR HBV	46	famotidine (pf)	83
ELIDEL.....	76	eplerenone.....	64	famotidine (pf)-nacl (iso-os). 83	
ELIGARD	18	EPOGEN	52	FANAPT	42
ELIGARD (3 MONTH).....	18	epoprostenol (glycine)	113	FARESTON.....	19
ELIGARD (4 MONTH).....	18	ergoloid.....	103	FARYDAK	19
ELIGARD (6 MONTH).....	18	ERGOMAR	37	FASENRA	111
elinest	69	ERIVEDGE	18	FASLODEX.....	19
eliphos	86	ERLEADA.....	19	felbamate.....	26
ELIQUIS	51	errin.....	69	FEMRING.....	88
ELITEK.....	79	ertapenem.....	13	femynor	70
ELLA.....	69	ery pads.....	75	fenofibrate	63
ELMIRON.....	103	erythromycin.....	13, 81	fenofibrate micronized.....	63
EMCYT.....	18	erythromycin ethylsuccinate..	13	fenofibrate nanocrystallized... 63	
EMEND.....	38	erythromycin with ethanol.....	75	fentanyl	3
EMEND (FOSAPREPITANT)	38	ESBRIET	111	fentanyl citrate	3
.....	38	escitalopram oxalate	30		

FERRIPROX.....	87	FULPHILA.....	52	glipizide.....	34
FETZIMA.....	30	furosemide.....	62	glipizide-metformin.....	34
FIASP FLEXTOUCH U-100		FUZEON.....	46	GLUCAGEN HYPOKIT.....	31
INSULIN.....	33	fyavolv.....	88	glyburide.....	34
FIASP U-100 INSULIN.....	33	FYCOMPA.....	26	glyburide micronized.....	34
finasteride.....	86	G		glyburide-metformin.....	34
FIRAZYR.....	61	gabapentin.....	26, 27	glycopyrrolate.....	84
FIRVANQ.....	10	galantamine.....	28	glydo.....	7
FLEBOGAMMA DIF.....	94	GAMASTAN S/D.....	94	GLYXAMBI.....	31
flecainide.....	58	GAMMAGARD LIQUID.....	94	GOCOVRI.....	41
FLECTOR.....	6	GAMMAGARD S-D (IGA < 1		granisetron (pf).....	38
FLOVENT DISKUS	108, 109	MCG/ML).....	94	granisetron hcl.....	38
FLOVENT HFA.....	109	GAMMAPLEX.....	94	GRANIX.....	52
floxuridine.....	19	GAMMAPLEX (WITH		griseofulvin microsize.....	35
fluconazole.....	35	SORBITOL).....	94	guanfacine.....	57, 66
fluconazole in nacl (iso-osm).....	35	ganciclovir sodium.....	50	guanidine.....	103
flucytosine.....	35	GARDASIL 9 (PF).....	98	H	
fludrocortisone.....	89	GATTEX 30-VIAL.....	84	HAEGARDA.....	52
flumazenil.....	66	GAUZE PAD.....	78	halobetasol propionate.....	77
flunisolide.....	82	gavilyte-c.....	85	haloperidol.....	43
fluocinolone.....	76	gavilyte-g.....	85	haloperidol decanoate.....	43
fluocinonide.....	77	gavilyte-n.....	85	haloperidol lactate.....	43
fluocinonide-e.....	77	GAZYVA.....	19	HARVONI.....	49
fluorometholone.....	82	gemfibrozil.....	63	HAVRIX (PF).....	98
fluorouracil.....	19, 74	generlac.....	84	heather.....	70
fluoxetine.....	30	gengraf.....	94	heparin (porcine).....	51
fluphenazine decanoate.....	42	GENOTROPIN.....	90	heparin, porcine (pf).....	51
fluphenazine hcl.....	42, 43	GENOTROPIN MINIQUICK.....	90	HEPATAMINE 8%.....	56
flurbiprofen.....	6	gentak.....	81	HERCEPTIN.....	19
flurbiprofen sodium.....	82	gentamicin.....	9, 75, 81	HETLIOZ.....	113
flutamide.....	19	gentamicin in nacl (iso-osm) ...	9	HEXALEN.....	19
fluticasone.....	77, 83	gentamicin sulfate (ped) (pf) .	10	HIBERIX (PF).....	98
fluvoxamine.....	30	gentamicin sulfate (pf).....	10	HUMATROPE.....	91
fomepizole.....	103	GENVOYA.....	46	HUMIRA.....	95
fondaparinux.....	51	GEODON.....	43	HUMIRA PEDIATRIC	
FORTEO.....	102	gildagia.....	70	CROHN'S START.....	94
fosamprenavir.....	46	GILENYA.....	66	HUMIRA PEN.....	95
foscarnet.....	49	GILOTRIF.....	19	HUMIRA PEN CROHN'S-UC-	
fosinopril.....	58	glatiramer.....	66	HS START.....	94
fosphenytoin.....	26	glatopa.....	66	HUMIRA PEN PSORIASIS-	
FREAMINE HBC 6.9 %.....	56	GLEOSTINE.....	19	UVEITIS.....	94
FREAMINE III 10 %.....	56	glimepiride.....	34		

HUMULIN R U-500 (CONC)	IMPAVIDO	itraconazole
INSULIN	incassia	ivermectin
HUMULIN R U-500 (CONC)	INCRELEX	IXEMPRA
KWIKPEN	INCRUSE ELLIPTA	IXIARO (PF)
hydralazine	indapamide	J
hydrochlorothiazide	indomethacin	JADENU
hydrocodone-acetaminophen	indomethacin sodium	JADENU SPRINKLE
hydrocodone-ibuprofen	INFANRIX (DTAP) (PF)	JAKAFI
hydrocortisone	INFLECTRA	jantoven
hydromorphone	INGREZZA	JANUMET
hydromorphone (pf)	INLYTA	JANUMET XR
hydroxychloroquine	INSULIN SYRINGE-NEEDLE	JANUVIA
hydroxyprogesterone caproate	U-100	JARDIANCE
hydroxyurea	INTELENCE	jencycla
hydroxyzine hcl	INTRALIPID	JENTADUETO
hydroxyzine pamoate	INTRON A	JENTADUETO XR
HYPERRAB (PF)	introvale	jinteli
HYPERRAB S/D (PF)	INVANZ	jolivette
HYQVIA	INVEGA SUSTENNA	juleber
HYSINGLA ER	INVEGA TRINZA	JULUCA
I	INVIRASE	junel 1.5/30 (21)
ibandronate	INVOKAMET	junel 1/20 (21)
IBRANCE	INVOKAMET XR	junel fe 1.5/30 (28)
ibu	INVOKANA	junel fe 1/20 (28)
ibuprofen	IONOSOL-B IN D5W	junel fe 24
ICLUSIG	IONOSOL-MB IN D5W	JUXTAPID
IDHIFA	IPOL	JYNARQUE
ifosfamide	ipratropium bromide	K
ifosfamide-mesna	IPRIVASK	KABIVEN
ILARIS (PF)	irbesartan	KALETRA
ILEVRO	irbesartan-hydrochlorothiazide	KALYDECO
ILUMYA	KANUMA
imatinib	IRESSA	kariva (28)
IMBRUVICA	ISENTRESS	KEDRAB (PF)
IMFINZI	ISENTRESS HD	kelnor 1/35 (28)
imipenem-cilastatin	isibloom	kelnor 1-50
imipramine hcl	ISOLYTE-P IN 5 %	ketoconazole
imiquimod	DEXTROSE	ketorolac
IMLYGIC	ISOLYTE-S	KEVEYIS
IMOGAM RABIES-HT (PF)	isoniazid	KEVZARA
IMOVAX RABIES VACCINE	isosorbide dinitrate	KEYTRUDA
(PF)	isosorbide mononitrate	kimidess (28)

KINERET.....	95	LETAIRIS	113	LONSURF	21
KINRIX (PF).....	98, 99	letrozole	21	loperamide.....	84
kionex (with sorbitol).....	84	leucovorin calcium	103	lopinavir-ritonavir	47
KISQALI.....	20	LEUKERAN.....	21	lorazepam	9
KISQALI FEMARA CO-PACK	20	LEUKINE.....	52	lorcet (hydrocodone).....	4
klor-con m10	105	leuprolide	21	lorcet hd	4
klor-con m15	106	levabuterol tartrate.....	110	lorcet plus.....	4
klor-con m20	106	levetiracetam.....	27	loryna (28).....	71
klor-con sprinkle	106	levobunolol	104	losartan	57
KORLYM.....	32	levocarnitine	103	losartan-hydrochlorothiazide .	57
KRYSTEXXA.....	79	levocarnitine (with sugar)....	103	LOTEMAX	83
kurvelo.....	70	levocetirizine	36	lovastatin	64
KUVAN	79	levofloxacin	15, 81	low-ogestrel (28).....	71
KYNAMRO	64	levofloxacin in d5w	15	loxapine succinate.....	44
KYPROLIS	20	levoleucovorin	103	LUCEMYRA	8
L		LEVOLEUCOVORIN.....	103	LUMIGAN.....	105
l norgest/e.estradiol-e.estrad...	70	levonest (28)	71	LUPRON DEPOT.....	21
labetalol	59	levonorgestrel-ethinyl estrad .	71	LUPRON DEPOT (3 MONTH)	
LACTATED RINGERS.....	101	levonorg-eth estrad triphasic .	71	21
lactulose.....	84	levora-28.....	71	LUPRON DEPOT (4 MONTH)	
lamivudine	47	levothyroxine	93	21
lamivudine-zidovudine.....	47	LEXIVA	47	LUPRON DEPOT (6 MONTH)	
lamotrigine	27	LIALDA	101	21
LANTUS SOLOSTAR U-100		lidocaine.....	7	LUPRON DEPOT-PED.....	91
INSULIN.....	33	lidocaine (pf).....	7, 58	LUPRON DEPOT-PED (3	
LANTUS U-100 INSULIN....	33	lidocaine hcl.....	7	MONTH).....	91
larin 1.5/30 (21).....	70	lidocaine viscous.....	7	lutera (28).....	71
larin 1/20 (21).....	70	lidocaine-prilocaine	7	LYNPARZA	21
larin 24 fe	71	lillow	71	LYRICA.....	27
larin fe 1.5/30 (28).....	71	linezolid	11	LYSODREN	21
larin fe 1/20 (28).....	71	linezolid in dextrose 5%	11	lyza.....	71
larissia.....	71	linezolid-0.9% sodium chloride		M	
LARTRUVO	21	10	magnesium sulfate	106
latanoprost	104	LINZESS	84	magnesium sulfate in d5w ...	106
LATUDA	44	liothyronine.....	93	magnesium sulfate in water .	106
LAZANDA.....	4	lisinopril.....	58	malathion.....	78
leena 28	71	lisinopril-hydrochlorothiazide	58	maprotiline	30
leflunomide.....	95	lithium carbonate	67	marlissa	71
LEMTRADA.....	67	lithium citrate.....	67	MARPLAN.....	30
LENVIMA	21	LIVALO	64	MATULANE	21
lessina.....	71	LONHALA MAGNAIR		MAVYRET.....	49
		STARTER	110	meclizine	38

medroxyprogesterone	92	metronidazole in nacl (iso-os) 11		N	
mefenamic acid	6	mexiletine	58	nabumetone	6
mefloquine.....	40	MIACALCIN.....	102	nafcillin	14
megestrol	21, 93	miconazole-3	35	NAGLAZYME	79
MEKINIST.....	21	microgestin 1.5/30 (21).....	71	naloxone.....	8
MEKTOVI	21	microgestin 1/20 (21).....	71	naltrexone.....	8
meloxicam	6	microgestin fe 1.5/30 (28)	71	NAMZARIC	29
memantine	29	microgestin fe 1/20 (28)	71	naproxen.....	6
MENACTRA (PF)	99	midodrine.....	57	NARCAN.....	8
MENEST.....	88	miglustat	79	NATACYN.....	81
MENVEO A-C-Y-W-135-DIP (PF).....	99	mili.....	71	NATPARA.....	102
mercaptopurine.....	21	milrinone.....	62	NEBUPENT.....	40
meropenem	13	milrinone in 5 % dextrose.....	62	necon 0.5/35 (28)	72
mesalamine.....	101	mimvey lo	88	nefazodone	30
mesna.....	104	minitran.....	65	neomycin.....	10
MESNEX	104	minocycline	16	neomycin-bacitracin-poly-hc .	81
MESTINON	104	minoxidil.....	65	neomycin-bacitracin-polymyxin	81
metaproterenol.....	110	mirtazapine	30	neomycin-polymyxin b gu	75
metformin	32	misoprostol	83	neomycin-polymyxin b- dexameth	81
methadone	4	mitoxantrone.....	22	neomycin-polymyxin- gramicidin	81
methadose.....	4	M-M-R II (PF).....	99	neomycin-polymyxin-hc	81
methenamine hippurate	11	mometasone	77	neo-polycin	82
methimazole	93	mondoxyne nl	16	neo-polycin hc.....	82
methocarbamol.....	112	mono-lynyah.....	71	NEPHRAMINE 5.4 %	56
methotrexate sodium	22	mononessa (28).....	71	NERLYNX	22
methotrexate sodium (pf)	22	montelukast.....	109	NEULASTA	52
methoxsalen.....	75	morphine.....	4	NEUPOGEN	52
methscopolamine.....	84	MORPHINE	4	NEUPRO.....	41
methylclothiazide	63	morphine concentrate	4	nevirapine.....	47
methylphenidate hcl	67	MOVANTIK	85	NEXAVAR.....	22
methylprednisolone	89	MOVIPREP	85	niacin.....	64
methylprednisolone acetate	89	MOXEZA	81	niacor.....	64
methylprednisolone sodium succ	89, 90	moxifloxacin.....	15, 81	nicardipine.....	62
metipranolol	105	MOZOBIL.....	52	NICOTROL	8
metoclopramide hcl	84, 85	MULPLETA.....	52	nifedipine	62
metoprolol succinate	59	MULTAQ	58	nikki (28).....	72
metoprolol ta-hydrochlorothiaz	59	mupirocin.....	75	nilutamide	22
metoprolol tartrate	59	mycophenolate mofetil	95, 96	NINLARO.....	22
metronidazole	11, 37, 75	mycophenolate mofetil hcl	95	NITRO-BID	65
		MYLOTARG.....	22		
		MYRBETRIQ.....	86		
		myzilra.....	71		

nitrofurantoin macrocrystal	11	NOVOLOG PENFILL U-100		ONIVYDE	22
nitrofurantoin monohyd/m-cryst		INSULIN	34	OPDIVO	22
.....	11	NOVOLOG U-100 INSULIN		OPSUMIT	113
nitroglycerin	65	ASPART	34	oralone.....	74
NITYR.....	79	NOXAFIL.....	35	ORENCIA.....	96
NIVESTYM	52	NUCALA.....	111	ORENCIA (WITH MALTOSE)	
nizatidine	83	NUCYNTA.....	5	96
nora-be.....	72	NUCYNTA ER	5	ORENCIA CLICKJECT.....	96
NORDITROPIN FLEXPPO ..	91	NUDEXTA	67	ORENITRAM.....	113
norepinephrine bitartrate	62	NULOJIX	96	ORFADIN.....	79
norethindrone (contraceptive)	72	NUPLAZID	44	ORLISSA.....	91
norethindrone acetate	93	NUTRILIPID.....	56	ORKAMBI.....	111
norethindrone ac-eth estradiol		NUTROPIN AQ NUSPIN.....	91	orsythia.....	72
.....	72, 88	NUVARING	72	oseltamivir.....	49
norethindrone-e.estradiol-iron	72	nyamyc.....	35	OSMOLEX ER	41
norgestimate-ethinyl estradiol	72	nystatin.....	35, 36	OTEZLA	96
norlyda.....	72	nystop.....	36	OTEZLA STARTER	96
norlyroc	72	O		OTREXUP (PF).....	96
NORMOSOL-M IN 5 %		OCALIVA	85	oxacillin.....	14
DEXTROSE.....	106	OCREVUS.....	67	oxcarbazepine	27
NORMOSOL-R	106	OCTAGAM.....	96	OXTELLAR XR.....	27
NORMOSOL-R PH 7.4	106	octreotide acetate	91	oxybutynin chloride	86
NORTHERA	57	ODEFSEY	47	oxycodone	5
nortrel 0.5/35 (28)	72	ODOMZO.....	22	oxycodone-acetaminophen	5
nortrel 1/35 (21)	72	OFEV.....	111	oxycodone-aspirin.....	5
nortrel 1/35 (28)	72	ofloxacin	15, 82	OXYCONTIN.....	5
nortrel 7/7/7 (28)	72	ogestrel (28).....	72	OZEMPIC	32
nortriptyline.....	30	okebo	16	P	
NORVIR.....	47	olanzapine.....	44	pacerone	58
NOVOLIN 70/30 U-100		olmesartan.....	57	paliperidone.....	44
INSULIN.....	33	olmesartan-hydrochlorothiazide		PALYNZIQ.....	79
NOVOLIN N NPH U-100		57	PANRETIN.....	75
INSULIN.....	33	olopatadine.....	80	pantoprazole.....	83
NOVOLIN R REGULAR U-		OLUMIANT	96	paricalcitol.....	102
100 INSULN	33	omega-3 acid ethyl esters	64	PARICALCITOL.....	102
NOVOLOG FLEXPEN U-100		omeprazole.....	83	paroex oral rinse.....	74
INSULIN.....	33	OMNITROPE.....	91	paromomycin	40
NOVOLOG MIX 70-30 U-100		ONCASPAS.....	22	paroxetine hcl.....	30
INSULN	34	ondansetron.....	39	PASER	37
NOVOLOG MIX 70-		ondansetron hcl.....	39	PAXIL.....	30
30FLEXPEN U-100	34	ondansetron hcl (pf).....	38, 39	PEDIARIX (PF).....	99
		ONFI.....	9	PEDVAX HIB (PF)	99

peg 3350-electrolytes	85	PLEGRIDY	67	PREMPHASE	89
PEGANONE	27	podofilox.....	75	PREMPRO.....	89
PEGASYS	50	polycin	82	prenatal plus (calcium carb). 114	
PEGASYS PROCLICK	50	polyethylene glycol 3350. 85, 86		prenatal vitamin plus low iron	
PEGINTRON	50	polymyxin b sulfate	11	114
PEN NEEDLE, DIABETIC ...	78	polymyxin b sulf-trimethoprim		prevalite.....	64
penicillin g potassium.....	14	82	previfem	72
penicillin g procaine	14	POMALYST.....	22	PREVYMIS	49
penicillin v potassium.....	15	portia.....	72	PREZCOBIX	47
PENNSAID	7	PORTRAZZA.....	22	PREZISTA	47
PENTACEL (PF)	99	potassium chlorid-d5-0.45% nacl		PRIFTIN	37
PENTACEL DTAP-IPV		106	PRIMAQUINE	40
COMPNT (PF)	99	potassium chloride.....	107	primidone	27
PENTAM	40	potassium chloride in 0.9% nacl		PRIVIGEN.....	96
pentoxifylline	53	106	PROAIR HFA.....	110
PERIKABIVEN	56	potassium chloride in 5 % dex		PROAIR RESPICLICK	110
perindopril erbumine	58	106	probenecid.....	36
periogard.....	74	potassium chloride in lr-d5..	107	probenecid-colchicine	36
permethrin	78	potassium chloride in water. 107		procainamide.....	58
perphenazine.....	44	potassium chloride-0.45 % nacl		PROCALAMINE 3%	56
perphenazine-amitriptyline.....	31	107	prochlorperazine	39
pfizerpen-g	15	potassium chloride-d5-0.2% nacl		prochlorperazine edisylate	39
phenadoz.....	39	107	prochlorperazine maleate	39
phenelzine.....	31	potassium chloride-d5-0.3% nacl		PROCRIT.....	52, 53
phenobarbital.....	27	107	procto-med hc	77
phenylephrine hcl	57, 80	potassium chloride-d5-0.9% nacl		proctosol hc.....	77
phenytoin.....	27	107	proctozone-hc.....	77
phenytoin sodium	27	potassium citrate	107	PROCYSBI.....	79
phenytoin sodium extended....	27	POTELIGEO	22	progesterone in oil.....	93
philith	72	PRADAXA.....	51	progesterone micronized	93
PHOSLYRA.....	86	PRALUENT PEN.....	64	PROGLYCEM.....	104
PICATO	75	pramipexole	41	PROGRAF	96
pilocarpine hcl.....	74, 105	prasugrel	53	PROLASTIN-C.....	112
pimozide	44	pravastatin.....	64	PROLENSA	83
pimtrea (28).....	72	prazosin.....	57	PROLEUKIN.....	22
pioglitazone	32	prednicarbate	77	PROLIA	102
piperacillin-tazobactam	15	prednisolone.....	90	PROMACTA	53
pirmella.....	72	prednisolone acetate	83	promethazine.....	36, 39
PLASMA-LYTE 148	106	prednisolone sodium phosphate		promethazine vc	36
PLASMA-LYTE A	106	83, 90	promethegan.....	39
PLASMA-LYTE-56 IN 5 %		prednisone.....	90	propafenone.....	58
DEXTROSE.....	106	PREMARIN.....	88, 89	propanteline.....	25

propracaine	80	RENAGEL.....	86	SANDOSTATIN LAR DEPOT	92
propranolol	59, 60	RENFLEXIS.....	104	92
propranolol-hydrochlorothiazid	60	repaglinide	32	SANTYL.....	75
.....	60	REPATHA PUSHTRONEX .	64	SAPHRIS	45
propylthiouracil	93	REPATHA SURECLICK.....	64	SAPHRIS (BLACK CHERRY)	45
PROQUAD (PF)	99	REPATHA SYRINGE	64	45
PROSOL 20 %	56	RESCRIPTOR.....	47	SAVELLA	68
protamine.....	53	RESTASIS.....	83	scopolamine base	39
protriptyline.....	31	RETACRIT.....	53	selegiline hcl	41
PULMOZYME.....	79	RETROVIR	47	selenium sulfide	76
PURIXAN	22	REVLIMID.....	22	SELZENTRY	47, 48
pyrazinamide	37	revonto	112	SENSIPAR.....	102
pyridostigmine bromide	104	REXULTI	44	SEREVENT DISKUS.....	110
Q		REYATAZ.....	47	SEROSTIM.....	92
QUADRACEL (PF).....	99	RHOPRESSA	105	sertraline.....	31
quasense	72	ribasphere.....	50	setlakin	72
quetiapine	44	ribavirin	50, 51	sevelamer carbonate.....	86
quinapril	58	RIDAURA.....	96	sharobel.....	73
quinidine sulfate	59	rifabutin	37	SHINGRIX (PF)	99
QVAR.....	109	rifampin	38	SIGNIFOR	92
QVAR REDIHALER.....	109	riluzole	68	sildenafil (antihypertensive). 114	
R		rimantadine	49	SILENOR.....	113
RABAVERT (PF).....	99	RISPERDAL CONSTA	44	SILIQ	75
RADICAVA.....	67	risperidone	44, 45	silver sulfadiazine	76
raloxifene.....	89	ritonavir	47	SIMBRINZA.....	105
ramipril.....	58	RITUXAN	23	SIMPONI	97
RANEXA	62	RITUXAN HYCELA	23	SIMPONI ARIA	97
ranitidine hcl.....	84	rivastigmine	29	simvastatin	64
RAPAMUNE	96	rivastigmine tartrate.....	29	sirolimus.....	97
rasagiline	41	rizatriptan.....	37	SIRTURO	38
RASUVO (PF)	96	ropinirole	41	smoflipid	56
RAVICTI.....	85	rosadan.....	76	sodium acetate.....	107
RAYALDEE	102	rosuvastatin.....	64	sodium chloride.....	101, 108
REBIF (WITH ALBUMIN).....	67	ROTARIX	99	sodium chloride 0.45 %	107
REBIF REBIDOSE.....	68	ROTATEQ VACCINE.....	99	sodium chloride 0.9 %	108
REBIF TITRATION PACK.....	68	ROWEEPRA	27	sodium lactate	108
reclipsen (28).....	72	RUBRACA.....	23	sodium phenylbutyrate.....	85
RECOMBIVAX HB (PF)	99	RYDAPT	23	sodium phosphate.....	108
RELENZA DISKHALER	49	S		sodium polystyrene (sorb free)	85
RELISTOR.....	85	SABRIL.....	27	85
REMICADE.....	96	SAIZEN	92	sodium polystyrene sulfonate	85
REMODULIN.....	114	SAIZEN SAIZENPREP	91	SOLQUA 100/33.....	34

SOLTAMOX.....	23	SUPRAX	13	TEFLARO.....	13
SOLU-CORTEF (PF).....	90	SUPREP BOWEL PREP KIT	86	TEKTRNA	65
SOMATULINE DEPOT	92	SUTENT.....	23	TEKTRNA HCT	64
SOMAVERT	92	syeda	73	telmisartan.....	57
sorine	60	SYLATRON.....	50	temazepam	9
sotalol	60	SYLVANT.....	23	TEMODAR.....	24
sotalol af.....	60	SYMBICORT	109	TENIVAC (PF).....	100
SOVALDI	49	SYMDEKO	112	tenofovir disoproxil fumarate	48
SPIRIVA RESPIMAT.....	110	SYMFI.....	48	terazosin	87
SPIRIVA WITH		SYMFI LO.....	48	terbinafine hcl	36
HANDIHALER.....	110	SYMLINPEN 120	32	terbutaline	111
spironolactone	63	SYMLINPEN 60	32	terconazole	37
sprintec (28).....	73	SYMTUZA.....	48	testosterone	88
SPRITAM.....	28	SYNAGIS.....	49	testosterone cypionate.....	87
SPRYCEL	23	SYNAREL.....	92	testosterone enanthate	87
sps (with sorbitol).....	85	SYNERCID	11	TETANUS,DIPHThERIA TOX	
sronyx	73	SYNJARDY	32	PED(PF).....	100
ssd.....	76	SYNJARDY XR.....	33	TETANUS-DIPHThERIA	
stavudine.....	48	SYNRIBO.....	23	TOXOIDS-TD	100
STELARA.....	97	T		tetrabenazine	68
STIOLTO RESPIMAT	110	TABLOID.....	23	tetracycline.....	16
STIVARGA.....	23	tacrolimus	97	THALOMID	104
STRENSIQ.....	79	tadalafil (antihypertensive)..	114	theophylline.....	111
streptomycin.....	10	TAFINLAR	23	THIOLA.....	104
STRIBILD.....	48	TAGRISSO.....	23	thioridazine	45
STRIVERDI RESPIMAT	110	TAKHZYRO	104	thiotepa.....	24
SUBLOCADE.....	5	TALTZ AUTOINJECTOR....	75	thiothixene.....	45
SUBOXONE.....	8	TALTZ SYRINGE	75	tiagabine.....	28
subvenite.....	28	tamoxifen	23	TIBSOVO	24
sucralfate	84	tamsulosin.....	87	TICE BCG	100
sulfacetamide sodium.....	82	TARCEVA	23	tigecycline	16
sulfacetamide sodium (acne)..	76	TARGRETIN.....	23	tilia fe	73
sulfacetamide-prednisolone....	82	tarina fe 1/20 (28)	73	timolol maleate.....	60, 105
sulfadiazine.....	15	TASIGNA.....	23	TIVICAY	48
sulfamethoxazole-trimethoprim		TAVALISSE	53	tizanidine.....	112
.....	15, 16	tazarotene.....	77	TOBI PODHALER.....	10
sulfasalazine	101	tazicef.....	13	tobramycin	82
sulfatrim	16	TAZORAC	77	tobramycin in 0.225 % nacl ...	10
sulindac.....	7	taztia xt	60	tobramycin in 0.9 % nacl	10
sumatriptan	37	TECENTRIQ.....	24	tobramycin sulfate.....	10
sumatriptan succinate	37	TECFIDERA	68	tobramycin-dexamethasone ...	82
SUPPRELIN LA	92	TECHNIVIE.....	49	TOLAK.....	75

tolazamide	34	tri-lo-sprintec	73	valsartan-hydrochlorothiazide	57
tolterodine.....	86	trilyte with flavor packets	86	VALSTAR	24
topiramate.....	28	trimethoprim	11	vancomycin	11
toposar	24	tri-mili	73	VAQTA (PF)	100
torsemide	63	trimipramine	31	VARIVAX (PF).....	100
TOTECT.....	104	trinessa (28)	73	VASCEPA	64
TOUJEO MAX U-300		TRINTELLIX.....	31	VELCADE.....	24
SOLOSTAR	34	tri-previfem (28)	73	velivet triphasic regimen (28)	73
TOUJEO SOLOSTAR U-300		TRIPTODUR.....	92	VELPHORO	86
INSULIN.....	34	tri-sprintec (28).....	73	VELTASSA	85
TOVIAZ.....	86	TRIUMEQ.....	48	VEMLIDY	48
TRACLEER	114	trivora (28).....	73	VENCLEXTA.....	24
TRADJENTA.....	33	tri-vylibra	73	VENCLEXTA STARTING	
tramadol.....	5	TROGARZO	48	PACK.....	24
tramadol-acetaminophen	5	TROKENDI XR	28	venlafaxine.....	31
trandolapril	58	TROPHAMINE 10 %.....	56	verapamil.....	60
tranexamic acid	53	TROPHAMINE 6%.....	56	VERSACLOZ.....	45
tranylcypromine	31	TRULICITY	33	VERZENIO.....	24
TRAVASOL 10 %	56	TRUMENBA.....	100	vestura (28)	73
TRAVATAN Z	105	TRUVADA.....	48	VGO 40.....	78
trazodone	31	tulana	73	VIBERZI.....	85
TREANDA.....	24	TWINRIX (PF).....	100	VICTOZA.....	33
TRECATOR.....	38	TYBOST.....	104	VIDEX 2 GRAM PEDIATRIC	
TRELEGY ELLIPTA	111	TYKERB	24	48
TRELSTAR.....	24	TYMLOS.....	102	VIDEX 4 GRAM PEDIATRIC	
TREMFYA.....	75	TYPHIM VI.....	100	48
tretinoin	77, 78	TYSABRI	97	VIDEX EC	48
tretinoin (chemotherapy).....	24	TYVASO.....	114	VIEKIRA PAK.....	49
tri femynor.....	73	U		VIEKIRA XR.....	49
triamcinolone acetonide ..74, 77,		UCERIS	101	vienva.....	73
90		ULORIC	36	vigabatrin	28
triamterene-hydrochlorothiazid		UNITUXIN.....	24	vigadrone.....	28
.....	63	UPTRAVI.....	114	VIIBRYD.....	31
trientine.....	87	ursodiol	85	VIMIZIM	79
tri-estarylla	73	V		VIMPAT	28
trifluoperazine	45	valacyclovir	51	vinorelbine	24
trifluridine.....	82	VALCHLOR	75	viorele (28).....	73
trihexyphenidyl.....	41	valganciclovir	51	VIRACEPT.....	48
tri-legest fe.....	73	valproate sodium.....	28	VIRAMUNE.....	48
tri-linyah	73	valproic acid	28	VIREAD	48, 49
tri-lo-estarylla.....	73	valproic acid (as sodium salt)	28	VISTOGARD	104
tri-lo-marzia.....	73	valsartan.....	57	VOLTAREN.....	7

voriconazole	36	XTANDI.....	25	ZIRGAN	82
VOSEVI	50	xulane.....	74	ZOLADEX.....	25
VOTRIENT.....	25	XULTOPHY 100/3.6.....	34	zoledronic acid.....	102
VPRIV	79	XURIDEN	104	zoledronic acid-mannitol-water	
VRAYLAR.....	45	XYREM.....	113	102
vyfemla (28).....	73	Y		zoledronic ac-mannitol-0.9nacl	
vylibra.....	74	YERVOY.....	25	102
VYXEOS.....	25	YF-VAX (PF).....	100	ZOLINZA	25
W		YONDELIS	25	zolpidem.....	113
warfarin	52	YONSA	25	ZOMACTON.....	92
water for irrigation, sterile....	101	Z		ZOMETA	102
WELCHOL	64	zafirlukast	109	zonisamide	28
wera (28)	74	zaleplon.....	113	ZORBTIVE.....	92
X		zarah.....	74	ZORTRESS.....	97
XADAGO.....	41	ZARXIO	53	ZOSTAVAX (PF).....	100
XALKORI.....	25	ZEJULA.....	25	zovia 1/35e (28)	74
XARELTO	52	ZELBORAF.....	25	zovia 1/50e (28)	74
XATMEP	25	zenatane	75	ZUBSOLV	8
XELJANZ	97	zenchent (28)	74	ZYDELIG	25
XELJANZ XR.....	97	ZENPEP.....	80	ZYKADIA	25
XERMELO.....	85	ZEPATIER	50	ZYLET	82
XIFAXAN.....	11	ZERIT	49	ZYPREXA RELPREVV	45
XOLAIR.....	112	zidovudine	49	ZYTIGA.....	25
XTAMPZA ER	5	ziprasidone hcl.....	45		

Este formulario fue actualizado el 10/09/2018. Para obtener información actualizada o si tiene preguntas, contacte a ATRIO Health Plans llamando al 1-877-672-8620 o para usuarios de TTY/TDD, al 1-800-735-2900, todos los días de 8:00 a.m. a 8:00 p.m., o visite el sitio web atriohp.com.