

Urothelial Carcinoma Padcev (Enfortumab Vedotin-ejfv) J9177 Prior Authorization Request Medicare Part B Form

Instructions: * Indicates required information – Form may be returned if required information is not provided. Please fax this request to the appropriate fax number listed at the bottom of the page.

□ Standard Request– (72 Hours)				☐ Urgent Request (standard time frame could place the member's life, health or ability in serious jeopardy)				
	Date Requested							
	Requestor Clinic name:						/ Fax	
MEMBER INFORMATION								
*Name:*ID#:*DOB:								
PRESCRIBER INFORMATION								
*Name: □M			D □FNP □DO □NP □PA *Phone:					
*Address:			*Fax:					
DISPENSING PROVIDER / ADMINISTRATION INFORMATION								
*Name: Phone:								
*Address: Fax:								
PROCEDURE / PRODUCT INFORMATION								
НС	PC Code	Name of Drug	Dos	e (Wt: _	kg Ht:)	Frequency	known
□ Self-administered □ Provider-administered □ Home Infusion								
□Chart notes attached. Other important information:								
Diagnosis: ICD10: Description:								
☐ Provider attests the diagnosis provided is an FDA-Approved indication for this drug								
CLINICAL INFORMATION								
 □ New Start or Initial Request: (Clinical documentation required for all requests) □ Provider has reviewed the attached "Criteria for Approval" and attests the member meets ALL required PA criteria. If not, please provide clinical rationale for formulary exception: 								
 □ Continuation Requests: (Clinical documentation required for all requests) □ Provider has reviewed the attached "Criteria for Continuation" and attests the member meets ALL required PA Continuation criteria. □ Patient had an adequate response or significant improvement while on this medication. If not, please provide clinical rationale for continuing this medication:								
ACKNOWLEDGEMENT								
Request By (Signature Required):								



Prior Authorization Group – Urothelial Carcinoma PA

Drug Name(s):

PADCEV

ENFORTUMAB VEDOTIN-EJFV

Criteria for approval of Non-Formulary/Preferred Drug:

- 1. Prescribed for an approved FDA diagnosis (as listed below):
- 2. Drug meets the following utilization management criteria:
 - a. Urothelial Carcinoma Bladder Cancer
 - i. Used as a single agent when used as subsequent therapy following platinum-containing chemotherapy and prior treatment with a programmed death receptor-1 (PD-1) or programmed death-ligand 1 (PD-L1) inhibitor or when used as subsequent therapy for members who are ineligible for cisplatin-containing chemotherapy for any of the following:
 - 1. Stage II disease if tumor is present following reassessment of tumor status 2-3 months after primary treatment with concurrent chemoradiotherapy. radiotherapy alone or transurethral resection of bladder tumor (TURBT); or
 - 2. Locally advanced or metastatic disease; or
 - 3. Metastatic or local recurrence post-cystectomy; or
 - 4. Muscle invasive local recurrence or persistent disease in a preserved bladder; or
 - b. Urothelial Carcinoma Primary Carcinoma of the Urethra
 - Used as a single agent when used as subsequent therapy following platinum-containing chemotherapy and prior treatment with a programmed death receptor-1 (PD-1) or programmed death-ligand 1 (PD-L1) inhibitor or when used as subsequent therapy for members who are ineligible for cisplatin-containing chemotherapy; or
 - c. Urothelial Carcinoma Upper Genitourinary Tract Tumors or Urothelial Carcinoma of the Prostate
 - i. Used as a single agent when used as subsequent therapy following platinum-containing chemotherapy and prior treatment with a programmed death receptor-1 (PD-1) or programmed death-ligand 1 (PD-L1) inhibitor or when used as subsequent therapy for members who are ineligible for cisplatin-containing chemotherapy.
- 3. Member does not have any clinically relevant contraindications, or CMS/Plan exclusions, to the requested drug.
 - If the member meets all these criteria, they may be approved by the Plan for the requested drug.
 - Quantity limits and Tiering will be determined by the Plan.

Exclusion Criteria:

N/A

Prescriber Restrictions:

Oncology or related specialty

Coverage Duration:

Approval will be for 6 months

FDA Indications:

- Urothelial carcinoma, Metastatic or locally advanced, after PD-1 or PD-L1 inhibitor and platinum-containing chemotherapy or in patients ineligible for CISplatin-containing chemotherapy and have previously received 1 or more prior lines of therapy, as monotherapyView additional information.
- Urothelial carcinoma, Metastatic or locally advanced, ineligible for CISplatin-containing chemotherapy, in combination with pembrolizumab



Part B Prior Authorization Step Therapy Guidelines

N/A

Age Restrictions:

Safety and effectiveness have not been established in pediatric patients

Other Clinical Consideration:

N/A

Resouces:

https://www.micromedexsolutions.com/micromedex2/librarian/CS/6C0590/ND PR/evidencexpert/ND P/evidencexpert/DUPLICATIONSHIELDSYN C/3BC6B2/ND PG/evidencexpert/ND B/evidencexpert/ND AppProduct/evidencexpert/ND T/evidencexpert/PFActionId/evidencexpert.GoToDash board?docId=932799&contentSetId=100&title=Enfortumab+Vedotin-ejfv&servicesTitle=Enfortumab+Vedotin-ejfv&brandName=Padcev&UserMdxSearchTerm=Padcev&=null#