



Imjudo
Imjudo (Tremelimumab-actl) J0850
Prior Authorization Request
Medicare Part B Form

*Instructions: * Indicates required information – Form may be returned if required information is not provided. Please fax this request to the appropriate fax number listed at the bottom of the page.*

<input type="checkbox"/>	Standard Request– (72 Hours)	<input type="checkbox"/>	Urgent Request (standard time frame could place the member's life, health or ability in serious jeopardy)
Date Requested _____			
Requestor _____ Clinic name: _____ Phone _____ / Fax _____			

MEMBER INFORMATION

*Name: _____ *ID#: _____ *DOB: _____

PRESCRIBER INFORMATION

*Name: _____ MD FNP DO NP PA *Phone: _____

*Address: _____ *Fax: _____

DISPENSING PROVIDER / ADMINISTRATION INFORMATION

*Name: _____ Phone: _____

*Address: _____ Fax: _____

PROCEDURE / PRODUCT INFORMATION

HCPC Code	Name of Drug	Dose (Wt: _____ kg Ht: _____)	Frequency	End Date if known

Self-administered Provider-administered Home Infusion

Chart notes attached. **Other important information:** _____

Diagnosis: ICD10: _____ **Description:** _____

Provider attests the diagnosis provided is an FDA-Approved indication for this drug

CLINICAL INFORMATION

New Start or Initial Request: (Clinical documentation required for all requests)

Unresectable Hepatocellular Carcinoma (in combination with Imfinzi)

- Patient has unresectable hepatocellular carcinoma AND
- Child-Pugh class A liver function AND
- ECOG performance status 0-1 AND
- No prior systemic therapy for advanced HCC (first-line treatment) AND
- Prescribed by or in consultation with oncologist

Metastatic Non-Small Cell Lung Cancer (in combination with Imfinzi and platinum-based chemotherapy)

- Patient has metastatic NSCLC with no sensitizing EGFR mutations or ALK rearrangements AND
- Patient has not received prior systemic therapy for metastatic disease AND
- ECOG performance status 0-1 AND
- Prescribed by or in consultation with oncologist

If not, please provide **clinical rationale** for formulary exception: _____

Continuation Requests: (Clinical documentation required for all requests)

Patient had an **adequate response** or **significant improvement** while on this medication.

Medical record documentation of positive response is included

If not, please provide clinical rationale for continuing this medication: _____

ACKNOWLEDGEMENT

Request By (Signature Required): _____ **Date:** ____ / ____ / ____

Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any insurance company by providing materially false information or conceals material information for the purpose of misleading, commits a fraudulent insurance act, which is a crime and subjects such person to criminal and civil penalties. **THIS AUTHORIZATION IS NOT A GUARANTEE OF PAYMENT.** PAYMENT IS BASED ON BENEFITS IN EFFECT AT THE TIME OF SERVICE, MEMBER ELIGIBILITY AND MEDICAL NECESSITY.

Prior Authorization Group – Imjudo Prior Authorization

Drug Name(s):

IMJUDO

TREMELIMUMAB-ACTL

Criteria for approval of Non-Formulary/Preferred Drug:

1. Prescribed for an approved FDA diagnosis (as listed below):
2. Prescribed by, or in consultation with an oncologist or other cancer specialist related to the diagnosis.
3. Drug is being used appropriately per CMS recognized compendia, authoritative medical literature, evidence based guidelines and/or accepted standards of medical practice.
4. Member does not have any clinically relevant contraindications, or CMS/Plan exclusions, to the requested drug.
 - If the member meets all these criteria, they may be approved by the Plan for the requested drug.
 - Quantity limits and tiering will be determined by the Plan, in accordance with the Label.

Exclusion Criteria:

N/A

Prescriber Restrictions:

Oncologist or other related specialist

Coverage Duration:

Approval will be for 6 months

FDA Indications:

Imjudo

- Liver carcinoma, Unresectable, in combination with durvalumab
- Non-small cell lung cancer, Metastatic, with no sensitizing EGFR mutations or ALK genomic tumor aberrations, in combination with durvalumab and platinum-based chemotherapy

Off-Label Uses:

N/A

Age Restrictions:

Safety and effectiveness have not been established in pediatric patients.

Other Clinical Consideration:

N/A

Resources:

https://www.micromedexsolutions.com/micromedex2/librarian/CS/C00137/ND_PR/evidencexpert/ND_P/evidencexpert/DUPLICATIONSHIELDSYNC/D0090E/ND_PG/evidencexpert/ND_B/evidencexpert/ND_AppProduct/evidencexpert/ND_T/evidencexpert/PFActionId/evidencexpert.GoToDashboard?docId=933832&contentSetId=100&title=Tremelimumab-actl&servicesTitle=Tremelimumab-actl&brandName=Imjudo&UserMdxSearchTerm=imjudo#